

Lunar farside to be explored by Chang'e-4

To the Editor — The Moon's farside eluded human observation until 4 October 1959, when the Soviet Luna 3 spacecraft flew by. Luna 3 photographed a surface in stark contrast to the lunar nearside; subsequent orbital exploration confirmed that the farside is characterized by thicker crust¹ and far fewer maria (volcanic plains)². Despite this contrast, the 20 landings on the Moon before 2019 were all on the nearside (Fig. 1), because of the difficulty of communication between Earth and the farside. In 2018, a satellite (Queqiao) was successfully deployed to provide the communications relay capability for farside operations by the Chinese Lunar Exploration Program. This enabled the successful farside landing by Chang'e-4 on 3 January 2019, in the Von Kármán crater³ on the floor of the South Pole-Aitken basin (Fig. 1).

Because the South Pole-Aitken basin, approximately 2,500 km in diameter and 13 km deep (refs. 4,5), is thought to have formed from an impact that penetrated through the Moon's distinctive plagioclase-rich crust, the basin may expose fragments of the lunar mantle⁴⁻⁷. It also contains some of the relatively few farside maria. Therefore, exploration of this region may address some fundamental questions, such as on the nature of the lunar mantle, the cause of the greater crustal thickness on the farside, and how farside maria differ from

their nearside counterparts. Furthermore, better constraints of the age of this basin may inform our understanding of the early impact flux on the Moon, and therefore also on Earth.

The Chang'e-4 landing site³ is located at the eastern edge of the mare-containing Von Kármán crater, within the ejecta field of the nearby Finsen crater. This location was selected to optimize the likelihood of being able to investigate the crustal stratigraphy and regolith development, and to access material from farside maria, the deep crust, and possibly the mantle. Chang'e-4 and its rover, Yutu-2, carry a landing camera, a terrain camera, a panoramic camera, a visible and near-infrared imaging spectrometer, and ground-penetrating radar⁸. These instruments will enable analysis of the topography, regolith, shallow structure and rock and mineral compositions of the landing and roving sites. This information will be valuable for future farside missions, such as ones aiming to return samples. Preliminary analysis of in situ data from the first two lunar days reveals the morphological characteristics (Fig. 2) and underground structure of the landing site. The boundary between impact ejecta and underlying basalt is clearly identifiable, and there is potential evidence of excavated deep mafic material, which could reveal the mineralogy of the lunar mantle.

Chang'e-4 will also investigate the potential of the lunar farside as a platform for astronomical observations⁹, using a low-frequency radio spectrometer⁸. The Moon has only a thin ionosphere, so radio-frequency measurements down to 500 kHz are possible at the surface during the day, and at even lower frequencies at night¹⁰. The farside is shielded from radio interference from Earth, as well as from solar emissions during the lunar night¹⁰, so it is expected to be an excellent location for low-frequency radio astronomy.

The scientific achievements of the Chang'e-4 mission will advance our understanding of both the Moon and the wider solar system. □

Weiren Wu¹, Chunlai Li^{2*}, Wei Zuo², Hongbo Zhang², Jianjun Liu², Weibin Wen², Yan Su², Xin Ren², Jun Yan², Dengyun Yu³, Guangliang Dong⁴, Chi Wang⁵, Zezhou Sun⁶, Enhai Liu⁷, Jianfeng Yang⁸ and Ziyuan Ouyang^{2,9}

¹Lunar Exploration and Space Engineering Center, Beijing, China. ²Key Laboratory of Lunar and Deep Space Exploration, National Astronomical Observatories, Chinese Academy of Sciences, Beijing, China. ³China Aerospace Science and Technology Corporation, Beijing, China. ⁴Institute of Tracking and Communication Technology, Beijing, China.

⁵National Space Science Center, Chinese Academy of Sciences, Beijing, China. ⁶China Academy of Space




Fig. 1 | Distribution of manned and unmanned landings on the Moon to date. Data (<https://go.nature.com/2tT27ez>) laid over a digital elevation model from Chang'e-2. China's Chang'e-4 is the first lander on the lunar farside.




Fig. 2 | Landing-site images taken by the Chang'e-4 lander terrain camera and Yutu-2 panoramic camera. **a,b**, Images of small craters around the landing site. **c**, Rover Yutu-2 exploring the surface. **d**, Close-up view showing rock debris in small craters (from Yutu-2). **e**, Small rocks near the traverse area (from Yutu-2). **f**, Unusually dark rocks near the landing site.

Technology, Beijing, China. ⁷Institute of Optics and Electronics, Chinese Academy of Sciences, Chengdu, China. ⁸Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, Xi'an, China. ⁹Institute of Geochemistry, Chinese Academy of Sciences, Guiyang, China.
*e-mail: licl@nao.cas.cn

Published online: 28 March 2019
<https://doi.org/10.1038/s41561-019-0341-7>

References

1. Wieczorek, M. A. et al. *Science* **339**, 6120 (2013).
2. Head, J. W. *Rev. Geophys. Space Phys.* **14**, 265–300 (1976).
3. Huang, J. et al. *J. Geophys. Res.* **123**, 1684–1700 (2018).
4. Garrick-Bethell, I. & Zuber, M. T. *Icarus* **204**, 399–408 (2009).
5. Moriarty, D. P. & Pieters, C. M. *J. Geophys. Res.* **123**, 729–747 (2018).
6. Wieczorek, M. et al. in *New Views of the Moon* (eds Joliff, B. et al.) 221–364 (2006).
7. Melosh, H. J. et al. *Geology* **45**, 1063–1066 (2017).
8. Peijian, Y., ZeZhou, S., He, H. & Fei, L. *Sci. China Tech. Sci.* **60**, 658–667 (2017).
9. Jester, S. & Falcke, S. *New Astron. Rev.* **53**, 1–26 (2009).
10. Mimoun, D. et al. *Exp. Astron.* **33**, 529–585 (2012).