


missiles and rockets

MAGAZINE OF WORLD ASTRONAUTICS

negotiation Fight Looms p. 13 w Solids Battle p. 16 SR Plans Close Moon Orbits . p. 22

AN AMERICAN AVIATION PUBLICATION



Setting the pace in the field of evaporated film technology, Servomechanisms, Inc.'s Research Laboratory is developing a whole new concept of component and subsystem design under sponsorship by the U.S. Air Force, the Army Signal Corps and the Office of Naval Research.

As a result of new materials research by SMI, thin-film Magnetic, Conducting and Dielectric elements which exhibit highly controllable electrical and physical characteristics are being produced now by high vacuum thermal evaporation techniques utilizing electron bombardment.

These micro-miniaturized elements improve system and component reliability while providing a significant reduction in size and weight. This, plus the ability to withstand extreme



environmental exposure, makes them invaluable in the design of digital computers, electronic communications equipment, missile controls and digital transducers for space vehicles, satellites and other advanced systems.

New system analysis and design has progressed in step with these advances in materials and techniques, SMI's Research Laboratory would welcome the opportunity to discuss and propose solutions to your microcircuitry and advanced systems problems.



GENERAL OFFICES 12500 Aviation Boulevard, Hawthorne, California

SUBSYSTEMS DIVISION Hawthorne, California

MECHATROL DIVISION Westbury, L.I., New York SPECIAL PRODUCTS DIVISION Hawthorne, California

RESEARCH LABORATORY Goleta, California



THE MERGER

The legal act of merging two companies into one does not of itself change the sum total of their capabilities. Thus, today the competence of the Ramo-Wooldridge Division for the development of electronic systems for military and commercial applications is indistinguishable from that of its predecessor organization, The Ramo-Wooldridge Corporation, while the skills of the Thompson Products group of divisions in the design and large-scale production of precision devices also remain unchanged. Soon, however, effects of the merger will begin to appear. One early effect will be an important addition of manufacturing strength to Ramo-Wooldridge programs, several of which have passed out of development and are in the prototype or manufacturing phases. Conversely, the special skills of Ramo-Wooldridge scientists and engineers in certain fields can usefully supplement the services that the Thompson Products divisions offer to their customers.

The formation of Thompson Ramo Wooldridge Inc. is intended to provide an unusual capability for the development and production of the complex electronic and mechanical devices and systems required by today's expanding technology.



Thompson Ramo Wooldridge Inc.

Main Offices • Cleveland 17, Ohio Los Angeles 45, California

DIVISIONS AND PRODUCTS

TAPCO: Missile and aircraft auxiliary power systems, greund support systems, fuel systems, pumps, accessories, hydraulic systems, pneumatic systems; electronic control systems, microwave switches; frame structures, pressure vessels. Jet engine compressor blades, rotors, stators, and impellers; turbine buckets, rotors, and stators; structural and fabricated components. Rocket engine cases, nozzles and pumps. Nuclear reactor control rods, pumps, accessories, and core structures. Precision investment and continuous vacuum cast parts for aircraft, missiles, jet and rocket engines. Vacuum cast super-alloy ingot, billet and mill shapes.

RAMO-WOOLDRIDGE: Electronic reconnaissance and countermeasures systems, infrared systems, analog and digital computers, air navigation and traffic control, anti-submarine warfare, electronic language translation, information processing systems, nuclear energy applications, missile electronics systems, advanced radio and wire line communications.

AUTOMOTIVE and INDUSTRIAL PRODUCTS: Valves and associated parts for all types of internal combustion engines. Steering linkages, front wheel suspension ball joints, hydraulic cylinders and pumps, cylinder sleeves, piston rings. Truck retarders. Diesel engine turbochargers. Rock drill bits and drill rods. Alloy pistons for automotive and aircraft; impact extrusions, permanent mold and die castings. A wide variety of automotive replacement parts distributed nationally and overseas through 7,000 distributors.

CONSUMER PRODUCTS: High fidelity amplifiers; FM-AM radio tuners; magnetic tape recorders; stereophonic sound systems, public address and intercommunication systems. Television cameras for industrial and broadcast purposes; complete low-power television broadcasting stations.

THE THOMPSON-RAMO-WOOLDRIDGE PRODUCTS CO.: Digital control computers and associated equipment for automatic control of industrial processes, data logging and computation, pilot plant operation and process research, test facility operation, and general computational use.

PACIFIC SEMICONDUCTORS, INC.: Germanium and silicon diodes and transistors, high voltage rectifiers, subminiature rectifiers, voltage variable capacitors.

Number of employees: 22,000
Estimated 1958 Sales: \$335,000,000
Plants in Los Angeles, Bell, Culver City and
Long Beach, California. Denver, Colorado.
Michigan City, Indiana. Cambridge,
Massachusetts. Warren and Portland, Michigan.
St. Louis, Manchester and Sullivan, Missouri.
Cleveland, Euclid, Willoughby, Minerva, and
Columbus, Ohio. Danville and Harrisburg,
Pennsylvania. Roanoke, Virginia. St. Catherines,
Ontario.



If you have a problem concerning high-heat protection of metal surfaces up to 4500°F, our Technical Service Department may be of valuable service to you. This service goes far beyond data sheets and specimens. Without cost or obligation, our engineers will analyze your requirements and make specific recommendations based on certified performance data. If necessary, we will visit your plant to confer with your engineers and study the problem first hand.

The practical answer to your problem could well be Flamemastic, a remarkable insulation coating that protects ordinary metals to 4500°F. Thoroughly proved in the torrid combustion chambers of high-production missiles for over 4 years, Flamemastic has these outstanding properties:

- Effective insulation from -100°F. to 4500°F.
- · Fire resistant and retardent.
- Resists high temperature gas erosion.
- · High abrasion and impact resistance.
- · Fast, economical to apply by spraying, rolling or troweling.
- . Can be applied to all ferrous or non-ferrous metals
- · Resists acids, alkalis, bleaches, oxidizing agents.
- Excellent adhesion.
- · Inhibits corrosion.
- Eliminates condensation.
- · Weatherproof.
- · Lightweight.
- · Flexible.
- · Relatively inexpensive.

Write us today, outlining your problem, and we'll go right to work on it.

FLAMEMASTI

YNA-THERM CHEMICAL CORP. (formerly Ideal Chemical Products, Inc.) 3813 Hoke Avenue, Culver City, California . TExas 0-4751

Editor ERIK BERGAU Executive Editor CLARKE NEWLO News Editor Donald E. Peri

ASSOCIATE EDITORS:

NORMAN L. BAKER Engineering & Producti RAYMOND M. NOLAN Electronics & Guidan PEER FOSSEN Tracking & Ground Suppo WILLIAM O. MILLERMilitary & Defen ALFRED J. ZAEHRINGER ... Propulsion & Chemist E. M. CROMLEY Congress & Governme

ASSISTANT EDITORS:

REED BUNDYBusiness Net PAUL MEANSARPA & NA!

CONTRIBUTING EDITORS:

F. I. ORDWAY III, H. CANNEY and R. C. WAKEFORD
DR. ALBERT PARRY Soviet Affa
DR. HUBERTUS STRUGHOLD Space Medici
DR. I. M. LEVITT
K. W. GATLAND and G. V. E. THOMPSON

EDITORIAL ADVISORY BOARD:

Dr. WERNHER VON BRAUN ROBERT P. HAVILAN DR. PETER CASTRUCCIO DR. ARTHUR KANTROWN KRAFFT A. EHRICKE DR. EUGEN SAENO RICHARD F. GOMPERTZ ALEXANDER SAT

REGIONAL EDITORS:

F. S. HUNTER, FRANK McGuire, R. Van Osten ... Beverly Hills, Calif., 8929 Wilshire Ble ANTHONY VANDYEGeneva, Switzerlan

10 Rue Grenus, Phone 3216 JEAN-MARIE RICHE 11 Rue Condorcet, Paris

PRODUCTION:

WILLIAM	H. MARTIN	Art	Direct
COLLIS CA	AMPBELL	Asst. Art	Direct
JOHN WA	LEN	.Production	Manag
ELSIE GR	AY	Production	Manag

WATNE W. PARRISH President & Publisher

LEONARD A. EISERERGeneral Manag EDWARD D. MUHLFELD . . Advertising Sales Manag LAWRENCE BRETTNERCirculation Direct STEPHEN A. RYNAS .. Advertising Promotion Me DAGFINN T. FOSSENResearch Manag GLADYS BUSSELL Advertising Service Mg

missiles and rockets Vol. 5, No. 2, Jan. 12, 19

Published every week by American Aviatic Publications, Inc., 1001 Vermont Ave., N.W Washington 5, D.C. Printed at the Telegrap Press, Harrisburg, Pa. Second class postage pa at Washington, D.C. and at additional malfit offices. Copyright 1958, American Aviation Pullications, Inc.

Subscription rates: U.S., Canada and Postal Union Nations—1 year, \$3.00; 2 years, \$12.00; 3 years, \$14.00. Foreign—1 year, \$20.00; 2 years, \$30.00; 3 years, \$40.00. Single copy rate—\$.75 Subscriptions are solicited only from persons with identifiable commercial or professional interests in missiles and rockets. All subscription orders and changes of address should be referred to: the circulation fulfillment department. referred to:









missiles and rockets MAGAZINE OF WORLD ASTRONAUTICS

JANUARY 12 HEADLINES
Congress Set for Renegotiation Fight
Industry pressing for elimination of Act, but it will settle for relaxation of objectional parts
Bomarc Engines Are Tested at Marquardt Lab
Hugh facility stores 50 tons of air for supersonic testing at altitudes near 200,000 feet
Missiles in the News18
Lunik Becomes Sun's Tenth Planet
Indications are Russians may have hoped to hit moon; Exploit demonstrates know-how in velocity, guidance21
ASTRONAUTICS ENGINEERING
Polyurethane-Polysulfide Battle Raging
Urethanes looking up in solid fuel-binder, with industry expecting I _{sp} of 275-300 seconds16
USSR Lunar Probes Will Orbit Close to Surface Technical data known on Soviet plans
MISSILE ELECTRONICS
Detection Seen Possible by Star Occlusion
ACF technician proposes that telescope be mounted to space platform to do the work23
Two-Dimensional Guidance Proposed27
DEPARTMENTS
Washington Countdown 7 Book Reviews 43 Industry Countdown 9 Letters 45 Moscow Briefs 34 Keeping Track 48 Soviet Affairs 38 Contract Awards 51



COVER: Marquardt technician adjusts ramjet prior to cell testing. Story on p. 15



NEW FLOTATION gyro liquid undergoes environmental test at Sperry. Story on p. 27



MISSILE in the news is the IRBM Thor, which was scheduled last week to have made first Discoverer shot.



INSTRUMENTS that measured radiation belts in *Pioneer* space probe. See p. 18



FIBERGLASS astrodomes to protect instrumentation are now on the market. See p. 33

There is no substitute for

EXPERIENCE

when it comes to producing motors for the aircraft and missile field



For supersonic aircraft applications. .71 HP DC motor, 7600 rpm continuous duty, 24 volt. For pump drive. Weight: 6.5 lbs. Meets MIL-SPEC M-8609.



For missile applications. 9 HP DC motor, 12,000 rpm intermittent duty, 56 volt, explosion proof. Weight: 14.75 lbs. Meets MIL-SPEC M-8609.



For missile applications. Tested successfully at over 200,000 ft. altitude, this 34 HP, 27 volt DC motor (ranges 24 to 32 volts) delivers 12,000 rpm, weighs 2.75 lbs, has radio noise filter, is explosion proof. Built for high shock and vibration loading. Meets MIL-SPEC M-8609.

Type D-632

For fan, blower, pump applications. Only 6½" x 2½", weight 23½ ounces, delivers 50 watts continuous duty at 7500 rpm. Long life. Small motor wound for 28 volt DC, or 110 volt AC or DC. Meets MIL-SPEC M-8609.

Here are eight special motors for eight different applications designed and produced by EEMCO for eight manufacturers of aircraft and missiles, and for related applications. Note the performance details for each:ratio of high output to size and weight.

EEMCO has designed and produced special motors for thousands of various applications in aircraft and missiles during the past 17 years. This is proof of EEMCO's unparalleled capabilities as a specialist in the production of high precision motors.

No matter what your problem may be in powering components for aircraft and missiles EEMCO has had experience that can help you. Your inquiry is invited.



For missile applications. 2.75 HP AC motor, 3140 rpm at gear box, continuous duty, 200 volt, 400 cycle, 3 phase. Power factor: 83%. Overall efficiency: 76%. Weight: 11.25 lbs. Meets MIL-SPEC M-7969A (ASG).

Type D-1068



For ultracentrifuge application. 1½ HP AC motor, 12,000 rpm continuous duty, 115 volt, 60 cycle, single phase, fan cooled. Weight: 12 lbs.



For motor truck turbine engine applications. Starter-generator, weight 14.5 lbs. As starter: breakaway torque 220 in-lbs, terminal voltage of 20 volts. As generator: 40 amps continuously with intermittent peaks up to 80 amps at 28 volts.

Type C-1874

For actuator applications. 400 cycle, 3 phase AC motor and clutch. Intermittent duty, 12,000 rpm on 200 volts, 650 watts output. Weight: 4.5 lbs. Meets MIL-SPEC M-7969A (ASG).



ELECTRICAL ENGINEERING & MANUFACTURING CORP.

4612 West Jefferson Boulevard, Los Angeles 16, California - Telephone REpublic 3-0151

DESIGNERS AND PRODUCERS OF HIGH PRECISION MOTORS, ACTUATORS, AND RELATED EQUIPMENT... EXCLUSIVELY!

the missile week

washington countdown

New House Space Chairman . . .

will be Rep. Overton Brooks (D-La.) presently second-ranking member of the House Armed Services Committee. Brooks will replace Rep. John McCormack (D-Mass.) the House Democratic Majority Leader, who has decided to step down.

Three months after . . .

organization of NASA, the nation still has no long-range space program, Dr. T. Keith Glennan, head of the civilian space agency, has announced publicly.

Navy and Army are up, AF down . . .

according to best estimates as to how FY 1960 defense budget will be divided among the three services. Compared with current budget, Navy will get an increase of about \$300 million, Army will get about \$300 million less. The \$40.9 billion budget will be divided approximately as follows: Air Force, \$18.6 billion; Navy, \$11.8 billion; and Army, \$9.3 billion; with an additional \$1.2 billion for the Office of the Secretary of Defense. Congress added \$1 billion to FY 1959, but the Administration has decided to hold nearly all of it until July 1, thus holding down current expenditures and the 1960 budget.

Congressional opposition . . .

already is shaping up against the Administration's proposed budget. Senate Leader Lyndon Johnson of Texas, has criticized it and the nation's space programs. He said there is no "substantial increase" in defense funds, and "we're not going farther, faster" in military and space programs.

Four more Polaris subs ordered . . .

just before New Year's (bringing the total to nine) will use up some of this additional money provided by Congress, but very little of the \$600 million unfrozen will be spent before July 1. First warheads are expected to have a nuclear warhead equal to about 300,000 tons of TNT, and later models to equal a million tons of TNT.

Does Macy tell Gimbel's? . . .

contractors working on the WS-199 recently prepared press releases on the project. AF approved, but they were stopped cold when they hit Missile Boss Holaday's office. Reason: he reportedly didn't know an air-launched IRBM project was in the works by Air Force.

RAND is denying . . .

a statement semi-officially attributed to it that Russia will have 300 ICBMs within 18 months. Not its statement, belief or position, RAND says.

Ubiquitous Murray Snyder . . .

DOD's assistant secretary for public affairs, was first to move under reorganization directive. He informed services he was taking over direction and guidance of public affairs for the unified and specified commands, with direct communications thereto, and immediately called "the first world-wide unified and specified command information conference for Jan. 12-13." Snyder has not yet replied to service queries if he intended controlling release of all command information down to such things as military police incidents, aircraft accidents and supervising base histories.

First Thor squadron . . .

in England will be operationally ready in February, according to Maj. Gen. Bernard Schriever. *Thor* is 50% reliable now, he added, will soon be 80-90% reliable. *Atlas* will be operational by mid-1959, he said.

Navy is still boiling . . .

mad about cancellation of the Regulus II program. At a budget meeting of all service chiefs, Navy was told it had to cut, and cut in big chunks. All longer range air-breathing missiles, it was jointly agreed, would go. Navy reluctantly put the axe to Regulus assuming the across-the-board understanding would prevail. Realizing an interim weapon is needed until Polaris, WS-199 or some comparable system is ready, DOD reportedly then threw additional money to continue the Mace. The decision in favor of Mace, according to one source, was made solely because Mace operates at a higher altitude. The Navy's \$200 million cut was split down the middle in killing the Seamaster program and the Regulus II systems.



This missile component is typical of structures now in production.

AERONCA brazed stainless steel structures

Working with existing fully-integrated facilities, Aeronca is producing and delivering a variety of brazed honeycomb sandwich components for aircraft and missiles. Flat, wedged, conic, contoured and compound curved configurations are produced daily by specialists in high-temperature structures.

Aeronca . . . a pioneer in stainless steel honeycomb development . . . is capable of designing, developing and producing any major airframe or missile component involving honeycomb sandwiches.

A technical team is available, on written request, to make specific presentations on Aeronca's facilities for high-temperature air weapon structures. Write today for additional information.



manufacturing corporation

1716 Germantown Road . Middletown, Ohio

8261-AC

Expansion of our operations has created openings for additional senior engineers. Write to Mr. L. C. Wolfe, Chief Engineer.

industry countdown

New Polaris submarine . . .

to be built by General Dynamics, will be 5600 tons heavier than earlier models of the nuclear-powered submarine. Sub, with a price tag of \$105 million, has been designed from the hull up to carry missiles. Advanced design work and parts procurement has been in progress for some time.

Army awarded Martin . . .

a \$54 million contract to continue R&D of the *Pershing*. Martin will provide engineering, research, laboratory and testing facilities and a support system for development of the second-generation weapon at its Orlando facility. *Pershing* is a combined industry-military development concept. Engine tests have been made.

Lunar probe instrumentation . . .

developer, NOTS China Lake, has achieved remarkable successes in the space work assigned to it. The group is also part of the development team for the ARPA navigational satellite.

Army awarded Sperry . . .

an additional \$22-million contract for continued development of the Sergeant. Work on the 30-inch diameter solid propellant missile will be done at the Utah plant. \$13million is for production of missiles for testing purposes, and \$9-million for R&D.

Hawk production in Germany . . .

will probably involve the electronic equipment for the missile while other hardware production will be the responsibility of France and Italy, if the planned NATO program is realized. Germans are highly interested in the British Bristol Bloodhound SAM for part of their air defense system.

Satellite mail delivery . . .

anywhere on the globe is under study by RCA. Brig. Gen. David Sarnoff, chairman of the board, reported that detailed studies have been made of possible uses of a satellite as an orbital post office for space mail delivery between the U.S. and Europe.

Grumman, Republic and Fairchild . . .

will work together whenever advisable on new astronautics projects to provide inter-exchange of compatible resources. The companies will collaborate on proposals for missile and space projects with ARPA and NASA.

Fairchild is slashed again . . .

with cancellation of the development of the J83 high thrust-to-weight ratio turbo-jet engine. It was originally slated for the *Goose* surface-to-surface long-range decoy missile that was cancelled last month. Fairchild plans to lay off more than 2000 employees.

Battery of Lacrosse missiles . . .

has been selected by the Canadian Army as a part of a new modernization program. The battery, including four launchers, associated fire-control equipment, and 12 missiles, initially will cost an estimated \$1,198,000. Recurring annual cost; to replace missiles used in training will be \$360,000.

Hercules Powder Co. . . .

has completed negotiations for purchase of the Young Development Labs of Rocky Hill, N.J., a manufacturer of filament-wound, glass-fiber-reinforced plastic materials. Young Development has worked with Hercules for many years supplying motor hardware for solid propellant rockets.

Martin has set up a new corporate office . . .

Manager of Electronics Requirements, for coordinating future missile business.


\$10.5 million expansion . . .


program of Ramo-Wooldridge, a division of Thompson-Ramo-Wooldridge inc. will be on a 90-acre site in Canoga Park, Calif. First six units are to be completed late this year.

Merger is planned . . .

between Texas Instruments Inc. and Metals and Controls Corp. of Attleboro, Mass., on an exchange-of-stock basis. (right) Part of giant capacitor bank used to fire "hotshot" tunnel. Bank is capable of 5 million kilowatt jolt.











EXPANDING THE FRONTIERS OF SPACE TECHNOLOGY

Lockheed capabilities in thermodynamics and gas dynamics are unsurpassed in private industry. Basic work is being performed on problems relating to missiles and spacecraft under simulated conditions of upper atmosphere and outer space. Studies include: boundary layer flow and heat transfer; cooling and insulation; thermodynamic instrumentation for flight test; design of rocket motor controls and nozzle structures; re-entry thermal protection; materials specification; and thermal environments of electronic, mechanical and hydraulic equipment. Also under study are new methods and improved techniques of thin film thermometry, measurements of dissociation and combination of nitric oxide and high-speed shock wave flows.

Equipment includes the fastest wind tunnel in industry, fired by 20 million kilowatts; a hydromagnetic tube which produces velocities of over Mach 250 and temperatures approaching 500,000°K; a "hotshot" tunnel for shock wave, gas and heat studies, capable of velocities of 16,500 mph and temperatures above 12,000°F; and a ballistic range on which projectiles are fired at speeds up to 20,000 ft/sec.

Scientists and engineers of outstanding talent and inquiring mind are invited to join us in the nation's most interesting and challenging basic research programs. Write: Research and Development Staff, Dept. AA-29, 962 W. El Camino Real, Sunnyvale, California, or 7701 Woodley Ave., Van Nuys, California. For the convenience of those living in the East and Midwest, offices are maintained at Suite 745, 405 Lexington Ave., New York 17, New York, and Suite 300, 840 No. Michigan Ave., Chicago 11, Illinois.

"The organization that contributed most in the past year to the advancement of the

art of missiles and astronautics." NATIONAL MISSILE INDUSTRY CONFERENCE AWARD

Lockheed / MISSILE SYSTEMS DIVISION

SUNNYVALE, PALO ALTO, VAN NUYS SANTA CRUZ, SANTA MARIA, CALIFOR CAPE CANAVERAL, FLORIDA ALAMOGORDO, NEW MEXICO



WIDE RANGE HETERODYNE FREQUENCY METER

Divco-Wayne Electronics Model 1021 Heterodyne Frequency Meter Advantages

Broadest RF Spectrum:
125KC to 1000MC . . . a range normally requiring three separate meters.

Accuracy: .005% overall frequency.

RF output: 100 microvolts on all calibrated fundamentals. 50 microvolts on all calibrated harmonics.

Field or laboratory operation: Ruggedly built for battery or 115/230 volt 50-450 cps power supply . . . for operation in field or lab.

Calibration data:
Accurate calibration data supplied for 5000 dial readings . . . allowing unskilled operators to make accurate measurements.

Temperature conditioned:
Each meter conditioned in Tenney environment chamber at temperature extremes for conditions under which it will actually operate.


spectrums.

Low cost: Priced below many meters with narrow RF

The Divco-Wayne Electronics 1021 frequency meter works equally well in the laboratory or out in the field. It's the only wide range meter covering the entire range of 125KC to 1000MC. Widely used in missile work, radar, communications, or for any laboratory work in frequency determination or as a signal source. Fully illustrated and described in new bulletin DW-102. For your free copy, write Divco-Wayne Electronics, 9701 Reading Road, Cincinnati 15, Ohio.



A Division of the Divco-Wayne Corporation DESIGNERS . ENGINEERS . MANUFACTURERS Custom-built precision mechanical, electro-mechanical and electronic equipment for industry and defense



specify fast, accurate, hydraulic "packaged" drives by WICKERS.

Faster motion — the fastest acceleration, deceleration and reversal of any power transmission.

Instantaneous power — in less than 30 milliseconds the pump end can be stroked from zero to maximum displacement.

Stepless speed adjustment—a wide range of speed adjustments to meet the most exacting design requirements.

Ultra fine control — missile launchers have been elevated and trained with exceptional accuracies down to speeds approaching zero.

High power gain — low milliwatt signal easily controls hundreds of horsepower.

Narrow deadband — narrower than any other high horsepower drive.

Compact — more power per unit of bulk or weight. Pump and motor can be mounted over and under, side by side, in line or with shafts at any angle.

Save time! See Vickers first! At Vickers you get the benefit of the most comprehensive line of hydraulic components and power packages an extensive staff of experienced hydraulic engineers — fifty years of experience with hydraulics for ordnance needs.

Phone, wire or write for detailed information or a visit by one of our application engineers . . .



VICKERS INCORPORATED

DIVISION OF SPERRY RAND CORPORATION

Marine and Ordnance Department

WATERBURY 20, CONNECTICUT

Hydraulic Products for Marine and Ground Defense Applications

DISTRICT SALES OFFICES: DETROIT, MICH. • EL SEGUNDO, CALIF. • MEDIA, PA. • SEATTLE, WASH. • WASHINGTON, D. C

MO-213

MAGAZINE OF WORLD ASTRONAUTICS

Congress Set for Renegotiation Fight

Industry groups press for elimination of 17-year-old Act labeled costly and discriminatory. But they will settle for relaxation of objectionable features.

Pentagon dislikes system but can't say so publicly. Saltonstall bill would exempt many contracts and boost incentive for manufacturers.

by E. E. Halmos

Washington—Sen. Leverett Saltinstall (R. Mass.) is expected soon to introduce a bill aimed at loosening ome of the most unpopular controls of the World War II-born Renegotiation ict.

A stiff battle is already shaping p, even though Congress has only ecently opened its doors for new busiess. Already U.S. industry forces have een meeting together and with their lies on Capitol Hill to map strategy.

Saltonstall, a member of the Senate rmed Services Committee, is readying gislation which would exempt from enegotiation:

1. Any contracts (or procurement) need into after formal advertisement or bids:

2. Contracts entered into after competitive negotiations;

Contracts which include inentive clauses.

Near the end of the 85th Congress, st summer, industry—with missile lanufacturers playing an important art—won a minor victory by getting ongress to extend the Renegotiation ct by only six months, instead of the yo years originally proposed.

Congress promised to make an exsustive study of the 18-year-old law, efore considering new legislation this ear. Hearings may get underway by the end of this month.

The issued

The issue:

Industry concerned with defense—
and that cuts a broad swath through
the entire U.S. industrial community—
tels that renegotiation is a wartime
that renegotiation is a wartime
that renegotiation is a wartime
that renegotiation in peacetime,
thing more than a retroactive tax.
Torse, it feels that renegotiation now
trually deters efficient production,
duces incentive, and in fact makes
the fense more and more costly to the
merican taxpayer. Worse still, it sees
the law being used as a broadsword

to enforce the power of government agencies over the U.S. economy.

Spearheading the proponents of the law is the Renegotiation Board itself, headed by Thomas Coggeshall, which feels that the law is a guarante against excessive profits by industry at the taxpayers' expense. The armed forces themselves—

The armed forces themselves—beneficiaries or victims of the system—are in the middle, and trying carefully to steer a course that will antagonize no one. Privately, government contracting officers feel that the law is now, in effect, a criticism of their own

The Controversy in Brief-

• Renegotiation began . . .

in 1941 when the U.S. was in a hurry for war materials. Congress passed the act as a safeguard against exorbitant profits. It has been in effect since, except for 1946-47, but is slated to die this year. The Renegotiation Board may approve profits or require manufacturers to return part of them. There's no appeal except to Tax Court.

• Proponents claim . . .

the law is needed to prevent excess profits at the taxpayer's expense.

• Industry complains . . .

the present set-up ties up profits pending Board rulings, hits at incentive, hurts small business.

• Unhappy Pentagon . . .

contract negotiators feel the system reflects on their competence.

Opponents contends . . .

industry and government now have the know-how to set fair and accurate prices; the government has other safeguards against excess profits anyway, and more incentive would benefit both industry and taxpayer.

• Likely outcome . . .

is a compromise—not wiping out the law but creating exemptions. abilities. The need for renegotiation implies, they feel, that the men who made the original contracts weren't competent to obtain fair prices from the contractors.

The fact is that industry doesn't expect to achieve a complete knockout, although the expressed aim of its actions before Congress is the complete elimination of the Renegotiation Act. Actually, industry will be satisfied this year if it can succeed in easing the act's provisions to allow more freedom.

 What is it?—The whole question of renegotiation is one that is only hazily understood by the general public, and it is even hazy to many industrial people who are affected by it.

Briefly, its history goes back to 1941, when—under the stress of wartime conditions—the U.S. government found it necessary to enter into thousands of contracts for war materials in great haste. There was no time for careful negotiation, estimating or studying of previous experience in producing these items. In fact, there was no experience at all in manufacturing some of the items. In other cases, the nature of the procurement was so secret—and the need for speed so great—that it would have been impossible to advertise for public bidding.

Congress, worried by the possibility of exorbitant profits under this stress, passed the Renegotiation Act. It was actually a provision for an open contract—for re-examination at a later date of the actual costs of producing the item in question, and readjusting the price paid by the Government for the item, if it was found that the original estimates were out of line.

What happens is this: At the end of his fiscal year, the defense contractor who has handled \$1 million or more of defense business must submit to a district Renegotiation Board (now located in New York, Chicago

and Los Angeles) a complete and complex statement, reporting and justifying his earnings and the prices charged. The regional board reviews these figures, makes a ruling as to whether the profits shown are reasonable, or whether the manufacturer must return some of his profits to the government. Regional board actions are subject to review of a Statutory Board, headquartered in Washington, under Mr. Coggeshall's chairmanship.

The Statutory Board's actions can be appealed—but only to the Tax Court, whose decisions, in turn, cannot be appealed to regular civil courts.

The law was in effect continuously from 1941 through 1945, lapsed from 1946 to 1947, then was reinstated and has been in effect since 1948.

• Long time no pay—The whole process of submission of evidence, board review and decision and final determination has seldom taken less than two years, and more normally has taken up to four years.

Here is one of industry's major complaints. This long-drawn-out process has meant, in real terms, that profits earned in any one year must virtually be segregated for a period of two to four years ahead, because the workings of renegotiation may result in the manufacturer having to return all or part of the money.

As a result, money that would be plowed back into the business, to improve facilities or be devoted to research, or that might be returned to investors as dividends, is frozen until the slow grinding of government machinery frees it. Worse still, the profit may not even exist—the government may take it all back.


In the years 1952-1954, as one example, Boeing had to refund a total of \$27.5 million of its total earnings as result of decisions of the renegotiation board.

 No incentive?—Probably most aggravating point to manufacturers and to the armed services—is the fact that incentives for efficient work are apparently meaningless in the light of renegotiation provisions.

For example, many of the contracts entered into by the government agencies provide an incentive for manufacturers, if they can produce the item at better than the agreed-upon costs. For example, a manufacturer, after negotiation and careful consideration of his costs, may agree to produce an electronics item for, say \$120 each.

If he is very efficient, watches his operations and his costs, he may be able to produce the item for, say \$100. His contract with the government en-

Atlas Antenna



RADIQUAD ANTENNAS are being used to send and receive messages from the Atlas satellite at strategic spots around the U.S. Built for the Army Signal Corps by Radiation, Inc., of Melbourne, Fla., this antenna will transmit and receive to separate telemetry and message channels simultaneously.

courages him to do this—it offers him 20% of the savings he effects as his reward for efficiency. The government, in turn, benefits to the tune of 80% of the savings.

However, provisions of these incentive-type contracts limit his actual total profit on the item to 12%. And then, renegotiation some years later may force him to give up the incentive earnings—as has happened on several occasions.

The result, say industry proponents, is that there is no incentive to produce more efficiently. If you agree to produce an item for \$120, see to it that it does in fact cost that much. Then you can collect—with some certainty—the profit you've figured, without so much chance of losing it all.

• Small business hurt?—Another result, say industry people, is damage to small operators. And the missile field, in particular, is largely made up of small operators.

Reason: One of the criteria for determining whether a profit has been excessive is the net worth of the prime contractor—how much he has invested in physical plant and equipment.

Thus it might pay a prime contractor to acquire plant and equipment to do work that he might otherwise let out of his shop on subcontract. Every bit of equipment he himself owns is countable as part of his net worth. So he may save on the renegotiation consequences if he does more work himself, even if it is uneconomic from any other viewpoint for him to do such work.

A second reason is of course obvious: If the prime has trouble collecting his money, the subcontractor must wait that much longer for his share—or at least his payments are uncertain.

From the viewpoint of the armed services, there is another serious point: If renegotiation is necessary now, it means in effect that the contracting officers are considered to be incompetent. If they can't be trusted to sign contracts and negotiate contracts that will produce the best possible results at lowest cost for the government, then renegotiation is necessary.

- Answers—Industry in general—and the Aircraft Industries Association the Electronics Industries Association and the U.S. Chamber of Commerce have spearheaded the attack—makes these points in its arguments against renegotiation:
- 1. During and since World War II government agencies and industry both have developed sufficient knowhow to arrive, in most cases, at fair profit figures for production of defense materiel.
- 2. Among the devices available to the government, as a guard against excessive profits, is the cost-plus-fixedfee contract, worked out successfully during the war.
- Industry should be allowed the incentive of more profit for efficient operation.
- 4. The defense industries—particularly those concerned with aircraft and missile production—have been unfairly penalized in relation to other industries, by arbitrary actions of the Renegotiation Board, which has cut profits down below that of general industry, in relation to net worth.
- Existing laws such as the Vinson-Trammel Act put a ceiling on defense profits, anyway.
- Realities—No one believes that the result of this year's fight in Congress will be complete elimination of renegotiation. The subject is too popular politically, for one thing. And no one denies that there have been flagrant examples in some industries of excessive profits at government expense—although those examples are far from the majority.
- What seems reasonable to expect is a compromise, such as that embodied in the bill being readied for introduction by Senator Saltonstall.

The result has to be a better climate for business, better value for the dollar, say proponents.

They have a long, tough fight ahead against opponents who claim, in effect that industry is not to be trusted.

Bomarc Engines Are Tested at Marquardt Lab

Huge facility stores fifty tons of air for supersonic testing at altitudes near 200,000 feet

by Raymond M. Nolan

VAN NUYS, CALIF.—In all Bomarc rings from Cape Canaveral in 1958, are was not one abort due to ramjet illure. One basic reason for this success is the Jet Laboratory operated by larquardt Aircraft Co. for the Boarc engine development program.

The laboratory, modernized and edicated last fall, is one of the world's rgest and most powerful facilities for sting supersonic air-breathing engines

id components for missiles.

The facility, jointly financed by the SAF, the Navy and Marquardt, has sen operated since 1949 by the commy. Prior to its modernization it was major element in the development of e propulsion system for the *Bomarc*, whered by two ramjets. More than 100 flights have proved that the *Bomarc* propulsion has reliability of eater than 98% with 95% configure.

The modernized laboratory permits sting of engines 5 to 6 feet in dineter at altitudes approaching 200,00 feet and Mach numbers of 4½

capable of being extended to Mach 7. The laboratory now includes eight specialized engine test cells, complete fuel controls and systems testing facilities for both ambient and environmental conditions, as well as accessory testing capabilities and smaller-sized research-type test installations. This week's m/r cover picture and photographs on this page were taken in Cell No. 8 in the laboratory

The facility has several unusual features. One of these is an air storage system for the large quantities of air needed for supersonic ramjet testing. A total of 100,000 pounds of air is stored in 10 vessels that range in weight from 55 to 110 tons each.

As this air can be blown down in less than a minute—a satisfactory figure for ramjet testing—it would require a compressor installation well in excess of 200,000 hp to provide a similar continuous capacity. The actual compressors installed total 4250 hp, making an overall delivery system of approximately 10 per cent of the ordinary cost.

• Heaters used-Two large heaters are used to simulate the stagnation temperatures at very high speeds. The first heater, a part of the original laboratory, provides temperatures up to 700°F and has been in constant use during the development of the Bomarc engine. The other heater, installed as part of the modernization program, provides air up to 1200°F. The major exchange surfaces on the newer heater are made from chromized steel, reportedly the first time this material has been used in a large heat exchanger. This process changes the outer surface of the material to nearly pure chromium, giving good corrosion properties.

In the exhauster system, five J-47 turbojet engines are used to drive the turbines of 10 J-33 turbojet engines. The turbines supply more than 30,000 shaft hp to their compressor sections, which in turn exhaust the air from the test cells. For large mass flows at medium altitude, the system operates as a single stage. However, for extreme altitudes it is operated in a multistage configuration.

TECHNICIAN READIES ramjet for testing, Facility can change engine angle-of-attack during testing,



BSERVATION PORTS are visible in at cell.



RAMJET ON stand as seen through exhauster.



Polyurethane-Polysulfide Battle Is Raging

Urethanes looking up in fuel-binder struggle. Industry expecting to get lsp of 275-300 seconds in near future

by Alfred J. Zaehringer

DETROIT—What's new in the fuelbinder battle of solid propellants? The large grain struggle—particularly for ballistic missiles—hinges on polyurethane versus polysulfide. And industry advances are remarkable to say the least.

Let's talk a little history:

Possibly the biggest single advance in solid propellants was made during World War II at CalTech's Jet Propulsion Laboratory. The fuel-binder of the old asphalt-perchlorate thermoplastic combination was replaced with a polysulfide polymer.

This move permitted internal burning grains and allowed the use of thinwall combustion chambers. The solid propellant people were then given a large increase in mass ratio.

Solids could finally compete with liquids. Then, the potassium perchlorate oxidizer was replaced by the higher energy ammonium perchlorate. By and large, the ammonium perchlorate (AP) oxidant-polysulfide fuel binder has eliminated the composite solid propellant picture. The liquid polysulfide polymers (LP) ushered in the era of castable propellants that could take severe temperature cyclings.

On this wave of increasing AP-LP applications, Thiokol Chemical Corp. was able to ride up—possibly to the top of the solid propellant heap.

But despite the good features of AP-LP propellants, there were several disadvantages:

- High polymer cost and relatively low volume.
- Polymer production tied to one manufacturer.
- Polymer production critically related to sulphur availability.
 - 4. Long cure times.
- High molecular weight exhaust products.
- Objectionable sulphur compounds in exhaust for some applications.

It is known that Aerojet-General Corp. has done extensive work with the low cost polyesters. It is further suspected that Aerojet's Aeroplex propellants of today are based on polyesters. One source states that Aerojet is using the Rohm & Haas Paraplex polyesters.

Paraplex consists of the reaction product of a dihydric alcohol with a dibasic acid dissolved in monomeric styrene. Atlantic Research Corp. has done work on vinyls, Shell Oil Co. may be working on epoxies, and American Rocket Co. on the poly nitrogens. Goodrich, Phillips, and Standard Oil are all working with various synthetic rubbers or elastomers as solid propellant fuel-binders.

An elastomer can repeatedly be stretched to 150% or more of its original length and snap back to its original state. However, despite "hot" claims and "no comments" most, if not all, solid people are taking a serious look at the polyurethanes.

• What are polyurethanes?—The polyurethanes were born in Germany in the 1930's. After the war, the German Farbinfabriken Bayer AG was particularly active in developing new urethane foams, coatings, adhesives, and elastomers. The urethanes finally came to the U.S. in the 1950's.

Chemically, a polyester couples with urethane links (a diisocyanate) to form a polymer. The cross-linking is accomplished by means of heat or catalysts. However, if excessive diisocyanate is present, the addition of water will give off carbon dioxide gas. This CO₂ is desired to produce foams but is undesirable for solid propellants. One of the requirements of an ideal solid fuel-binder is that no reaction products be given off in the formation of the solid polymer. Here is one area where the application of urethanes to solid propellants could be troublesome.

In general, the usethane elastomers are solvent-resistant, have good oxygen content (important for fuels), and display excellent physical properties at low temperatures (-70°F) and at temperature up to 300°F. The high temperature properties (Figure 2) are especially important.

Solid rockets are being used for vernier control of ballistic missile warheads. Here the solid propellant will also act as a heat sink where high temperature resistance is desirable. Present high end temperature specifications call for about 170°F but the handwriting on the wall indicates that solids will have to be able to take at least

212°F within the next two years. F 1962, solids must be able to withstar 250-300°F for certain applications.

• Two types available—The ela tomeric urethanes are rubber-like gun when cured. They are available as I quid polymers or solids. The liquipolymers can be catalyzed and mixe with oxidizer to give composites of castable or extrudable nature.

The solid urethanes are much like natural or synthetic rubber which case compounded with oxidizer on a two roll mill or in a Banbury mixer. Varous fillers (the oxidant is the filler) case also act to reinforce the elastomers.

Plasticizers (such as TCP) coul also be added to ease processing or timpart special properties to the finishe propellant (such as high-temperaturanti-oxidation or low-temperature flex bility).

Another advantage of the urethant is high adhesion. Being very good at hesives, such propellants can give cast bonded grains. Also the fact that the polymers are thermosetting (viz., d not melt when heat is applied) make them suitable for internal-burnin grains.

For safety and ease in processing ammonium perchlorate urethanes woul probably have to be handled as liqui castables. It is conceivable that ammonium nitrate urethanes could be mille for propellant production. Phillips, for example, has successfully hot, dr milled ammonium nitrate and syntheti rubber. Ammonium perchlorate, on the other hand, is quite friction-sensitiv when mixed with fuels.

- Ballistic advantages—There are two big thermochemical advantages in the use of the urethanes:
- Possibility of incorporating oxy gen into the polymer molecule.
- Nitrogen which can go to the free state.

The first, oxygen incorporation, f especially important. For most organ ics, some 85-90% of the propellant, by weight, must be oxidant for stoichio metric conditions. Any non-oxidizer oxygen which can be built into the fue molecule will help.

Then, there is talk of adding metals (aluminum, magnesium, or boron) or even the boron hydrides to the fuel to increase heat content. With ordinary composites, the propellant formulator cannot stand too much additives addition without harming the already critical physical properties of today's oxidizer heavy solid propellants.

Simply stated, to take full advantage of higher heat content fuels without ruining propellant physicals, more oxidizer must be added. It would appear advantageous to get the fuelbinder to do some oxidizing also. Aerojet is now reported working on this

very approach.

Next, the nitrogen in the molecule could go to free nitrogen N₂ with a molecular weight of 28. This compares with the 32 of free sulphur or 64 for SO₂ which are among the reaction products of today's polysulfide propellants.

Dropping molecular weight can be just as important as increasing heat content. Factually, to make significant performance advances, heat content should go up and molecular weight of exhaust should come down.

Then, the cross-linking nature of the polymer (which can take place at room temperature with the proper catalyst) could allow the incorporation of high energy components such as the nitro (NO₂) or nitrate (ONO₂) groups as oxidizers or the amine boranes (dimethlyamine-borane, trimethylamine-borane, or pyridine-borane) to increase the heat content of the fuels.

The latter is viewed as especially interesting since the active hydrogen amines are used to cure the polymers. Callery Chemical is promoting the amine boranes as polymerization catalysts. Thus, more stable boron propellants could result by utilizing the crosslink method rather than simple mechanical incorporation.

- Who is working on urethanes?
 Right now the field is far from stabilized. Here are some of the activities that have been revealed or implied:
- 1. Aerojet-G e n e r a l—Reportedly working hard and furiously on polyure-thanes—particularly with ammonium perchlorate and metal addition on the Polaris propellant program. Aerojet supposedly has hit the 270 I_{sp} mark with the urethanes. Significantly, General Tire & Rubber, Aerojet's parent firm, is pilot plant producing the "Genthane" polyurethane elastomers at its Akron Chemical Division but is also looking hard at the polyether-polyurethane field.
- Atlantic Research—This solid propellant firm is believed to be working on polyurethane solids. It has openly advertised for urethane scientists.

Whether it has given up its vinyl program is not known, however.

- American Rocket Co.—Working with the polyether-polyarethanes to form castable solids.
- 4. DuPont—Has considerable patent holdings involving the use of isocyanates for polyurethanes—particularly for foams and other commercial applications. Apparently no propellant interest at the present time.
- 5. Monsanto—This is the firm to watch. Monsanto has a longstanding interest in solids (producer in World War II and R&D activities during the Korean war). It has joined with Bayer of Germany to form Mobay Chemical to exploit polyurethanes. Mobay's solid urethane elastomer Vulkollan has shown an alongation of 600-800% (natural rubber is about 550% tops). The polymer is a free flowing, thin liquid which might make an ideal fuel-binder.
- Reichold—Producing polyesters for polyurethanes. Apparently no solid propellant interest.
- 7. Rohm & Haas—This polyester producer operates a solid propellant R&D laboratory at Redstone. May be on an urethane solid propellant evaluation program.
- 8. Thiokol Chemical—Producing the ZL polymers containing diisocyanates for foam applications. It has looked at polyurethane solids, and sees no overall advantages over polysulfides. However, probably Thiokol is quietly doing much R&D work in the back end.
- Wyandotte Chemical—Use of its polyols (polyoxyalkylene glycols consisting of blocks prepared from propylene and ethylene oxides) would permit significant cost reduction in the

polyurethanes for solids. At the present time this is an unknown factor in the solid picture other than a present supplier of polyols.

 Ballistics good—Reports have it that Aerojet has hit 270 with its polyurethane propellant—probably ammonium perchlorate. Whether this is theoretical tops, actual test stand (corrected for altitude), or is with additives is not known.

One report has it that an all ammonium nitrate polyurethane propellant has hit an $I_{\rm sp}$ of 210 sec without high energy fuel additives at sea level conditions in test stand runs.

This—if true—means some 10-20 seconds over the performance now realized with present fuel-binders. And, it means that ammonium nitrate solids with high energy additives could compete with the present ammonium perchlorate combinations which are giving about 225 seconds in actual test stand runs at sea level conditions.

It is felt that ammonium nitrate can give an I_{sp} of about 240-250 seconds with the envisioned high-energy additives. Probably an ammonium perchlorate-polyurethane combination (without additives) could give an actual I_{sp} of 240-250 seconds.

However, lithium perchlorate or nitrate might be able to go a little higher but not much more; and it might be possible to get a lithium propellant to 275 I_{sp} with high energy components.

Burning rates of the urethane propellants will probably tend to be higher than with the polysulfide polymers.

- Conclusion—Summarizing, the urethane solid propellant picture looks like this:
- Ballistic properties. Good to excellent. Possibility of introducing more oxidizer and/or high energy fuel components.
- Availability. Growing and much better than polysulfide. Independent of critical sulphur during war.
- 3. Cost. On a par with polysulfides but dropping radically. With polyethers. They are almost on a par with the vinyls or polyesters which are among the lowest cost, high volume polymers in production.
 - 4. Heat stability. Good to excellent.
 - 5. Physicals. Good to excellent.
- Storage. Long term conditions unknown.
- Processing. Fast. Involves use of toxic materials.

For these reasons, polyurethanes offer better than 250 I_{sp}. In fact, with molecular modification, it may not be too long before the U.S. has solids giving an I_{sp} of 275-300 seconds.

Polaris Is User-



AEROJET IS WORKING hard on polyurethanes particularly for its *Polaris* program.

missiles in the news...



INSTRUMENTS THAT measured the two radiation belts during the flight of Pioneer III on Dec. 6-7. The two Geiger-Mueller tubes measured the intensity levels.





THE TENTH flight of the SAGE series recently was completed by *Bomarc*. The Air Force surface-to-air missile has racked up an impressive score.



Thor IS ERECTED to vertical launch position by its transport erector on Vandenberg pad 75-1 as the protective shelter moves away.

THE FIRST operational Thor IRBM fired Dec. 16 from Vandenberg AFB was minus the fins used on earlier missiles.



When men push off for Space, they will need the absolute accuracy of inertial and stellar-inertial guidance systems to navigate in the trackless void. Working with the Air Force, Autonetics has spent 12 years bringing both to their present high state of development. Autonetics made America's first successful flight test of an inertial guidance system in 1950. Since then, more than 800 successful flight tests have demonstrated the reliability of a series of ever-improved systems. Today Autonetics has the basic knowhow and hardware America needs for Space navigation.

A DIVISION OF NORTH AMERICAN AVIATION, INC. - DOWNEY, CALIFORNIA


reliability is key to success of giant satellite!

Lord mounting systems played critical role in record-breaking feat

THE Advanced Research Projects Agency of the Air Force and Convair Astronautics, prime contractor can take pride in this latest Atlas accomplishment.

It is no coincidence that Convair chose LORD high-performance mounting systems for reliable protection of sensitive electronic control equipment.

This giant leap toward the stars demonstrates LORD capabilities to produce custom-designed mounting systems of uncompromising excellence.



High-performance mounting system for Alla protects electronic packages by providing protection from destructive shock, vibration and noise. It is a product of Lord's integrate systems engineering approach.

Successful Atlas launching on December 18, 1958 put 4-ton satellite into orbit.

USAF photo courtesy Convair Astronautics



FIELD ENGINEERING OFFICES

ATLANTA, GEORGIA - CEdar 7-9247 BOSTON, MASS. - HAncock 6-9135 CHICAGO, IL. - Michigan 2-6010

DAYTON, OHIO - BAldwin 4-0351 DETROIT, MICH. - Dlamond 1-4340 KANSAS CITY, MO. - WEstport 1-0138 CLEVELAND, OHIO · SHadyside 9-3175 LOS ANGELES, CAL. · HOllywood 4-7593 DALLAS, TEXAS · Riverside 1 · 3392 NEW YORK, N. Y. · Circle 7 · 3326

PHILADELPHIA, PA. - PEnnypacker 5-3559 "In Canada-Railway & Power Engineering Corporation Limited"

LORD MANUFACTURING COMPANY . ERIE, PA.

Lunik Becomes Solar System's Tenth 'Planet'

Indications are Russians may have hoped to hit moon; exploit demonstrates know-how in velocity, guidance

by Norman L. Baker

WASHINGTON—Lunik, the tenth "planet" of the solar system, is slowly pushing farther from the earth as it moves into its orbit as a captive asteroid of the sun.

Seven and one-half months from now, Russia's man-made contribution to the solar system will be somewhere between the orbits of Mars and Jupiter in the asteroid belt.

This week the Soviet "lunar probe" will be at its perihelion to the sun—approximately 91.5 million miles distant. At the apogee of its 15-month (447 days) orbit it will be 214.75 million miles out from the sun and about 120 million miles from the earth.

If and when, its perigee coincides with the position of the earth (some scientists say hundreds, others millions of years), Lunik would be pulled back into the gravitational field of the earth the gravitational field of Mars or one of the many high-mass asteroids.

According to preliminary calculations by the Russians, the eccentricity of the probe's orbit is 0.1418. The major axis of the orbit is at an angle of 15 degrees and 11 minutes to the major axis of the earth. The plane of Lunik's orbit almost coincides with the plane of the earth's orbit.

Commemorates Seven-Year Plan
 The probe was launched Jan. 2, un-

—The probe was launched Jan. 2, undoubtedly to commemorate the start of another Soviet seven-year plan, and possibly as a bargaining tactic for Anastas I. Mikoyan, Soviet deputy premier who is visiting the U.S.

Russia was still receiving data from the payload early last week when it was almost 400,000 miles from the earth. With its radios now dead the chances of locating and tracking the "planet" in the years to come will be very slim.

Lunik's maximum velocity (at perigee) will be about 75,000 mph. This will be the accumulative velocities of the earth (66,700 mph) and the vehicle (velocity of the vehicle plus the "pulling" induced-velocity of the sun). Its maximum velocity (at the time of burnout) was about 90,000 mph with respect to the sun.

Conflicting reports make it impossible to sift out the Russians' original intentions in launching their probe. According to the Russian founder of

the International Astronautical Federation, Alexandre Ananov, excessive velocity prevented them from hitting the moon, the intended target.

The marking of the payload with the Soviet symbol, inclusion of a pennant and the inscription "USSR, January 1959"—for possible later verification—and the tagged title of the payload, Lunik, seem to verify Ananov's claim. Instruments aboard also substantiate this premise.

Yet the Russians announced within hours of the launching that Lunik would pass within 3726-4968 miles of the moon. At 9:59 P.M (EST) Jan. 3 it passed the moon 4660 miles from the lunar surface (within one hour of the calculated time of 11:00 P.M.). Of course, the fact that it was going to miss the moon would have been known within minutes after learning the burnout velocity and attitude of the final stage. It appears the Russian scientists were prepared for any eventuality.

It is indeed probable that guidance error killed original Soviet intentions of a lunar orbit. In this issue of m/r, (p. 22) LCDR John A. Fahey, Head of the Foreign Language Division of U.S. Naval Intelligence School, points out that Soviet data indicates an intent to orbit at heights of 10 kilometers (6.2 miles), and 50 kilometers (31 miles). He said he expects another attempt in the "very near future" to achieve these goals.

Close orbits of the lunar body, according to m/r Contributing Editor Dr. Albert Parry of the Department of Russian Studies, Colgate University, have been publicly proposed. He quoted an article by Academician N. Barabashev, director of the Kharkov Observatory in the Ukraine.

Barabashov wrote in Izvestia that it was "imperative at this time to compile an exact atlas of the moon's surface."

Two outstanding disclosures of Soviet missile and space know-how resulted from Lunik's flight. First, the Soviets undoubtedly once again utilized the Sputnik launcher, the T-3 two-stage ICBM, with its tremendous thrust power of about 500,000 pounds.

Also, the accuracy with which they made the calculated close approach to the moon (or missed it by less than 5000 miles) indicates that Soviet guidance problems are not the bottleneck our military experts had thought.

Apparently the Soviet scientists made maximum utilization of Lunik's payload of 796.5 pounds. Final stage of the carrier rocket attached to the payload weighed about 3240 pounds. Measurements of the moon reportedly included magnetic field strength, gravitational forces, cosmic ray intensity, sediment evaluation of the lunar craters, properties of the moon's inner strata and optical teletransmission of the moon's surface.

• No photos—Although there has been no indication that instruments were aboard enabling the Russian scientists to receive pictures, one report stated Lunik was equipped with telescopes for observing the surface at close range. If so, instruments included in the payload were possibly more advanced than the scanner instruments in our Pioneer probes.

It was reported shortly after the Lunik launching that some Pentagon officials had known of the Soviet probe beforehand, but the report has not been officially verified. Tracking stations at Cape Canaveral were idle as the space probe began its journey toward the moon.

Orders from the Pentagon put the Cape trackers into action the next day. JPL and the Goldstone Tracking Station announced they had received no advance knowledge but made hurried modifications to tracking equipment in time to track the payload the following day.

The United States' tracking station in Hawaii apparently made a signal pick up within 15 or 20 minutes of Lunik's launching at 70.2 megacycles when the space probe was still unidentified.

—Astronautics Tests—

Dec. 30—Thor off course shortly after launch was destroyed by range safety officer after 50 seconds of flight. Flight was the 30th firing of the *Thor* vehicle and the 24th of the *Thor* IRBM type.

Jan. 2—Lunik, Russia's space probe, launched shortly before noon. Burn-out velocity was approximately 24,500 mph. Arrived 4660 miles from the surface of the moon at 9:59 P.M. (EST) and proceeded on to an orbit around the sun. Lunik will reach perigee (perihelion) on Jan. 14 of 15-month orbit. Apogee will be approximately 214.75 million miles from the sun on Sept. 9, 1959.

USSR Lunar Probes Will Orbit Close to Surface

by LCDR John A. Fahey, USN*

Washington—The Soviet Union has revealed detailed plans for future inspection of the moon's surface. In order to efficiently cover the entire surface of the moon, the Russians will attempt to establish a polar orbit.

Since the orientation of the moon's plane of motion in relation to the sun remains constant, using sunlight the entire surface of the moon could be photographed in four weeks (a lunar month). However, Russian scientists expect that the use of "earthshine" (ten times more brilliant than moonshine) will permit completion of the project in two weeks.

In order to avoid gravitational influences of the sun and planets, Soviet scientists have planned orbits extremely close to the moon's surface. At a given altitude the velocity of a lunar satellite will be almost five times less than the velocity of an earth satellite. This factor will greatly facilitate inspection of the moon's surface.

At a height of 30 kilometers (18.6 miles) objects, 3.8 meters (12.5 feet) in diameter, could be distinguished with the naked eye. However there are certain disadvantages in establishing such a close orbit. A satellite at this altitude will be traveling more than 1600 meters/sec (5250 feet/sec, 3580 miles/hr), and the field of view at a given moment will be about 650 kilometers (404 miles). At this height an object on the moon's surface will remain within the field of vision for six minutes, 20 seconds. Increasing the altitude to 150 kilometers (93 miles) will result in a less detailed observation. An object would have to be 19 meters (62 feet) in diameter to be distinguishable, but the field of view will increase to 1400 kilometers (869 miles) and an object will remain in the field of vision for 15 minutes, 42 seconds.

Soviet data indicate an intention to orbit a lunar *Sputnik* extremely close to the surface of the moon. It is interesting to note that plans call for a supply of fuel in the *Sputnik* for controlling the orbit. Small speed changes will be used to alter an elliptical orbit, to change the plane of orbit, and to decrease the time of passage across the unilluminated surface of the moon.

^{*} Head, Foreign Language Division, U.S. Naval Intelligence School, Washington, D.C.

SOVIET LUNAR PROBE DATA							
Characteristics	10 Kilometers	50 Kilometers					
Velocity of orbit (maters per sec/feet per sec/miles per hr)	1,674/5,492/3,745	1,655/5,301/3,614					
Decrease in velocity of orbit for each one kilometer (0.621 mile) decrease in altitude (meters per sec/feet per sec/miles per hr)	0.479/1.57/1.1	0.463/1.52—1.0					
Radius of orbit (kilometers/miles)	1,748/1,086	1,788/1,110					
Relationship of radius of orbit to moon's radius, (percent)	100.6	102.9					
Circumference of orbi: (kilometers/miles)	10,983/6,690	11,234/6,976					
Angular velocity (angular seconds per sec)	198	191					
Period of one complete orbit	1 hr, 49 min, 20 sec	1 hr, 53 min, 7 sec					
Minimum duration of a Sputnik day	58 min, 24 sec	1 hr, 5 min, 5 sec					
Relationship of duration of a Sputnik day to the period of a complete orbit (percent)	53.4	57.5					
Maximum duration of a Sputnik night	50 min, 56 sec	48 min, 1 sec					
Relation of duration of a Sputnik night to the period of a complete orbit (percent)	46.6	42.4					
Minimum arc of orbit during which Sputnik in the shadow of moon	192°16′	207°10′					
Maximum arc of orbit during which Sputnik in sunlight	167°44′	152°50′					
Heavenly arc describes by Sputnik as seen by an observer in the plane of orbit on the moon's surface	12°16′	27°10′					
Length of spherical segment of moon visible from Sputnik (kilometers/miles)	372/231	824/512					
Relationship of area of moon's visible spherical segment to surface of moon (percent)	0.286	1.398					
Maximum duration of observation from a point on the moon	3 min, 42 sec	8 min, 32 sec					
Acceleration of free fall in orbit (meters per sec ³)feet per sec ³)	1.60/5.25	1.53/5.02					
Relationship of previous value above to the acceleration of free fall to the moon's surface (percent)	98.9	94.5					
Minimum number of crbits required for com- plete coverage of the moon's surface	15	7					
Angles between consecutive planes of orbit	12°1′	25°42′					
Velocity required to change plane of orbit (meters per sec/feet per sec/miles per hour)	350/1,148/782	736/2,415/1,646					
Total velocity required for accomplishing all changes of planes of orbits (meters per sec/feet per sec/miles per hr)	4,900/16,077/10,962	4,418/14,485/9,876					
Minimum duration required for complete coverage of moon's surface	27 hrs, 20 min	14 hrs, 57 mins					
Relationship of coverage of moon's surface to actual surface (percent)	160	169					
Amount of excess velocity required to leave Sputnik for surface of moon (meters per sec/feet per sec/miles per hr)	3/9.8/5	12/39.4/27					
Total velocity during descent from Sputnik to surface of moon (meters per sec/feet per sec/miles per hr)	1,683/5,525/3,765	1,703/5,587/3,810					
Duration of descent from Spuinik to the surface of the moon	53 min, 30 sec	54 min, 31 sec					

missile electronics

Detection Seen Possible by Star Occlusion

ACF technician proposes to AAS meeting that telescope be mounted to a space platform and stabilized by slaving it to three reference stars.

WASHINGTON—A telescope mounted in a satellite or space station would be used for long-range detection in a method proposed by H. Dubner of Avion Division of ACF Industries in a paper presented at a recent meeting of the American Astronautical Society.

The proposed method, described in a paper titled "Long-Range Detection By Star Occlusion," is based on the fact that an object moving in space must eventually pass between an observer and some stars.


Dubner's method would use a telescope, a detector, a storage and comparator device, a clock and a computer. Since the computer would most likely be Earth-bound, a data link for telemetering would be necessary.

The telescope would be mounted on a space platform stabilized by slaving it to three reference stars. The view would be transferred from the telescope to a practical electrical outlet by an integrating image tube such as an image-intensifier orthicon. The output would then be stored for comparison with the following frame to determine occurrence and location of occlusions. Occlusion time and location then become an input to a computer which figures orbits and trajectories.

• Stellar tripod—For the telescope stabilization, the author proposes that a "stellar tripod" be used, with small telescopes focused on three reference stars as the tripod legs.

The telescope itself would be the 20-inch unit used by astronomers with a resolution of about 1/5-second. An f/1 concentric telescope is considered sufficient for desired resolution over large fields of view. The orthicon mentioned by Dubner is an RCA unit with a potential sensitivity six times as great as the human eye and a resolution of 100 lines/inch.

Using the case of a 10-foot object traveling at an orbiting velocity of



OBJECT MOVING in space eventually must pass between observer and star.

OCCLUSION TECHNIQUE ACCURACY

h = DISTANCE FROM EARTH	200 MI.	2,000 MI.
TIME FOR ONE REVOLUTION	91 MIN.	156 MIN.
MAXIMUM TIME ORBIT IS VISIBLE FROM EARTH'S SURFACE	9 MIN.	41 MIN.
TIME BETWEEN OCCLUSIONS	15 SEC.	26 SEC.
Ah DUE TO TIME ERROR OF .OI SEC. OF TIME	5.5 MI.	4.6 MI.
Δh DUE TO ANGULAR ERROR OF I SEC. OF ARC	2.33 MI.	3.33 MI.


ASSUMPTIONS:

- I. CIRCULAR ORBIT AROUND EARTH
- 2. ONE STAR OCCLUDED PER DEGREE

OF ARC

IN SILICONES OR RUBBER

WHAT'LL YOU HAVE?



SPONGE? Chemically blown, closed-cell silicone sponge is available in fine, medium, and firm density; skin thickness can be varied to suit. Excellent for gaskets, seals, shock mounts, light duty press pads, die cut parts.

SHEET? Solid sheet is produced from 1/32 to 1 in. thick, 20 to 80 durometer, in compounds to meet all AMS, ASTM, and military specifications. For gaskets, seals, bushings, die cut parts, diaphragms, heavy duty press pads. Laminated press pads and throw sheets are also available.

MOLDED PARTS? Diaphragms, pipe coupling gaskets, regulator parts, medical kit liners, bumpers, flexible coupling discs, spring inserts, aircraft test sleeves, and many other components are produced to rigid specifications.

Hewitt-Robins, prominent in development of aircraft refueling hose, makes many silicone and rubber products for the aircraft and missile industries. These components are fabricated using all elastomers, including silicones by themselves or with various fabric or metal reinforcements.

Specialists in our Aircraft Products Department can help you put today's new compounds to best use in aircraft, missiles, and rockets. For information, service, or your copy of comprehensive Product Bulletins, contact your local H-R representative, or Hewitt-Robins, Stamford, Connecticut.

HR HEWITT-ROBINS

CONVEYOR BELTING AND IDLERS...POWER TRANSMISSION DRIVES
INDUSTRIAL HOSE...VIBRATING CONVEYORS, SCREENS & SHAKEOUTS

H-R Product Manufacturing Plants in Buffalo, N.Y. • Chicago, III. • King of Prussia, Pa. • Passaic N. J.

Amsterdam, Holland • Johannesburg, South Africa • London, England • Montreal, Canada • Paris, France

Circle No. 34 on Subscriber Service Card.

. . . missile electronics

20,000 feet/second, Dubner figures occlusion time as 1/2000-second. For optimum sensitivity, he says, frame time should be about equal to time of occlusion indicating that more than one detector would be necessary.

The graph shows an example of data for two targets at distances of 200 and 2000 miles above the surface of the Earth for the conditions of two occlusions separated by 1 degree. Input errors of 0.01 second of time and 1 second of arc have been assumed. Orbit errors can be reduced by additional occlusions and the knowledge that the target is following ballistic course could be used to improve system sensitivity.

False indications of occlusion may occur at low signal-to-noise ratios, but if this occlusion is stored and compared with future occlusions it could be evaluated for validity. Dubner has developed a method of determining whether the occlusion is a false alarm or not and gives a derivation in the paper.

•Limitations—According to Dubner, two major limitations exist. Both are concerned with light; i.e., the wave character of light imposes range limitations, and the granular character of light imposes velocity limitations.

The range is limited because an object passing in front of a star does not cast a true geometric shadow—it forms a diffraction pattern. The smaller the object or the greater the distance to the observer, the larger the diffraction pattern, until finally the object cannot be discerned as occluding a star.

The velocity limitation is more serious, according to Dubner. Light from a star travels in the form of photons and the ability to detect a star is determined by the presence of a certain number of photons per second striking the detecting device.

Assuming that 16,000 photons/ second enter the telescope aperture for the dimmest detectable star, if an object occludes a star for about 1/16,000-second, it would be difficult to determine whether the star has been occluded. In such an interval the chances are about 37% that a photon would not have arrived.

The detector itself creates further difficulties since it will not necessarily respond to each photon.

Dubner illustrates this with the example that the efficiency of the eye to sunlight is about 1% which means, he says, that about 100 photons are required to obtain a response from the eye. The orthicon has an efficiency of about 6 per cent.





Lightweight Freon system, usually installed in a van or trailer, for cooling electronic equipment in support of missiles. AiResearch ground support equipment is tailored to meet turbine powered aircraft and tactical missile requirements. Lightweight, compact units can be designed to specific configurations or installed on standard vehicles.

Heart of the lightweight ground support systems are AiResearch gas turbine compressor power units. Capable of delivering both electrical and pneumatic power, nearly 8,000 of these units are operating successfully and dependably in the field.

Support services can include: main engine starting, pressurization and air conditioning of cabins and compartments, missile pre-flight check-out, removal of snow and ice from aircraft and equipment, supply of DC or AC electrical power at any required frequency, and low pressure, high flow air for operation of a variety of actuation systems. The units have pushbutton starting and operate without delay under all weather conditions.

The world's largest producer of lightweight turbomachinery, the AiResearch Manufacturing Divisions are prepared to assume complete systems management responsibility for your ground support requirements.




ENGINEERING REPRESENTATIVES: AIRSUPPLY AND AERO ENGINEERING, OFFICES IN MAJOR CITIES

CORPORATION

AiResearch Manufacturing Divisions

Los Angeles 45, California . Phoenix, Arizona

ystems, Packages and Components for: AIRCRAFT, MISSILE, ELECTRONIC, NUCLEAR AND INDUSTRIAL APPLICATIONS



- 316 Stainless
- 304 Stainless
- · Tool Steel Atlas 93
- SAE 4130
- 410 Stainless

Why hog out intricate shapes like these? Let A-L extrude them in any steel

If you're hogging out sections, paying for special mill rolls on small orders, or waiting for minimum rolling mill tonnages, Allegheny Ludlum Steel Extrusions are your answer. They will save you scrap loss, slash your machining costs, hold down your inventory requirements and cut delivery time.

Extruded shapes save money on expensive materials and on costly machining. Non-ferrous applications in the last decade have proven it. Now even greater savings are possible with tough, strong metals in Allegheny Ludlum Steel Extrusions.

Intricate extruded shapes in all stainless grades, tool steels, carbon steels, electrical steels, high temperature alloys, even zirconium and nickel alloys are now in production at Allegheny Ludlum, cutting costs in many different industries.

Costs and minimum order quantities are surprisingly low. Charge for die design is under \$200. Orders taken for as little as 40 pounds.

To learn more about the time and cost-cutting possibilities of Allegheny Ludlum Hot Steel Extrusions, send for the extrusion booklet—12-pages of design and engineering information with process and product explanation, material properties, design tips and limitations, tolerances, order instructions, etc. Or call any A-L office for technical assistance Allegheny Ludlum Steel Corporation, Oliver Building, Pittsburgh 22, Pa. Address Dept. MR-13.

ALLEGHENY LUDLUM

for warehouse delivery of Allegheny Stainless, call RYERSON
Export distribution: AIRCO INTERNATIONAL

EVERY FORM OF STAINLESS . . . EVERY HELP IN USING IT

AL

WSW 711

Simplified Guidance Proposed

Washington—Two Sperry scienists believe that travel to the moon can be simplified by using a guidance system dealing strictly with Earth-vehicle and moon-vehicle problems on a two-dimensional basis.

The method, suggested by C. A. Brown and R. Fleisig of Sperry Gyroscope, was presented at a session of he American Astronautical Society during the convention of the American Association for the Advancement of Science.

In a paper titled "Simplified Space Guidance System Analysis," Brown and Fleisig discussed their procedure for estimating space guidance accuracy requirements and the results they had obtained.

Although the procedure would be useful for a wide range of space probems including interplanetary flight, the authors considered the moon as the objective in the specific applications presented.

•The problems—Two problems were considered: A vehicle launched from Earth and required to impact the moon; and a vehicle required to robit the moon within prescribed altitude limits.

The method calls for a trajectory analysis to determine the sensitivity of guidance system parameters to variations in moon mission requirements and midcourse correction capability. For the impact vehicle, applications of auxiliary thrust at points between cutoff and the moon are made for trajectory corrections. The analysis seeks to determine the trade-off between guidance accuracy requirements and thrust requirements for corrections en route to and near the moon.

Brown and Fleisig assume that the hree-body Earth-moon vehicle probem may, for present purposes, be simblified to Earth-vehicle and moonvehicle problems. They make this assumption because only deviations from a nominal trajectory—rather than the specific trajectory itself—require great accuracy. Additionally, the three bodies are assumed to be coplanar, resulting in two-dimensional considerations hroughout.

• Simplified guidance—The authors priefly describe the simplified guidance analysis procedure as follows: "Alhough the lunar trajectories are conic sections described by an ellipse or a typerbola with the focus at the Earth center for the initial 215,000 miles of light and a hyperbola with a focus at the moon center for the remaining por-

tion, no trajectories are plotted and computations are made only for those points along the trajectory at which a switch in coordinate systems or a thrust correction occurs.

"The procedure for switching from earth to moon coordinates is simple as are procedures for incorporating corrective thrusts at midcourse positions. Using the methods described (in the main body of the paper), the total time required for an engineering aid to complete a single computation leading to cutoff velocity vector accuracies for the case of unpowered flight is approximately 10 hours."

The set of terminal conditions assumed by Brown and Fleisig are based on a dead center impact on the moon. Satisfactory error trajectories correspond to impact anywhere on the surface of the moon as indicated by two of the trajectories illustrated which just graze the moon's surface.

The authors also describe the means for reducing the amount of correction necessary and work out the means for a simplified analysis for the guidance necessary to hit or orbit the moon. Copies of the paper are available from the Sperry Gyroscope Company, Astronautics Section, Air Armament Division, Great Neck, N.Y.

1958 Electronic Sales Hits Record \$7.7 Billion

WASHINGTON—The electronics industry, overlooked by the 1958 recession, ended the year with a new factory sales record of \$7.7 billion—\$100 million above the previous high in 1957.

Industry economists predict that the 1959 sales peak will reach \$8.3 billion.

Major reason for the boom, according to the Electronics Industries Association, is the military change-over from aircraft to missiles, which require more extensive and subtle electronics systems.

In its year-end review, EIA says military electronic equipment sales passed the \$4.1 billion mark and represent well over half the total dollar volume.

EIA predicts that the emphasis on missiles will add further to the electronic industry's sales to the military in 1959. Total military electronic expenditures in 1959 are expected to rise to \$4.4 billion.

Industry passed the consumer market in 1958 as the second largest buyer of electronic products, EIA reports, topping \$1.4 billion for the year. Computer and data processing equipment

represented the largest single items on industry's purchasing list.

Industry sales in 1959, EIA predicts, should continue to rise and probably will reach \$1.5 billion.

The long range picture for the electronics industry, according to EIA, shows unlimited growth, with new industrial segments such as nuclear instrumentation and telemetry added to the fast-growing family of electronic products.

Sperry Develops New Flotation Fluid

Washington—The Air Force has announced that Sperry Gyroscope has developed a new floatation fluid which might revolutionize the manufacture of fluid-floated gyros.


Company chemists, turning away from the chloro-fluorocarbon fluids generally used, devised a bromine version of the same class of compounds. The new fluid reportedly remains viscous to less than -65°F without artificial heating.

Because it remains viscous and never solidifies at low temperatures, it can be brought up to operating temperature very quickly without the damage hazard inherent in other floatation materials.

Conventional gyro fluids have always had the disadvantage of starting to solidify at temperatures not much below operating conditions. Hence, most fluid gyros are brought up to temperature in final test and kept that way throughout their service life. If the gyro heater fails in the sub-zero temperatures encountered in missile flight, the fluid can become so hard that it shatters into fine particles, damaging or occasionally severing the thin electrical leads that pass through it and




TESTING FLOTATION fluid.



AIRCRAFT AND MISSILE HYDRAULIC PUMPS

A new family of lightweight hydraulic pumps having fixed or variable displacement in sizes from 1 to 30 GPM operating at speeds up to 12,000 RPM and higher. This design has many important features, including fewer parts and inherent capability

to perform at higher speeds and elevated operating temperatures. If you we send us your requirements we will be happy to submit recommendations for you netallation without obligation.





HOW BENDI

Bendix Hamilton was established in 1951 to develop and manufacture high precision fuel systems and hydraulic components for the aircraft industry. Today expanded facilities and a broader product line permit us to serve the missile industry as well.

Major products—aircraft and missile hydraulic pumps; hydraulic components and sub-systems; engine fuel pumps and fuel system components; precision bellows and bellows assemblies; thermostats and related sub-assemblies; and sub-contract manufacturing and brazing.

PRECISION BELLOWS, SUB-ASSEMBLY WORK→

Bellows and bellows assemblies for aircraft and missiles, ordnance and other precision instrumentation tailored to your needs. Originally developed to meet the exacting requirements of aircraft and missile components bearing

the Bendix name. Hydraulic forming together with precision process laboratory control of materials selected—brass, Phosphor bronze, beryllium copper, stainless steel, Monel, etc.—assure maximum resiliency and long service life.

ALUMINUM DIP BRAZING


Molten flux dip brazing techniques offer freedom of design. Wrought,

stamped and pre-machined aluminu alloy parts may be joined into comp cated forms to provide lightweigh pressure-tight assemblies to replace castings with complicated coring at machining.

FURNACE BRAZING

Dry hydrogen brazing of high-strengt high-temperature alloys using cotrolled atmosphere dry hydrogen funaces makes possible the fabrication





HYDROCARBON AND CHEMICAL FUEL PUMPS

new family of gear pumps for turbine engines and other applications for hydrorbon fuels in sizes from 150 pounds per hour to 3,000 pounds per hour at discharge essures up to 1,000 PSI. Piston fuel pumps are available for higher discharge pressures where required. A special mono-propellant pump having capacity from ½ to 4½ GPM at 3,600 RPM is also available for Ethylene Oxide, Hydrazine, Normal Propyl Nitrate, and other similar fuels.

AMILTON CAN HELP YOU



mplex assemblies such as turbine rner rings, manifolds, etc., up to

UB-CONTRACT ANUFACTURING

ailable sub-contract manufacturing illities embrace all phases of producn engineering and precision machining, high-temperature brazing, assembly and test of customer-designed components and systems. Current aircraft engine and missile production programs include fuel and hydraulic components as well as surface control actuators.

SERVICE AND OVERHAUL

Complete field service and overhaul facilities are provided and offered to all customers in support of all original equipment programs—another reason why it will pay you to do business with Bendix Hamilton.

FACILITIES

Bendix Hamilton engineering, manufacturing and test facilities are diversified and complete to support all

product programs. Physical plant space of 232,000 square feet includes air conditioned, humidity-controlled, dust-free areas for assembly and test of precision products.

Lapping operations hold flat surfaces within one light band when checked with an optical flat. Grinding and honing departments continuously maintain tolerances as low as five millionths of an inch on production work.

The specialized engineering and production test facilities offered to any Bendix Hamilton customer are complete to develop and produce equipment to the most exacting requirements of the aircraft and missile industries. They assure a quality end item manufactured and tested to your specifications.


Hamilton Division

HAMILTON, OHIO



Circle No. 14 on Subscriber Service Card.

STRIKE OF THE HAWK!



RAYTHEON-DESIGNED Hawk missile annihilates radio-controlled F-80 jet fighter at 500 ft. altitude.



ARMY'S HAWK MISSILE is fired from mobile launcher. Missiles, launcher and support equipment can be air-lifted or quickly transported by Army or Marine ground forces.

NEW ARMY MISSILE DESTROYS LOW-FLYING AIRCRAFT

This proven anti-aircraft missile operates even at tree-top heights, in the blind zone of other radar-controlled missiles.

Raytheon is prime contractor for the U.S. Army Hawk weapon system-now in production and slated for use with fast-moving Army and Marine Corps ground forces as well as for the defense of U.S. cities.



RAYTHEON MANUFACTURING COMPANY, Waitham, Mass.

. . . missile electronics

conduct power to the gyro wheel.

Sperry chemists say the new fluid maintains its plasticity at less than -65°F without artificial heating. Viscosities and densities can be easily adjusted to meet a wide variety of gyro operating requirements.

Although the fluid was developed in connection with Sperry's B-58 Hustler bombing-navigation system, future uses will probably center around missile and space vehicle navigation systems. Freedom from the requirement for continuous heat on gyros and gyro accelerometers will be a considerable aid to inertial system designers.

GE Uses 'Woofers' To Test Components

PHILADELPHIA—The world's most powerful hi-fi woofers (speakers) are being used by the missile industry to test components.

Highly intense noise, provided by random noise generators and amplified to an ear-splitting 145 decibels by three 600-watt loudspeakers, is used by General Electric's Missile and Space Vehicle Department to test missile and space vehicle components.

Extreme vibrations set up by these noise levels approximate those produced by rocket and jet engines. To insure components against failure caused by noise vibration, aircraft and missile manufacturers can use such noise devices for preliminary tests in the laboratory.

At GE's Missile and Space Vehicle Department, three 600-watt loudspeakers blare into a 120-cubic foot chamber, whose seven walls are out of parallel alignment.

General Electric has used this facility to test the nose cone electronic components—amplifiers, recorders, and other noise-sensitive devices—before they are installed in the nose cones for Atlas and Thor missiles which the company is developing for the Air Force. By allowing the noise to flow into a 3150-cubic foot room, a complete nose cone can be tested.

Temco Develops TV Surveillance System

Dallas—An airborne television surveillance system has been developed by Temco Aircraft under contract from the Navy, which is now evaluating it at Patuxent River Naval Air Station, Maryland.


Although the system, called "Alpha," was originally designed as a means of missile terminal guidance, the present evaluation is also considering reconnaissance work.

Aerodynamically, test models of the Alpha resemble a small missile in shape, 8½ inches in diameter and 105 inches long. In terminal guidance, the Alpha returns an image of the terrain to a central control station. As the weapon using Alpha closes on the target, the course is guided by radio signals transmitted by an operator watching a television receiver in the master control station many miles away.

This system might be planned for use in the newest version of the Navy's Bullpup, which will use a packaged liquid-fuel engine, a nuclear warhead, and an "improved" guidance system. The USAF reportedly will use similar features on its upcoming White Lance.

During the evaluation, television information relayed by Alpha is being fed into a video tape recorder manufactured by the Minnesota Mining and Manufacturing Co. The recorder permits immediate review of television information recorded during flight, eliminating time lost for film development.

As a reconnaissance system, the in-



Today artificial satellites orbit in space. Missiles can span continents, Conservative scientists calmly talk of landing on the moon.

Just as they have contributed to other aeronautical sciences, the various divisions of United Aircraft Corporation have made significant contributions to these new fields of missiles and space

technology.

Recently the outstanding scientists and engineers who had specialized in missiles, missile guidance and space penetration problems in each division were brought together to focus their combined skills on advanced concepts and systems. A new Division was created, the Missile & Space Systems Division

created ... the Missiles & Space Systems Division.

This division is only weeks old. It is in an explosive growth period. Yet it has a built-in stability factor . . . the advantages of the brainpower, the "know-how", the financial resources and the unique facilities of a billion-dollar corporation that is already pre-

eminent in aeronautics.

This combination of newness and stability should be significant to every alert engineer or scientist. It should suggest a unique opportunity to demonstrate ability and win the advancement and other rewards that ability deserves.

If you are looking for opportunity, we suggest that you contact us immediately.

Positions are available at all levels in . . .


ELECTRONICS: Guidance, Radar, Countermeasures, Computers, Telemetry • SYSTEMS ANALYSIS • SYSTEMS INTEGRATION • MILITARY REQUIREMENTS • RELIABILITY • GROUND SUPPORT • SPACE TECHNOLOGY: Astrophysics, Astronautics • AERONAUTICS: Preliminary Design, Performance, Aerodynamics, Structures, Propulsion.

Please send your complete resume, including salary requirements, to Mr. John B. North.

MISSILES & SPACE SYSTEMS

DIVISION OF UNITED AIRCRAFT CORPORATION . EAST HARTFORD 8, CONN.

Circle No. 21 on Subscriber Service Card.



Let ALCOA'S JOBBING DIVISION Be YOUR Subcontractor!

WANT TO stretch your aluminum fabricating facilities, particularly during peak production periods?

THEN CALL on Alcoa's "custom-service for manufacturers"—the Alcoa Jobbing Division. From a single, tiny component to the most complex subassembly, consider Alcoa's Jobbing Division for any part of an aluminum fabricating job. In the field of aircraft and missile components, especially, Alcoa's facilities and experience are unmatched anywhere in the world.

COST . . . ? Frequently less than your own costaccountants would report for a do-it-yourself job. For Alcoa already has the major facilities for production plus the facilities and skills for tooling-up at rockbottom costs.

WANT TO know more...? Write Aluminum Company of America, 2029-A Alcoa Building, Pittsburgh 19, Pa., for 16-page booklet on the available facilities of Alcoa's Jobbing Division. Facilities at your service... for welding, rolling, brake-forming, bending, spinning, finishing, testing and other services. You'll be surprised how much Alcoa can help you lighten your load!



Your Guide to the Best in Aluminum Value



. . . missile electronics

formation pictured by the TV conceivably could be recorded on the video tape recorder and triggered for transmission to earth when the satellite or vehicle was in a favorable transmitting area.

New Space Testing Lab. Opened at Newton, Mass.

NEWTON, MASS.—NRC Equipment Corp., a subsidiary of the National Research Corp., has formed a new engineering and sales groups to handle its space testing facilities.

Vice-president and general manager James H. Moore said the new departments will assume all-over responsibility for ultra-high altitude test chambers, vacuum pumps, vacuum in strumentation and related accessories, and environmental facilities for testing men, materials and products in space.

Moore said that most of NRC's present facilities are limited to simulating altitudes below 100,000 feet, but that more sophisticated equipment would be designed for higher altitudes "as we learn more about outer space."


NRC already has some non-classified equipment which simulates higher altitudes, including a number of chambers which test components under pressures and temperatures up to 300,000 feet, and some smaller facilities for reating pressures equivalent to altitudes approaching 400 miles.

Fiberglass Astrodomes-



VEATHERPROOF ASTRODOMES are eing used to protect instrumentation, notion picture cameras, telescopes and ther equipment used in tracking missiles. I anufactured by the Houston Fearless Corp., the astrodomes are made of imregnated honeycomb covered with fiber lass.

For the rocket and missile speed up programs ahead . . .



THIS CAST NOZZLE RING for a rocket engine illustrates how Lebanon Steel Foundry can become indispensable to your missile or rocket program. Here Lebanon's unique experience and facilities enabled production of a vital component to proceed from drawing to finished part at minimum time and at great savings in tooling and production costs.

This casting achieves all the advantages of precision methods. Tolerance control demands absolute accuracy of core placement and smooth metal surfaces cast precisely to drawing in order to reproduce the curved contours of the internal passages, which would be virtually impossible to machine. Cast holes are round on one side, rectangular on the other.

This casting was produced by Lebanon's CERAMICAST ® Process. No other known method offers production of such an intricate stainless steel component at anything approaching Lebanon's time and cost factors.

This experience is available to you now. To take the fullest advantage of the assistance we can render in your rocket and missile prototype work, consult us at the earliest stage of your design project.

Special facilities have been created at Lebanon to get all available foundry engineering help to you when you want it. For immediate action on your inquiry, phone or write DEPARTMENT AM.

*Produced under licensing agreement with Shaw Processes, Ltd.

LEBANON STEEL FOUNDRY

AIRCRAFT AND MISSILES PRODUCTS SECTION

171 LEHMAN STREET LEBANON, PENNA.

Circle No. 22 on Subscriber Service Card.

STEEL CASTINGS

for the SPACE AGE




THERE IS A REASON...why CHRISTIE
was selected as the principal source of
D-C Power Supplies for all the above
projects...RELIABILITY

CHRISTIE'S rigid Quality Control is approved by the A.E.C. and leading Aircraft and Missile Manufacturers.

CHRISTIE ELECTRIC CORP.

3410 W. 67th St., Los Angeles 43, Calif., Dept. MR

Precisely regulated Power Supplies of permanent stability. Ratings up to 1500 amperes. Bulletin on Standard Militarized units available on request.



Circle No. 23 on Subscriber Service Card.

moscow briefs

The rise in U.S. rocket and missil production is noted in Krasnaya Zvezdi official organ of the Soviet arme forces.

In his article, "Problems of Struggle for Domination in the Air," Ma Gen. G. Pshenianik writes that whil in the 1953-54 fiscal year, America "expenditures for rocket weapons wer \$504 million, or about six % of th sum spent on the purchase of militar aircraft. In the 1957-58 fiscal year suc expenditures amount to more tha \$2.5 billion or more than 35 % of th sum allotted for the purchase of mil tary aircraft."

Gen. Pshenianik concludes: "The leading military circles of the US, continue to place their main trust if the forces of military aviation, particularly in strategic aircraft and rocke weapons."

The author of this article is no only an air force general but also scientist with the degree of candidat of the military sciences.

Commenting on current reorganization of U.S. armed forces, Lt. Col. Y Makhov writes in Sovetskaya Aviats that "out of the eight newly confirme American commanders, four are a force generals, three are admirals, an only one is an army general." Makhov article, entitled "The Structure is Ne but the Policy is the Same," stress the importance of "strategic aviatio this chief weapon of threats and black mail in the hands of American in perialists."

How can man hold an artificis satellite at a necessary height a long time than he can now? In Znanie—Sil author M. Astrov answers: "Very sin ply—by supplying the satellites wimeans of motion. Since the resistant of the atmosphere at 100-200 kilom ters above the Earth's surface... very small, the motor force needed overcome this resistance will also I quite small. Such motor-furnishe Sputniki will be 'sky auto-cars,' so say. To distinguish them from satellit let us call them satelloids."

The world's largest electromagn to study cosmic radiation is claimed I the Soviets. The Moscow Trud report the equipment is installed at the Argats High-Altitude Station of tl Physics Institute of the Soviet A menian Academy of Sciences. To newspaper adds that a still more powerful electromagnet for the same pupose (and also for the work of A menian physicists) is being built



An example of the

Bendix Red Bonk

complete line of high-altitude and missile inverters

As aircraft and missile performance continue to step up, Bendix Red Bank designers continue to lead the field in developing new, high-performance inverters and power packages.

We now offer a complete line of inverters from 6 VA to 7,000 VA, including advanced special-application units and missile type power packages like the one shown above.

If we don't have an inverter to meet your specific needs, we'll design one. For full details, write RED BANK DIVISION, BENDIX AVIATION CORPORATION, EATONTOWN, NEW JERSEY.

West Coast Sales and Service: 117 E. Providencia Ave., Burbank, Calif. madian Affiliate: Computing Devices of Canada, Ltd., P. O. Box 508, Ottawa 4, Ont. Export Sales & Service: Bendix International, 205 E. 42nd 51., New York 17, N. Y.

MISSILE INVERTERS-400 CYCLE OUTPUT

Type Vo	Input		Rated Output			Max. Altitude	Approx.	Designed to Gov't.
	Volts	Amps.	Volts	Phase	VA Rating	at Rated Output	Wt. Lbs.	Part No.
32B91	27.5	126	115	1 3	1500 1800	20,000	37	-
32B8	27.5	100	115/200	3	1500	Unlimited	65	-
32B7	27.5	180	115/200	3	3000	Unlimited	75	-
32B79	27.5	400	115/200	3	7000	Unlimited	115	-
32B76	27.5	20	115	3	500	70,000	25	_
32B1!2	27.5	150	115/200	3	2500	50,000	65	-
32B4.	27.5	150	115/200	1 3	2500 3000	50,000	68	-
32B5!	27.5	35	115/200	1 3	500 500	40,000	25	-
32B146	27.5	95	115	3	1400	35,000	44	-
32B2"	27.5	285	115/200	1 3	3500 4000	50,000	76	- 25

GENERAL PURPOSE INVERTERS-400 CYCLE OUTPUT

Туре	Input		Rated Output			Max. Altitude	Approx.	Designed to Gov't.
	Volts	Amps.	Volts	Phase	VA Rating	at Rated Output	Wt. Lbs.	Part No.
12128	27.5	1	26	1	6	35,000	2.2	AN3496
1212€	27.5	2	26	3	10	35,000	2.3	E1615
MG-54	27.5	22	115/200	1 3	250 250	50,000	17	E5109
12147	27.5	22	115	1 3	250 250	35,000	13	E1617
1214:	27.5	22	115	3	250	35,000	13	-
32E0:	27.5	35	115	3	500	50,000	26	AN3533-1
32E0)	27.5	51	115	1 3	500 750	50,000	34	AN3534-1
MG-65	27.5	52	115/200	1 3	750 750	50,000	35	E52805-2
MG-61	27.5	126	115	1	1750	50,000	54	53C6767
1518	27.5	126	115	1 3	1500 1800	20,000	37	-
32E06	27.5	160	115/200	1 3	2000 2250	50,000	56	E1725
32E03-3	27.5	150	115	1	2500	50,000	58	53B6227
32E03-9	27.5	160	115/200	3	2500 3000	50,000	58	E54807
32E09	27.5	160	115	1 3	2500 3000	50,000	60	

Red Bank Division



OCEAN

The Atlantic Ocean is the year-round playground of Pan Am engineers. The 5000-mile Atlantic Missile Range, for which we have the prime responsibility of management, operation and maintenance, extends from Cape Canaveral in Florida through the Bahamas to Ascension Island and beyond.

Our engineers in these locations water-ski, skin-dive, fish, sail, swim and live on the ocean and under the sun every day of the year. They work in the new and vital arts of missile range management, operation, maintenance and test data collection and reduction.

Qualified physicists, mathematicians and electronics engineers should investigate a future by the ocean with Pan Am. Please address a confidential resume to Mr. C. R. Borders, Assistant Division Technical Manager, Pan American World Airways, Inc., Patrick Air Force Base, Cocoa, Florida, Dept. B-2.



Circle No. 26 on Subscriber Service Card.



Circle No. 33 on Subscriber Service Card.

. . . moscow briefs

Leningrad. This machine will be installed in the little town of Nor Anberd in the Ashtarak Region of Armenia, 2,000 meters above sea level.


A system of automatic functioning for a large modern telescope has been worked out by a group of Soviet scientists at the Institute of Electromechanics of the Academy of Sciences. Yu. Sabinin, a candidate of the technical sciences, was in charge of the project. The system, installed at the Crimean Astrophysical Observatory, allows an observatory to leave its telescopes unattended, yet obtain photographs and other records of satellites, stars, comets or other celestial phenomena.

The easternmost Sputnik-tracking station in the Soviet Union is on the island of Sakhalin. The Soviet news agency TASS reports that the station is functioning at Yuzhno-Sakhalinsk, in the island's southern part, and is attached to the department of physics at the local teachers' college.

Conquest of outer space was the special theme of the celebration of the 41st anniversary of the Communis seizure of power in Russia. Sovie "cosmic decorations" dominated Moscow displays of the holiday. Full-sized models of the three Sputniki were hoisted over Gorky Street, the Rec capital's main thoroughfare. The multi tudes marching past Premier Khrush chev and his cronies on the Red Squan reviewing parapets, carried posters banners, and other exhibits showing Soviet rockets, missiles, and Sputnik

Khrushchev showed his deligh when the model of a space ship of th future, a gas-filled balloon dubbed the "Moon Rocket," was brought into the square by Soviet athletes dressed is star-spangled cloaks. When the "Moo Rocket" was released to float above the Lenin-Stalin mausoleum, Khrushchestanding on the mausoleum's roof, was een to follow the balloon's flight with great animation.

The first Polish rocket is reported by Sovetskaya Aviatsia. It was main and recently launched in the Blendi Desert in Poland by the Cracobranch of the Polish Astronautic Sciety, in collaboration with the Rock Section of the Ore and Metallur Academy in Cracow. The aim of the rocket launching was "meteorological and other researchers in the upgrarate of the atmosphere." The rocking described as 820 mm. long and mm. in diameter.



How Republic's Engineers & Scientists Attack Today's Missile, Aircraft and Space Problems

There's something in the environment at Republic Aviation that fires the imagination and sharpens the logical faculties.

You find it, at its quintessence, within the research groups, whose members have recently come up with a feasible design for a "Magnetic Pinch Plasma Engine" to operate in space. A design utilizing a novel application of basic knowledge in the field of magneto-hydrodynamics.

The same spirit of bold inquiry, of looking beyond the

immediate, conventional solution of a problem for new and better answers, permeates the entire professional staff. You'll find it in development engineers working on new missiles for new missions...in experimental engineers studying the behavior of a prototype aircraft. You'll find it in the metallurgical and electronics labs.

THE RESULT - "quantum-jump" advances in many technologies vital to the conquest of upper atmosphere and space fight.

Engineers and Scientists who share Republic's views on Creative Problem-Solving are invited to discuss opportunities now open in the following areas:

HERMO, AERODYNAMICS

Fheoretical Gasdynamics • Hyper-Velocity Studies • Astronautics Preision Trajectories • Airplane/Missile Performance • Air Load and
Aeroelasticity • Stability and Controls • Flutter & Vibration • Vehicle
Dynamics & System Designs • High Altitude Atmosphere Physics •
dvanced Propulsion • Engineer Performance • Re-entry Heat Transer • Supersonic/Hypersonic Wind Tunnels • Shock Tunnel • Plasma
unnel • Magneto-Hydrodynamics • Ground Control Equipment

ELECTRONICS

Inertial Guidance • Inertial Navigation • Digital Computer Development • Radar Design • Systems Engineering • Telemetry-SSB Technique • Information Theory • Doppler Radar • Countermeasures • Radio Akimeters • Radome & Antenna Design • Microwave Circuitry & Components • Receiver & Transmitter Design • Airborne Navigational Systems • Missile Checkout Systems • Missile Arming & Fusing • Jamming & Anti-Jamming • Miniaturization-Transistorization • Ranging Systems • Propagation Studies • Ground Support Equipment

REPUBLIC AVIATION is investing \$35,000,000 in bold new R&D Program designed to arrive at Major Breakthroughs inTransition from Aeronautics to Astronautics.



Send resume in complete confidence to: Mr. George R. Hickman, Engineering Employment Manager

HEPUBLIC AVIATION

Farmingdale, Long Island, New York



Circle No. 27 on Subscriber Service Card.

You Get Things Done With Boardmaster Visual Control



- Gives Graphic Picture of Your Operations
 —Spotlighted by Color
- Facts at a glance Saves Time, Saves Money, Prevents Errors
 Simple to operate Type or Write on
- Cards, Snap in Grooves Ideal for Production, Traffic, Inventory,
- Scheduling, Sales, Etc.

 Made of Metal. Compact and Attractive.

 Over 300,000 in Use

Full price \$4950 with cards



24-PAGE BOOKLET NO. JC-40
Without Obligation

Write for Your Copy Today
GRAPHIC SYSTEMS

55 West 42nd Street • New York 36, N. Y.
Circle No. 25 on Subscriber Service Card.

soviet affairs

by Dr. Albert Parry

A few weeks before the launching of the Atlas satellite, Soviet astrophysicist Prof. V. V. Dobronravov recalled that following Sputnik I some American scientists said their country's "much-touted technology" could catch up with Soviet technology in two or three years. Others said it might take 10 years. Wrote the Russian savant in Komsomolskaya Pravda:

"Far be it from us to deprecate the potentialities of American science and technology and the knowledge and experience of American scientists and engineers (who, at that, readily avail themselves of the help given them by specialists of non-American origin). But the results of the year which has just passed show that the lag not only has not diminished but, on the contrary, has grown wider. With each day it is more and more difficult for Americans to catch up with us."

As the year approached its close, Soviet boasts continued. In the official newspaper of the Soviet armed forces Krasnaya Zvezda, Col. I. Verov reported that whereas in the 103 years from 1814 to 1917 only 36,078 inventions were patented in tsarist Russia, in just one year of 1957 more than 2 million inventions and technical improvements were recorded in the Soviet Union.

Occasionally, however, the Soviets do admit slowness in some fields of space-age engineering. In the computer realm, for instance, things are not as they should be. It is true that from 1950 to 1957 Soviet production of computing machines increased 17.6 times, and computer experts in that country are now being trained at the rate of several hundred annually. A new institute of mathematics, with a computing center, is being organized at Sverdlovsk in the Urals. But Russia's rocket and missile experts cry, "Not enough!"

In London recently, visiting Soviet Prof. A. P. Yershov, head of the theoretical programming department of the computer center of the Academy of Sciences, revealed that his staff lacks a system which would enable it to feed problems into computers without stopping to code them. Western mathematicians have a similar need, but the Russians may be worse off. Besides their usual Greek symbols, they sometimes complicate matters by trying their own Cyrillic as well as a synthetic language rigged up by computer specialists.

Expansion or computer-making and other electronic manufacture is now noted in other Red countries. Red China reports it is producing computers and other machines including "telescopes which register the intensity of cosmic radiation" and "various counters used to ascertain types, energies, and power of different radiations." With Kremlin permission, Poles are building their first small rockets with electronic ingredients. And East Germans are being entrusted with production of electronic components for Russia's Sputniki.


Strong winds on Mars are raising clouds of dust and sand, states Prof. V. Sharonov, in charge of the astronomical observatory at the University of Leningrad. He calls this phenomenon "an important event" and explains it by the influence of sun spots "upon Mars no less than upon our planet."

New VICKERS building block concept applied to

CONSTANT SPEED DRIVES


for 400 cycle A.C. electrical systems





Frequency control ± 0.1%. Uses electronic frequency controller to regulate pump displacement. System pressure is function of load.

Frequency control ±0.25%. Uses load sensitive system to match infinitely variable electrical load. System pressure is constant, flow demand is load dependent.



 Using this "building block" construction, Vickers Constant Speed Drives are assembled to exact requirements from the abundance of Vickers standard and proven components. Practically any characteristics you need can be quickly adapted to the existing Vickers product mix. These include:

FREQUENCY CONTROL

- ± 3% with hydraulic control
- ± 0.1% with electronic control (or better if desired)

VERSATILITY

1 to 75 hp with standard hardware Flexibility of package shape and location

HIGH EFFICIENCY

Volumetric efficiency of either pumps or hydraulic motors is 96% at 3000 psi. This together with optimum matching of components results in very high system overall efficiency.

MINIMUM WEIGHT

Significant optimization engineering can be applied to your system design considerations from similar Vickers application experience.


OVERLOAD CAPACITY

Depending upon system requirements, overload capacity of from 120% to 200% can be provided.

For further information, write for Bulletin SE-100.



Frequency control \pm 0.1%. Uses electronic frequency signal to trim hydraulic flow control. System pressure is constant.



VICKERS INCORPORATED

DIVISION OF SPERRY RAND CORPORATION

Aero Hydraulics Division—Engineering, Sales and Service Offices: ADMINISTRATIVE and TORRANCE, CALIFORNIA ENGINEERING CENTER 3201 Lomita Blvd. . P.O. Box 2003 Department 1470 · Detroit 32, Mich. Torrance, California

Aero Hydraulics Division District Sales and Service Offices: Albertson, Long Island, N. Y. • Arlington, Texas Seattle 4, Washington • Washington 5, D.C.

Spanning the years

of

dynamic expansion



CURTISS JENNY 1918

NORTH AMERICAN'S X-15

between



the 40th Anniversary AIRCRAFT YEAR BOOK

the 1959 Edition

Standard of Reference of U.S. Aviation

Look at these big features:

US AND FORCE

Aviation events of 1958—records set and awards presented, a pictured chronicle of the new planes and engines designed, STOL and VTOL advances, missiles, frames, engines, systems and components unveiled in 1958.

A recap of plans, appropriations and personnel affecting Department of Defense, Air Force, Army and Navy aviation, as well as the notable decisions of the C.A.B. and other Government agencies and their effect on aviation.

Research activities, design, development and production statistics for the major aircraft, engine and

missile manufacturers plus a recap of activities within the industry as a whole including passenger, cargo and equipment data for each major airline.

Profuse photos, drawings, descriptions, specifications and performance statistics for all aircraft in current production in the U.S. as well as missiles, earth satellite vehicles, drones, target and test vehicles and surveillance craft.

Reserve your copy now. This official publication of the Aircraft Industries Association will be off press in February, 1959

AMERICAN AVIATION PUBLICATIONS

1001 Vermont Avenue, N. W., Washington 5, D.C.

Please reserve.....copies of the 1959 Edition of the Aircraft Year Book

\$6 per copy, U.S., Possessions and Canada. \$8 per copy, all other countries

☐ Money enclosed ☐ Bill me later

Name	
Company	Joh Title

...

Address_______Zone__State_____

missiles and rockets, January 12, 1959



west coast industry

by Fred S. Hunter

The chips keep getting bigger all the time in the weapons-systems game as it is being played these days. A Douglas engineer, asked how much his company may have spent in preparing the proposal it submitted in the competition for assembly and test of Minuteman, made this off-hand reply: "Oh, about half a million dollars." This seems an astronomical figure, but a lot of man-hours are involved in taking an idea from an original concept, creating the design, setting up the complete technical data on feasibility manufacture, test, quality assurance, reliability, maintenance, service and supply. It takes from eight to twelve weeks to put together a proposal on a big job. Moreover, you can't use second-rate talent in the preparation of proposals or you'll never win one. So figure \$15,000 a year as the average salary scale and your estimate will be fairly close. We've heard that Boeing is using 200 engineers in working up its bid on Dyna-Soar while 300 were used on Minuteman. Add other costs, such as travel, communications and the printing of all the fancy material and it is easy to see how the cost of preparing a bid on a development contract may come to as much as the fee you'll get if you win it. Smaller companies, bidding on subsystems, have cost problems in the same ratio as the big producers. For example, it cost Daystrom Pacific around \$12,000 to prepare a recent proposal for a black box about half the size of the telephone handset on your desk.

Lee Stockford, corporate industrial relations advisor to Lockheed Aircraft Corp., warns of an impending serious shortage of young executives in the 35-to-40 year age bracket. It will come in about 1966. Stockford uses simple arithmetic and birth rate statistics to reach his conclusions. More than 4,200,000 children were born in the U.S. in 1955, but only 2,200,000 in 1940. The latter crop will be reaching 35 in 1966. From then until about 1977 there's going to be a shortage of bright young men. Management will be smart to plan now to push their young executives along a little faster and establish a policy of retaining retired executives in consulting capacity, Stockford advises.

Two of the *Polaris* test projects at Lockheed Missile Systems Division have the delightfully descriptive names of *Pea Shooter* and *Sky Hook*. But the one we really like is *LUMF*. It sounds as though Bert Lahr were pronouncing it. It means, as you might easily deduce, Lockheed Underwater Missile Test Facility. It's a tank for launching tests of scale models of the *Polaris*. The tank is 24 feet deep, which may or may not be a hint of the depth from which *Polaris* missiles are to be launched; the launching cradle is powered to move across the tank to simulate the forward speed of a submarine, and a "wave generator" (so named by the Navy) whips up waves to four feet high. Eight cameras, six under water, record all shots, although not all are trajectory tests. Lockheed averages four scale-model tests a day in the tank, or more in one day than in a week with full-scale models in the ocean.

The Navy is conducting classified studies of ocean currents and temperatures with an eye to use in antisubmarine warfare at its Ferndale Oceanography Station north of San Francisco. Newly developed electronic gear is said to furnish more accurate data than previously available. Long plagued by erratic sound wave transmission characteristics by underwater temperature "layers," the Navy is reported to be using much high-intensity sound generating equipment in the studies.

Howard L. Richardson, senior vice-president-Electronic Systems for Sylvania Electric Co., on a West Coast trip, indicated few changes will be noted in the company for some time after the merger with General Telephone Co., "but the merger will give us a chance to seek larger military orders than we have in the past."

Military reliability in

SEMI-CONDUCTOR POWER CONVERTERS



PS-4000B 115 volt AC input; 300 volt 1.5 ampere regulated DC output supply





PS-8001 300 watt miniature all-silicon rectifier regulator

PS-3001 26 volt DC input, 115 volt, 150 VA Square wave output



Power Sources units are now in production missiles

Complete range of sizes, types and capacities for military and commercial requirements:

- DC to AC available in any power up to 1500 watts . . . square or sine wave output.
- AC to DC available with voltages up to 500V, and currents to 3 amps ... DC Regulation to 0.1%...Impedances to .05 ohms ... Over-all efficiencies 70-75%.
- DC to DC available in combinations of the DC to AC and AC to DC ratings shown above.
- Military Reliability is assured by extremely conservative designs and the use of the best, pretested military grade components and advanced semiconductor techniques. Meet MIL-E-5400 and MIL-E-8189.

POWER SOURCES.

inc.



Burlington Massachusetts

Circle No. 28 on Subscriber Service Card.

Bristol miniature pressure switch

features ultra-reliable precision pressure element. Exclusive design provides outstanding resistance to shock, vibration, acceleration and overpressures.

These Bristol miniatures, widely proved in modern aircraft, are designed for switching electrical circuits in response to pressure changes in air, fuels, lubricants, hydraulic fluids, other gases and liquids.

Bristol's specially designed Ni-Span element is silver brazed to the stainless steel base assuring greater reliability than ordinary soft-soldered construction. Result: accurate, reliable, repeatable performance in any position, at temperatures from -65° F to +250° F, and under Mil Spec environmental requirements.

Write for Bulletin AV2010 on Bristol Miniature Gage and Absolute, Adjustable and Differential Switches. The Bristol Company, Aircraft Components Division, 173 Bristol Road, Waterbury 20, Conn.





HI VOLTAGE CONNECTORS

Alden has a complete line of "off-the-shelf" hi-voltage disconnects and connector assemblies for use up to 30KVDC, 300°F. Send for spec sheets today on Alden Unit-Molded Tube Cap and Hi-Voltage Connectors and Cables.

NO LEAKAGE AT WIRE ENTRANCE

45KVAC ACTUAL FLASHOVER

ALDEN PRODUCTS COMPANY

1175 North Main St., Brockton, Mass. Circle No. 30 on Subscriber Service Card.

TOPFLIGHT

... when you place your classified advertising in MISSILES AND ROCKETS Magazine. Every week you

can reach 25,000 top men in the booming missile and rocket industry. If you want to buy . . . sell . . . seek

RESULTS

employment . . . send your classified message today to

MISSILES & ROCKETS

1001 Vermont Avenue, N. W., Washington 5, D. C.

FINE PRECISION INSTRUMENTS

BRISTOL FINE PRECISION INS

book reviews

METALS FOR SUPERSONIC AIR-CRAFT AND MISSILES, D. W. Grobecker (Ed.), American Society for Metals, 1958, Dept. A, 7301 Euclid Ave., Cleveland, 432 pp.

This is a compilation of technical papers presented at the Conference on Heat Tolerant Metals for Aerodynamic Applications held January 28-29, 1957 at the University of New Mexico.


It covers the entire field of aerodynamic and thermodynamic heating currently encountered by aircraft and missiles metallurgical studies involved in the high-temperature environment produced by the vehicles in flight.

Since the presentation of the papers was almost two years ago, some of the problem areas discussed by the authors probably do not exist at the present time. Still, the conference proceedings which were published this year emphasize many exacting environmental barriers that will have to be faced in the months and years to come and the need for intensive research in materials.

The papers presented generally conclude that:

- 1) The aerodynamic and thermodynamic problems cannot be solved by metals alone, even the rarer metals. The design limitation on material weight must be compromised as the needs for heat resistance increases.
- 2) It will be necessary to insulate a high-strength internal structure with a high-heat resistance shell. Composite materials, consisting of coatings and laminations of metals and nonmetals must be employed.
- 3) Cermets offer great promise because of their strength, hardness, and heat resistance in addition to providing new ways to apply basic solid-state physics and chemistry to the production of new materials.
- 4) Materials research must be coordinated along with structural and aerodynamic development.
- 5) More basic research and development is needed within the metals ndustry including the broader field of olid-state physics, chemistry, ceramics, ind surface chemistry.

Goal for achievement, the authors pecifically concluded, should aim at providing the Air Force with those naterials of which it has dire need, ncluding molybdenum alloys for withtanding increases in speed from Mach to Mach 7 and rocket nozzle maerials with increased life at flame temperatures of 4000 to 5000 degrees F. vhich would increase range 400%.



At Astrodyne's plant in McGregor, Texas, this Oliver-Farquhar 2140-Ton Hydraulic Extruding Press does its work in the silence of its own cell, compacting today's powerful solid rocket propellents. All movements of this unique press are programmed and recorded in a central control bunker placed at a safe distance from the unmanned press cell.

Write, wire or phone for complete information or ask for our recommendations and proposals The Oliver Corporation, A. B. Farguhar Division, Press and Special Machinery Departments, York 6, Penna.

Circle No. 31 on Subscriber Service Card.

PROFESSIONAL PERSONNEL REQUISITION

Aerodynamicist

Design analysis of hypersonic configurations powered with air-breathing propulsion systems. Evaluate the utilization of advanced and unique engine cycles on various vehicles used for interception, long range missile, and booster missions.


Must be a specialist in supersonic aerodynamics with appropriate education and experience. Work provides broad technical responsibilities. Excellent individual, professional, and project potentials for recognition and advancement.

Contact

Floyd E. Hargiss, Manager, Professional Personnel 16552 Saticoy Street, Van Nuys, California

Advanced power and weapons support systems for air and space VAN NUYS AND POMONA. CALIFORNIA · OGDEN, UTAH AIRCRAFT CO.

HUGHES THERMAL RELAYS



FOR RELIABILITY



IN GUIDED MISSILES

Hughes now makes commercially available a completely reliable single action switch. Used in the Falcon, field proven as a reliable missile, this Hughes relay is engineered to meet the most exacting of requirements.

With unusual speed of action, firing signal triggers the release of constrained contact...contact closes upon fixed contact point...switch circuit becomes permanently closed.

In a typical application, 3.0 volts DC applied to a firing circuit of 1.2 ohms fires within 0.3 seconds.

For additional information please write: Hughes Products, Marketing Department, International Airport Station, Los Angeles 45, California.

SPECIFICATIONS

MECHANICAL - Body Size: Maximum diameter 0.252"; length .920". Total weight: Less than 0.1 oz.

ELECTRICAL-Before Firing: Insulation resistance is greater than 200 megohms. Minimum breakdown voltage 600 volts

Firing: 2 volts minimum required. Actual voltage dependent upon closing time desired.

After Firing: Circuit resistance less than 0.3 ohm.

ALTITUDE _Anv.

OPERATING TEMPERATURE: -55°C to +125°C.

Creating a new world with ELECTRONICS HUGHES PRODUCTS

SEMICONDUCTOR DEVICES . STORAGE AND MICROWAVE TUBES . CRYSTAL FILTER OSCILLOSCOPES . RELAYS . SWITCHES . INDUSTRIAL CONTROL SYSTEM

@ 1958, Hughes Aircraft Company

letters

Mars and Venus Probes

To the Editor:

As a regular reader of your fine magazine I was somewhat surprised by two statements made in your November 24 issue. I consider these statements to be erroneous.

One statement on page 13 indicates that a "minimum energy" Mars probe will occur around March 1, 1959. A 'minimum energy" Mars probe can start around August, 1960 because such probes should start not 247 days ahead of a conjunction but 96 days shead of an opposition. For Venus the avorable starting day is around June 1, 1959, 87 days ahead of an inferior conjunction rather than 151 days beore a superior conjunction.

The other statement on page 28, says ". . . it would arrive in the vicinity of the moon at the conjunction and if t passed the moon it would proceed on into the sun instead of an orbit around it." This violates elementary aws of celestial mechanics. We will never shoot into the Sun, unless we are able to obtain a velocity change of over 70,000 mph., three times as much as the present moon-shots. In all other cases the rocket, if escaping the graviational fields of the earth and the noon, will go into an orbit around the sun which may be more or less elliptic and have a period of more or less than year. Shooting "straight into the sun" would tend to make the orbit time close o one year and the rocket would reurn into our vicinity after that time.

I realize that your publication has a drastic deadline problem which makes it difficult to check technical and scientific statements which are to appear. Yet I am sure that this must be done if the excellent standards which you have set are to be maintainedand upon which your readers depend.

> Herman F. Michielsen Research Specialist Lockheed Aircraft Corp.

We stand corrected. A payload shot in the direction of the moon, when it is in conjunction, would not ravel on to an impact with the sun if t missed the lunar body. Through the use of vector analysis it can be shown hat an object fired directly at the sun with a maximum velocity of seven niles per second from the earth, which s traveling around the sun with a angential velocity of about 18 miles per second, would travel in an elliptical orbit quite similar to earth's orbit with a maximum velocity about the sun of approximately 20 miles per second.

advanced engineering opportunities

with the TAPCO GROUP of Thompson Ramo Wooldridge Inc.

REWARDING RESEARCH OPPORTUNITIES for engineering specialists now exist in the Advanced Engineering Department of the TAPCO GROUP at Thompson Ramo Wooldridge Inc. This is a continuing and expanding program. The TAPCO GROUP, made up of five major Thompson divisions. is serving the Aero-Space, Electronics, Nuclear and General Industrial fields with fully integrated facilities for research, development and production of structures, propulsion systems, electro-pneumatic-mechanical auxiliary and accessory power systems, electronic controls and check out equipment, and fuel systems involving solid-state, liquid and nuclear fuel studies.

If you would like to join the personnel of the Advanced Engineering Department in satisfying work at the frontiers of knowledge in these areas, there are opportunities for men with the following experience:

GAS DYNAMICS-Internal and external flow, single and two phase flows, transonic and rarified gas flows.

HYDRODYNAMICS - Experience in boundary layer cavitation and sound.

APPLIED MECHANICS SPECIALIST - Experience in trajectories, system stability, system analysis and simulation techniques.

PROPULSION SPECIALIST-Familiar with gas dynamics and thermodynamics of nozzle flows and combustion of solid and liquid propellants.

INFORMATION THEORY ANALYST - Experienced in mathematical analysis of mechanical and electromagnetic transmission of information.

PHYSICIST-Familiar with the physics of gases and liquids, mechanical and electromagnetic wave propagation within these media,

SOLID STATE PHYSICIST-To work on electronic elements.

MAGNETO HYDRODYNAMICIST-To work on advanced propulsion systems.

APPLIED MATHEMATICIAN-Experience in logical programming of systems and interest in communication and probability theory.

Your complete resume should contain personal, educational, experience data, and salary requirements. Send to DIRECTOR OF PLACEMENT. All replies will be held in strict confidence.

TAPCO GROUP

Thompson Ramo Wooldridge Inc.

23555 EUCLID AVE. . CLEVELAND 17, OHIO Phone: IVanhoe 1-7500, Extension 402, 703 Plants in 19 Cities

Nineteen Research and Development Centers

How a creative engineer can grow with IBM

"Certainly my present assignment on the B-70 offers many growth opportunities," says Project Engineer Edward V. Zaucha. Designed to fly farther, faster and higher than any manned alreraft ever has before, the B-70 requires a completely new radar display system. "My responsibility includes the design of new cathode ray tube circuits plus system studies dealing with specific bomb-nav problems. These studies cover related equipment, such as the search radar and circuit indicator devices. In addition, I coordinate the development of storage tubes, high voltage power supplies and other equipment. A job that covers this much territory is a creative challenge. With IBM I have the opportunity to use all of my training; and in addition, I learn new things every day that will advance my engineering career."

Career opportunities in these areas...

- Airborne digital & analog computers
- Ground support equipment
- Inertial guidance & missile systems
- Information and network theory
- Magnetic engineering
- · Maintainability engineering
- Maintainability eng
 Optics
- Radar electronics & systems
- Servomechanism design & analysis
- · Theoretical design & analysis
- Transistor circuits

Qualifications: B.S., M.S. or Ph.D. in Electrical or Mechanical Engineering, Physics, or Mathematics, and proven ability to assume a high degree of technical responsibility in your sphere of interest.

IBM is a recognized leader in the rapidly expanding electronic computer field. Its products are used for both commercial and military applications. Continuous growth means excellent advancement opportunities. The "small-group" approach assures recognition of individual merit. IBM provides excellent company benefits and salaries are commensurate with your abilities and experience.



Assignments now open include . . .

RADAR ENGINEER to provide topographical sensors for airborne and space systems. Design airborne radar pulse, microwave and deflection circuitry. Analyze doppler radar systems for theoretical accuracy and performance limitations.

Qualifications: Bachelor's or advanced degree in E.E. with 3 years' experience in radar system development, including display and circuits, control consoles, and radar design.

SYSTEMS ENGINEER to design and analyze closed-loop systems of inertial and radar equipment, display materials, and computers.

Qualifications: Bachelor's or advanced degree in E.E. or Aeronautical. At least 2 years' experience in systems analysis. Additional experience desired in development of military devices—servomechanisms, radar or computers.

704 PROGRAMMER ANALYST to study data flow diagrams and write differential equations of a circuit diagram. To investigate analog and digital real-time control systems using digital and/or analog computer.

Qualifications: M.S. in Physics and 2 years' experience in control systems analysis and/or shielding techniques. Must know transforms, numerical analysis, and be able to construct mathematical model of a reactor.

STATISTICIANS to handle analysis-of-variance and multipleregression problems. Design experiments for engineering applications and select the optimum form of statistical analysis. Assist engineering in areas such as reliability analysis and human factors engineering by developing statistical programs for the IBM 704.

Qualifications: M.S. in Statistics, with major work in math statistics. Minimum experience, 2 years, preferably with engineering applications.

SENIOR OPERATIONS RESEARCH ANALYST to apply advanced math techniques to weapons systems analysis and evaluation. Entails simulating tactics involving advanced weapons systems then deriving methods for evaluating operational effectiveness of alternate design concepts. Will work extensively with IBM 704 and other digital and analog computers.

Qualifications: M.S. or Ph.D. in Mathematics or Physics and 3 to 5 years' experience.

There are other openings in related fields to broaden your skills and knowledge.

For details, just write, outlining background and interests, to:

Mr. P. E. Strohm, Dept. 000 International Business Machines Corp. Owego, New York



Real Reason

To The Editor:

Your recent editorial on education has some constructive suggestions. But along with so many others writing on the subject, you have apparently missed the real reason for our technological dilemma.

Many high school students believe that a scientific career is too difficult for the compensation received. Notice that it is not that it is too difficult, but that it is too difficult for the compensation received.

Grade school arithmetic is sufficient to calculate that a student brilliant enough to pursue a scientific career can be thousands of dollars richer by the time he is 30 years old if he enters one of the crafts instead of science.

The main problem in America today is one of incentive.

> Frank W. Brands 1202 Maiden Lane Pullman, Washington

Wrong Time

To the Editor:

I believe the launch time given in the article "March 1 May Be Mars Probe Date," in a recent issue is in error.

In order to use the cotangential ellipse Mars must be 44.3 degrees ahead of the earth (relative to the sun) at launch time. This would place the probe vehicle in the vicinity of Mars some 250 days later.

The 1958 Martian opposition (November 16) has just passed, and our earth is presently pulling ahead of Mars. The next opposition does not occur until December 30, 1960. The angular velocity of Mars is about .524 degrees per day and that of the earth .987 degrees per day-their difference (or the amount the earth catches up to Mars) is .463 degrees per day. Mars will be 44.3 degrees (required launch angle) ahead of the earth (44.3/.463) 96 days prior to the 1960 opposition. This means that the Martian probe should be launched about September 25, 1960.

> Robert Citron Chairman Space Flight Committee Pacific Rocket Society

You're right, and we're wrong. Our space clock was running slow and your calculations are 100% correct. Thanks for correcting our error in the mechanics of the planets.



keeping track

by Peer Fossen

Sputnik III, according to reports from the Moscow Planetarium, at the end of November telemetered back to earth information about collisions with meteor bodies. At that time, the artificial Soviet moon, as well as our own globe, passed through meteor showers from the Leonids. Earlier, the satellite had passed through a powerful shower from the Orionids.

The large Soviet satellite carries a series of piezoelectric transducers for recording the number of micrometeor impacts. The Moscow report says these transducers are so sensitive that they can detect the impact of particles with a diameter of one micron and a mass of one billionth of a gram.

In the meantime, our own "boxcar-sized" Atlas satellite has proved that U.S. technology has made a great step forward, even though its payload weight is only a fraction of that of Sputnik III. The communication achievements experienced through this satellite are substantial, and the experiment, according to Dr. Elmer W. Engstrom of RCA: "opens up the early prospects of revolutionary communications techniques, such as international television, and microwave voice and code services on a global basis, using satellite relays capable of spanning the oceans."

RCA played a great role in the development of ARPA's Project SCORE instrumentation package, under contract with the U.S. Army. Of particular interest is the weight of the package. Among the light-weight equipment

Two transistorized receivers, each weighing ten ounces-enclosed in specially designed shock-resistant coverings-for receiving messages from the ground stations.


Two eight-watt transmitters, each weighing two-and-a-half pounds, to relay the messages on command to other ground stations. The transmitters were developed jointly by RCA and Radio Specialties Company.

Two electronic control units, each weighing three-quarters of a pound, to respond to commands from the ground. These units are used to activate the receivers, transmitters or magnetic tape system storing the radio messages.

Two beacon transmitters, each weighing three-quarters of a pound, for sending out a steady signal for tracking and temperature recording. This equipment was produced by Applied Science Corporation of Princeton under an RCA sub-contract.

In addition to the telemetering receiving station at the Cape Canaveral launch site, tracking of telemetering during the Pioneer III flight was accomplished at Mayaguez, Puerto Rico, and at Goldstone Tracking station, north of Barstow, Calif. The following tracking characteristics of these two stations were recently released by Dr. William H. Pickering of IPL:

	GOLDSTONE	PUERTO RICO
Transmitter carrier power	96 MW-19.8 dbm	96 MW-19.8 dbm
Vehicle antenna gain	2.5 db	2.5 db
Space loss at	-204.5 db at 250,000 miles	-190.5 db at 50,000 miles
Net ground antenna gain	39.4 db	21.5 db
Received signal	-142.8 dbm at 250,000 miles	-146.7 dbm at 50,000 miles
Receiver threshold	-153.5 dbm	-153.5 dbm
S/N for RF loop (20 cps BW)	10.7 db	6.8 db



Engineering Notes



Scientific sealing, rather than the brute-force approach, is the feature of the Marman Conoseal that has successfully exceeded the sealing requirements of tomorrow's aircraft and missiles. As opposed to


bolted flanges which invariably yield and loosen during thermal cycling, the Marman all-metal Conoseal closely approximates the flexibility of organically sealed joints and endures repeated extremes of thermal cycling while still maintaining a perfect seal.

In the low-temperature range (-320°F.) the joint has been successfully tested with liquid oxygen and liquid nitrogen using material transitions of aluminum flanges to stainless flanges. Recent experiments conducted by a leading airframe manufacturer have illustrated why the safety features of the Conoseal are a necessity. Impact sensitivity tests conducted by this company reveal that certain materials, such as synthetic elastomers cellulose base papers, thermo-plastics and thermo-setting resins, including phenolics and silicones would explode when saturated with liquid oxygen and subjected to shock of impact. The chemical inertness of the allmetal Conoseal precludes any possibility of explosion during use of liquid oxygen, and in effect, is an anti-explosion joint.

Rigorous laboratory tests at Marman Division, Aeroquip Corporation, have proven the hightemperature and pressure-sealing capabilities of the Conoseal exceed the capabilities of pipe or tubing. Prototype tests now being conducted by various customers have demonstrated successful applications in liquid metals, such as liquid sodium at 1600°F. In outstanding tests of other applications, a 14-inch Conoseal used in a thrust vector control nozzle on a solid propellant rocket successfully withstood a nozzle temperature of 4600°F. for 90 seconds duration.

The Engineering Department at Marman has not overlooked the requirements of plant engineers and test equipment designers in the development of a 6400-series, heavy-duty pipe Conoseal. This rugged industrial joint retains all the maintenance, assembly, and sealing abilities of the aircraft joint, but is specifically designed for industrial usage.

Complete test reports are available upon request, covering performance of the four ranges of joint types available for your aircraft, missile, and industrial requirements.



Cross-sectional drawings of the CONOSEAL Joint show how the Belleville-type metal gasket is purposely compresse beyond its elastic limit to form a high pressure seal of counter balanced radial and axial forces.

ENGINEERING MANAGE MARMAN DIVISION, AEROQUIP CORPORATION Circle No. 32 on Subscriber Service Card. missiles and rockets, January 12, 195



100% Metal! That's Why MARMAN CONOSEAL oints Assure Unlimited Shelf Life With Perfect Seal

Marman's all-metal CONOSEAL Joint provides two basic advantages over organically sealed tube joints:

1-shelf life is practically unlimited

2-seal is maintained from -300°F. to 2000°F.

The CONOSEAL Joint utilizes a new concept of metal-to-metal sealing in which the conical metal gasket is completely encased by mating flanges. Compressed radially and axially, the gasket forms a superior seal that withstands extreme pressures and wide thermal cycling. Distortion, shock, even minor linear deflections are absorbed without loss of seal.

The compact design of the Marman CONOSEAL Joint minimizes envelope clearance needed. Single bolt fastening simplifies installation. Ideal for fluid transfer lines and structural joints, it is available in four weight/strength configurations for both air and ground installations. Mail coupon for complete new catalog.

CONOSEAL is an Aeroquip Trademark.



11214 EXPOSITION BLVD., LOS ANGELES, CALIFORNIA IN CANADA: AEROQUIP (CANADA) LTD., TORONTO 19. ONTARIO Marman Products are Covered by U.S. and Foreign Patents and Other Patents Pending



Aircraft Sales Dept., Mar 11214 Exposition Blvd., Los	rman Division, Aeroquip Corporation s Angeles 64, California MR-1
	formation on Marman CONOSEAL th temperatures from
too, pressures	s frompsi. topsi.
Name	
Title	
Company	
Address	
City	ZoneState



A thermometer reading?

Internal motion of body particles?

What is absolute zero?

What happened to the 3rd law of thermodynamics?

How is temperature defined in the "pinch effect"?

A complete and thorough knowledge of temperature is important to Allison because energy conversion is our business and we use temperature in making our conversions. Thus, we have a deep and continuing interest in temperature in all its expressions.

Basic to our business is a fundamental knowledge of temperature. We search for this knowledge to increase the effectiveness with which we accomplish our mission—exploring the needs of advance propulsion and weapons systems.

Energy conversion is our business

LLISON

Division of General Motors, Indianapolis, Indiana

contract awards

ARMY

y Boston Ordnance District, Army ase, Boston:

99,450—Fenwal, Inc., Ashland, Mass., for design, development and fabrication of temperature probes.

199,918—Avco Mfg. Corp., Everett, Mass., for reentry physics evaluation program.

y U.S. Army Engineer District, Corps f Engineers, Mobile, Ala.:

1,042,253—Redstone Arsenal, Ala., for construction of propellant development facilities.

NAVY

y U.S. Navy Purchasing Office, Los ngeles:

 1,330—Philco Corp., Philadelphia, for services of electronic and communication equipment in missile flight test programs.

District Public Works Office, U.S. aval Base, Charleston, S.C.:

0,000—Soil Consultants, Inc., Charleston, S.C., for engineering services for *Polaris* missile assembly facilities, Naval Ammunition Depot, Charleston, S.C.

34,220—Wells Benz, Inc., San Diego, Calif., for construction of facilities

Point Arguello, Calif.

AIR FORCE

the U.S. Signal Corps, Ft. Monouth, N.J. and Space Technology boratories, Inc., Los Angeles:

91,000—The Semiconductor Division of Hoffman Electronics Corporation for solar energy converters.

the Air Materiel Command at right-Patterson Air Force Base:


491,310—Goodyear Corp., Akron, Ohio, for changes in the *Mace* missile.

the Guided Missile Division of Firene Tire & Rubber Co.:

00,000—Clary Dynamics, San Gabriel, Calif., for gyroscopes, servo-actuators and valves for use on the Corporal.

Headquarters, Air Force Cambridge search Center, Bedford, Mass.:

9,000—The University of Chicago, for research concerning the solargeophysical aspects of cosmic radiation and magneto-hydrodynamics.



Engineering Opportunities of a High Order in Creating Complex Identification & Tracking Equipments at General Electric's Missile Detection Systems Section

To locate a 15,000-mph missile despite complicating factors such as the varying refractive index of the troposphere and ionosphere, a high degree of systems sophistication is of paramount importance.

Growth opportunities commensurate with the creative and analytical demands implicit in such requirements are open now for experienced electronic engineers at G.E.'s Missile Detection Systems Section in these areas:

- Research & Development of New Detection Techniques
- Initiation & Development of Proposals
- Definition and Direction of Equipment Design
- Engineering Liaison with Military
 Engineering-Manufacturing
 Sub-Contractors

Positions at Several Levels for Electronic Engineers

SYSTEMS DEVELOPMENT ENGINEERING
(At least 4 years' experience)

RADAR SYSTEMS
SYSTEMS ANALYSIS
DATA ANALYSIS
ELECTRONIC COUNTERMEASURES
SYSTEMS

SYSTEMS EQUIPMENT ENGINEERING

ANTENNA DESIGN AND DEVELOPMENT
RF COMPONENTS DEVELOPMENT
UHF AND MICROWAVE
RECEIVER DEVELOPMENT

DATA REDUCTION EQUIPMENT D&D
VIDEO DISPLAY DEVELOPMENT
COMPUTER APPLICATIONS

Salaries fully competitive, commensurate with experience Write in confidence to Mr. James P. Kinsella, Div. 43-WB

Missile Detection Systems Section
HEAVY MILITARY ELECTRONICS DEPT.

GENERAL (ELECTRIC

Court Street, Syracuse, New York

when and where

JANUARY

Fifth National Symposium on Reliability and Quality Control in Electronics, Bellevue-Stratford Hotel, Philadelphia, Jan. 12-14.

American Society of Mechanical Engineers, 1959 Second Annual Technical Conference, Huntington-Sheraton Hotel, Pasadena, Calif., Jan. 21.

Southwest Electronic Exhibit, Arizona State Fairgrounds, Phoenix, Jan. 21-23.

Institute of the Aeronautical Sciences, 27th Annual Meeting, Sheraton-Astor Hotel, New York. Honors Night Dinner, Jan. 27, Jan. 26-29.

Fifth Annual Radar Symposium (classified), Rackham Bldg., University of Michigan, Ann Arbor, Jan. 27-29.

Society of Plastics Engineers, 15th Annual Technical Conference, Hotel Commodore, New York, Jan. 27-30.

Armour Research Foundation, Fifth Annual Midwest Welding Conference, Illinois Institute of Technology, Chicago, Jan. 28**FEBRUARY**

14th Annual Technical and Management Conference, Reinforced Plastics Division, Society of the Plastics Industry, Inc., Edgewater Beach Hotel, Chicago, Feb. 3-5.

1959 Engineering Exposition, Balboa Park, San Diego, Feb. 26-March 1.

MARCH

IRE, AIEE and Association for Computing Machinery, 1959 Western Joint Computer Conference, Fairmont Hotel, San Francisco, March 3-5.

Institute of the Aeronautical Sciences, Propulsion Meeting (classified), Hotel Carter, Cleveland, March 5-6.

Western Space Age Conference and Exhibit. For information: Domestic Trade Dept., Los Angeles Chamber of Commerce, 404 South Bixel St., Los Angeles, March 5-7.

Gas Turbine Division of the American Society of Mechanical Engineers, Turbine in Action, Cincinnati, March 8-11.

American Society for Metals, 11th Western Metal Exposition and Congress, Pan-Pacific Auditorium and Ambassador Hotel, Los Angeles, March 16-20.

EMPLOYMENT

PROFESSIONAL PERSONNEL REQUISITION

Combustion Engineer

To join a group of engineers and scientists in exploring the release of energy from various materials possessing unusual energy potential. These materials are known to hold great promise as fuels for hypersonic propulsion systems, but additional research and evaluation is necessary to make them fully productive.

Work requires extensive experience in combustion analysis and combustor designs. Position is in ASTRO, Marquardt's Air Space Travel Research Organization. You will be joining a group which is making important advances in many areas of advanced power systems.

For Information, Contact:

Floyd E. Hargiss, Manager, Professional Personnel, 16552 Saticoy Street, Van Nuys, California

Advanced power and weapons support systems for air and space

VAN NUYS AND POMONA, CALIFORNIA · OGDEN, UTAH AIRCRAFT CO.

ALIVE TODAY!

Arch Lightbody, like 800,000 other Americans, is cured of cancer. Like 800,000 other Americans he went to his doctor in time-in time for early diagnosis and prompt and successful treatment. He learned that many cancers are curable if detected in time.

You can do two things to defeat cancer: Have an annual health checkup. Be alert to the 7 danger signals that could mean cancer:

1. Unusual bleeding or discharge. 2. A lump or thickening in the breast or elsewhere. 3 A sore that does not heal. 4. Change in bowel or bladder habits. 5. Hoarseness or cough. 6. Indigestion or difficulty in swallowing. 7. Change in a wart or mole. If your signal lasts longer than two weeks, go to your doctor to learn if it means cancer.

AMERICAN CANCER SOCIETY

Advertising correspondence should be addressed to Advertising Sales Manager, Missiles and Rockets, 17 East 48th Street, New York 17, N.Y.

REGIONAL OFFICES:

New York City: 17 E. 48th St., New York 17. Edward D. Muhifeld, Advertising Sales Manager; P. B. Kinney and G. T. O'Mara, regional adv. mgrs. Phone: PLaza 3-1100.

West Coast: 8929 Wilshire Blvd., Beverly Hills, Calif. Fred S. Hunter, manager; Walton Brown, regional adv. mgr.; James W. Claar, regional adv. mgr. Phones: OLeander 5-9161 or OLeander 7-1555.

Chicago: 139 N. Clark St., Chicago 2, Ill. George E. Yonan, regional adv. mgr. Phone: CEntral 6-5804.

Cleveland: 244 Hanna Bldg., 1422 Euclid Ave., Cleveland 15, Ohio. Douglas H. Boynton, regional advertising manager. Phone: PRospect 1-2420.

Detroit: 201 Stephenson Bldg., Detroit 2, Mich. Kenneth J. Wells, regional advertising manager. Phone: TRinity 5-2555.

Florida: 208 Almeria Ave., Coral Gables, Fla. Richard D. Hager, advertising sales representative. Phone: Highland 4-8326.

Canada: Allin Associates, 12 Richmond Street East, Toronto 1, Ontario. Phone: Empire 4-2001. Allin Associates, 1487 Mountain St., Suite 4, Montreal, Que.

Geneva: American Aviation Pubs., 10 Rue Grenus, Geneva, Switzerland. Anthony Vandyk, European Director.

London: Norall & Hart Ltd., 28 Bruton Street, London W. I., England. Phone: Grosvenor 8356.

Paris: Jean-Marie Riche, 11 Rue Condorcet, Paris (9e), France. Phone: TRUdaine, 15-39, Cable address: NEWS AIR PARIS.

advertise	rs' index
Aeronca Mfg. Corp 8 Agency—Penn & Hamaker, Inc.	Ling Electronics, Inc
AiResearch Mfg. Co., Div. of The Garrett Corp 25 Agency—J. Walter Thompson Co.	Lockheed Aircraft Corp., Missile System Div
Alcoa Aluminum Co. of America 32 Agency—Fuller & Smith & Ross, Inc.	Lord Mfg. Co
Alden Products Co	Marman Div., Aeroquip Corp48, 49 Agency—The Fred M. Randall Co.
Agency—W. S. Walker Adv., lic. Allison Div., General Motors Corp 50	Missiles & Space Systems Div., United Aircraft Corp
Agency—Kudner Agency, Inc. Bendix Aviation Corp.	Agency—G. F. Sweet & Co. North American Aviation, Inc.,
Bendix Products Div	Autonetics Div. 19 Agency—Batten Barton Durstine & Osborn, Inc.
Red Bank Div	Pan American World Airways, Inc 36
Agency—MacManus, John & Adams, Inc. Bristol Co., The	Power Sources, Inc
Christie Electric Corp	Propellex Chemical Corp
Divco-Wayne Co	Raytheon Mfg. Co
Dyna-Therm Chemical Corp	Servomechanisms, Inc. 2 Agency—Hixson & Jorgensen, Inc. P. A. Sturtevant Co. 38
Electrical Engineering & Mfg. Corp 6 Agency—MacManus, John & Adams, Inc. A. B. Farguhar Div., The Oliver Corp 43	Agency—Ross Llewellyn, Inc., Adv. Thompson-Ramo-Wooldridge Inc
Agency-Foltz-Wessinger, Inc. Graphic Systems, Inc. 38	Agency—Meldrum & Fewsmith, Inc. Thompson Ramo-Wooldridge, Inc
Agency-Diener & Dorskind, Inc., Adv. A. W. Haydon Co., The	Agency—The McCarty Co. Vickers, Inc., Div., Sperry Rand Corp 12 Agency—G. F. Sweet & Co.
Agency—Cory Snow, Inc. Hewitt-Robins Industrial Procucts 24 Agency—Fuller & Smith & Ross, Inc.	Vickers, Inc., Div., Sperry Rand Corp 39 Agency—Witte & Burden
Hughes Aircraft Co	Employment
International Business Machines Corp	General Electric Co
Agency—Benton & Bowles, Inc. Lebanon Steel Foundry	Agency—Grant Adv., Inc. Republic Aviation Corp. 37
Agency—Howard E. Marshall Adv.	Agency-Deutsch & Shea, Inc.

BENDIX SR RACK AND PANEL CONNECTOR

with outstanding resistance to vibration

The Bendix type SR rack and panel electrical connector provides exceptional resistance to vibration. The low engagement force gives it a decided advantage over existing connectors of this type.

Adding to the efficiency of this rack and panel connector is the performance-proven Bendix "clip-type" closed entry socket. Insert patterns are available to mate with existing equipment in the field.

Available in general duty, pressurized or potted types, each with temperature range of -67°F to $+257^{\circ}\text{F}$.

Here, indeed, is another outstanding Bendix product that should be your first choice in rack and panel connectors.

FEATURES: Resilient Insert • Solid Shell Construction • Low Engagement Forces • Closed Entry Sockets • Positive Contact Alignment Contacts—heavily gold plated Cadmium Plate—clear irridite finish • Easily Pressurized to latest MIL Specifications.

SCINTILLA DIVISION

SIDNEY, NEW YORK



Export Sales and Service: Bendix International Div., 205 E. 42nd St., New York 17, N. Y.
Canadian Affiliates: Aviation Electric Ud., 200 Laurentien Blvd., Monreal 9, Quebec.
Factory Branch Offices: Burbank, Calif.; Orlando, Florida; Chicago, Illinois; Teaneck, New Jersey; Dalles, Texas; Seattle, Washington; Washington, D. C.

The Case of Dr. York and Mr. Johnson

Separated by only a few feet on the third floor of the Pentagon are the offices of the Advanced Research Projects Agency and the Defense Department's new Directorate of Research and Engineering.

Heading the latter office is Dr. Herbert F. York, physicist. Heading ARPA is Roy Johnson, businessman. Before Dr. York's Christmas Eve appointment he was chief scientist of ARPA. In his present post he takes precedence just behind the service secretaries and is paid the same salary they get — \$22,500 annually. Johnson, somewhat lower in the DOD protocol scale, is paid \$19,000. Dr. York's post was established by law, Johnson's by Defense Department fiat. Both men took severe pay reductions in accepting their posts, Johnson probably the greatest. Both are forthright, out-going and competent.

This much is clear and understandable fact. But at his first press conference Dr. York couldn't do much to clear up a score of questions about the dual capacities of two agencies. To reporters who asked about such matters as authority, budget and areas of operation, it sounded like the old story of who does what to whom and who pays.

Dr. York verified previous word that ARPA was a permanent part of DOD and he said he saw no conflict between ARPA and his office. Yet:

Both Johnson and York report directly to Defense Secretary McElroy.

Both supervise, direct or perform research and engineering projects in DOD.

Both are authorized to arrange for R&D work by other government agencies.

Both are authorized to enter into private contracts for R&D work with private business or scientific agencies.

Both perform at the pleasure of the Secretary of Defense, although Congress may claim a proprietary interest in Dr. York.

ARPA has taken over the entire field of military space, although it does not limit itself to this field. ARPA's officials, and apparently Secretary McElroy, look upon ARPA and refer to it as a fourth service set up for the single management of all military space projects. ARPA has to date worked through the services although it is authorized to "acquire or construct such research, development and test facilities and equipment as may be approved by the Secretary of Defense."

The charter of the new R&E office certainly en-

compasses the space field as well, and how the new Directorate will divide its field with ARPA, or vice versa—or what could happen at the first test of strength between the two—is difficult to conjecture.

But this is not the most critical aspect of this situation in a highly critical field. The grave danger lies in what is accomplished or not accomplished in the field of military space projects.

ARPA has its own budget (well under half a billion projected) and must pay for every operation it assumes. The services have no money for space projects in their 1960 budgets. Any military space experiments or achievements they may wish to undertake are limited by the decisions and the budget of ARPA, the fourth service.

Roy Johnson has said that in the case of a technological breakthrough ARPA could always get more money from Secretary McElroy's emergency fund to cover his own budget deficiencies. Presumably he could or perhaps the Defense Department's new R&E budget, which Dr. York must defend before Congress, will contain items for space projects. He may not be limited. Perhaps his office could become the fifth service.

The very grave danger is that in the confusion resulting from this divided authority, from this juggling of the bright balls of military space projects one of them may be dropped or even left completely out of the act. Certainly Dr. York and Roy Johnson are sincere and honest gentlemen and certainly they took their present jobs with the most honest of intentions. But it would take a saint to keep his temper and a Solomon to adjudicate the roles each must play under the present setup.

Certainly we must have civilian control over the military including the military operating in the solar areas but let's have a reasonably clear-cut control and not an Alphonse and Gaston act. M/R believes and has said repeatedly that the military equipment necessary to prevent any other force from controlling space is the greatest requirement of the free world today. We believe that our military leaders are best qualified to define that equipment; that they should have a clear line of authority before which to present the projects they need and no arbitrary limit on the money necessary to research, develop and procure them.

Lunik certainly does nothing to de-emphasize this.

Clarke Newlon

SUBSCRIBER SERVICE missiles and rockets

For additional information about any product or service advertised mentioned in the editorial pages of this issue of Missiles and kets:

Use the attached prepaid reply cards. Circle numbers shown on reply card that correspond with numbers appearing beneath items cribed. If no circle number accompanies the article or advertisent, give page number (and advertiser's name) on line provided at tom of the card.

Your requests for information will be forwarded promptly to the

apanies concerned.

NEW PRODUCT BRIEFS

ITIOMETER. Bourns Laboratories, s announced a new version of its 209 twinpot lead screw actuated iometer. The device, twinpot, is a rrangement of two potentiometers unit that provides simultaneous of two circuits by a single adthe Bourns silverweld termination, irtually a 100% usable potentiom-irtually a 100% usable potentiom-ange plus better stability and reliability, the company said, ing 5/16" x 1/2" x 11/4", model ounts individually or in stocked nlies using 2-56 screws through yayelets. nio. 225 on Subscriber Service Card.

ELIMINATION. New Universal or Products Corp. has developed vorized power supplies for comilt-in protection against the spikes insients disturbing system voltages irround systems. It is described in 1/894A, and is listed as Model Jug and mounting facilities are gd for simple mount-to-mount reper to simple mount-mount enem of electro-mechanical sup-perating efficiency is 87%. Size (x 31/2" diameter, It weighs 2 lbs. and produces 300V and 100V VVDC input, The supply operates preratures from -40°C to +80°C. models are available with inputs

o. 226 on Subscriber Service Card.

PRIMARY PHASE. Acton Labs Inc. has introduced a type audio primary phase standard. us include ultimate accuracy of self-calibration, lissajou pattern If The type 7000-B audio primary to the type rounts audio primary cetandard supplies two sinusoidal as signals where phase relationship to ±0.05° and is continuously the from 0° to 360°. The frequency the two signals is the same and is atone selected frequency from 30 120 kc. The type 7000-B is used cobration of phase detectors and hifting devices. a. 227 on Subscriber Service Card.

INVERTER. Converting de to ac moving parts, the new Model static inverter manufactured by molids Corp., Los Angeles, Calif., 800-cycle power from nominal sources. The ruggedized unit, measuring 3.6 x 4.5 x 6.4 inches and weighing 41/2 lbs., installed, delivers 150 VA of continuous 115-volt power, am-plitude-regulated to 2% under all operating conditions covered by MIL-E-5272A. Frequency regulation of the alltransistorized unit is ±2 cycles.

Circle No. 228 on Subscriber Service Card.

THERMAL HEATER. A newly-developed technique for fabrication of electrical heaters results in lightweight, thin, flexible units for airborne and electronic Minco Product, Inc's new line of Thermal-Heaters is the 43-watt circular heater weighing less than 1/4 ounce (including 12 inch leads). This heater, less than 320 inch thick are a feet of the season. than .030 inch thick over the element and less than .065 inch thick over the leads, may be clamped or cemented in place. Flexible construction permits application to flat or curved surfaces. Insulation resistance is 1000 volts rms.

Circle No. 229 on Subscriber Service Card.

AUTOMATIC IMPEDANCE PLOTTER. Alford Manufacturing Co.'s automatic impedance plotter is now available in rack-mounted units as well as in port-able units. The automatic device presents continuous data on an unknown rf impedance at the rate of 60 points per second traced on a Smith Chart. The unit consists of an AMCI Hybridge, an AMCI polar displayer and auxiliary components and utilizes a standard rf oscillator, regulating power supply, dc oscilloscope and/or X-Y recorder.

Circle No. 230 on Subscriber Service Card.

TACHOMETER GENERATOR. Servo-Tek Products Co. has announced a new version of their d-c tachometer generator. The manufacturer guarantees a brush life of 100,000 hours (over 10 years) of continuous operation at 3600 rpm. Linearity from 0 to 12,000 rpm is better than 1/10 of 1% of the voltage output at 3600 rpm.

Circle No. 231 on Subscriber Service Cerd.

HIGH VOLTAGE CONTROL. A new high voltage control designed for use in circuitry with voltages in the kilivolt range has been ennounced by Interna-tional Resistance Company. The power rating of the unit is consistent with the high terminal-to-terminal voltage rating; the size is consistent with the high terminal-to-ground voltage rating. Circle No. 232 on Subscriber Service Card.

JANUARY 12, 1959 MISSILES AN

Expires Three V After Above [

ő

given. 2 information all Offered Mfg./Service

ADDRESS Product

unless all Card

HEKSHEK

25222E

USES USE

ねるなとなるだけ

24E824E

8458845

5424548

5488555 5

×

2

8 323

323

368

252

£ 5 %

383

2882

ITLE/POSITION



BUSINESS REPLY (Sec. 510 Permit No. 2455-R Clam

ó

MISSILES and ROCKETS

17 EAST 48th STREET NEW YORK 17, N.Y

SUBSCRIBER SERVICE DEPT

Information

Give

Numbers

249 N

NEW YORK 17, N.Y.

17 EAST 48th STREET

a a

ROCKETS



Class BUSINESS REPLY

First

Permit No. 2455-R (Sec. 510 P.L&R.) Washington, CARD D. C.



Product Mfg./Service ADDRESS

Offerad

in/ormation

to

given.

STAT

Expires Three

After Above

Date

ZONE

TITLE/POSITION

			1		
ı	ı	1	ı		
ı	ı	ı	ı	ı	

2222222

MISSILE LITERATURE

DESIGN MANUAL A 20-page design manual on standard and special instrument cases is available from TA Mfg. Corp. Illustrated in color, it contains prints and design information on 120 basic sizes and types, materials and specifications cross-referenced to military requirements.

Circle No. 200 on Subscriber Service Card.

CATALOG FOLDER. A short-form catalog folder of electronic components and instruments has been issued by Burroughs Corporation, Electronic Tube Division. The brochure contains condensed descriptive information and aplications data on Burroughs Beam Switching Tubes, Nixie (R) indicator tubes, decade counters, pulse control instruments, op-timeters, beamplexers and visual de-coders manufactured by the company. Circle No. 201 on Subscriber Service Card.

BROCHURE. The Brach Manufacturing Corp. Division of the General Bronze Corp., has available a new 12 page bro-chure describing expanded facilities for the manufacture of magnetic amplifiers and saturable reactors including associated circuitry and equipment. Booklet also describes advantages of magnetic amplifiers and the reliability, maintainability, and applications for magnetic amplifier equipment.

Circle No. 202 on Subscriber Service Card.

PULSE CONTROL INSTRUMENTS, An 8-page condensed catalog of Unitized Pulse Control Instruments is available from Burroughs Corp., Electronic Tube Division. The booklet provides capsule technical descriptions of more than twenty-five Burroughs pulse control instruments, including pulse generators, flip-flops, coincidence detectors, delays, mixers, counters and power supplies. The packaged units are self-contained and can be easily interconnected to form any desired pulse system.

Circle No. 203 on Subscriber Service Card.

HIGH SPEED PRINTER SYSTEM. Burroughs Corp.'s Electro Data Division offers a four-page brochure describing the new Burroughs 220 High Speed Printer System, which prints out copy direct from the computer or from magnetic tape at up to 1500 lines per minute.

Circle No. 204 on Subscriber Service Card.

PROSPECTUS. A 36-page application note describing the latest techniques and instrumentation for making various microwava standards measurements is now available from the Hewlett-Packard Co. The booklet, "Microwave Standard Prospectus," presents a detailed de-Prospectus," presents a detailed de-scription of the techniques used in the general areas of standards measurement, including frequency, attenuation, impedance and power.

Circle No. 205 on Subscriber Service Card.

FREQUENCY METER. Bulletin DW-102. describes the new 1021 frequency meter manufactured by Divco-Wayne Electronics. A broad range (125KC to 1000MC) meter, the D-W 1021 operates with .005% accuracy overall; is designed to operate with battery or power supply.

Circle No. 206 on Subscriber Service Card.

MISSILE LAUNCHING FACILITIES latest issue of the BURNS and DIGEST is now available upon re-It contains technical information cerning the activities in missile la ing facilities and power plant desi Circle No. 207 on Subscriber Service

HOW TO FABRICATE. Valuable mation on how to fabricate "Hast alloys is presented in a special booklet by Haynes Stellite Com The 36-page booklet covers step-by procedures and recommendation welding, forging, forming, mach grinding, brazing, heat-treating, d ing and pickling, It also includes mation on lining of vessels and rosion surfacing along with nece boiler code data.

Circle No. 208 on Subscriber Service

FERROMAGNETIC MATERIALS, A four page bulletin is available on rotron, a line of non-memory, indu electromagnetic core components able from The Polymer Corp. of sylvania. The new bulletin contains on new types of the material operate in temperatures up to 3! Physical and electromagnetic pro values and typical applications are included.

Circle No. 209 on Subscriber Service

FOLDER. Two basic systems with tested features for recording and essing the multitude of strains req to evaluate complex structural in laboratory and industrial applica and tabulate strains on a types IBM Cards or punched tape are trated and described in a new, color, four page folder recently i describes the many advantages of new paper loop system and also scribes the unique features commo both. Systems can be assembled in tiples of 24 channels utilizing the 2 scanning module which is describe the building block of B & F syster is designed to balance, calibrate, trol and scan the output of 24 gage channels containing 1, 2 active arms and convert these van resistances to variable voltages. . Circle No. 210 on Subscriber Service

DESCRIPTIVE AND TECHNICAL D Electronic Research Associates, Inc. nounces the availability of a 6-technical bulletin which provides scriptive and technical data on magitran line of solid state regu power supplies. These new designs bine the characteristics of magnetic transistor regulators and offer novel tures not previously available in co tional transistorized types.

Circle No. 211 on Subscriber Service

MATERIAL GUIDE. Thermo Electre has a new, 4-page Thermowell Ma Guide for over 325 different tem ture measuring applications. The comprehensive of its kind, it was signed to aid thermowell users i lecting the proper materials for a application and operating cond Applications are grouped in chart according to industry. Recommende include one or more materials for application and take into consider such factors as temperature. ination, electrolysis and catalytic

Circle No. 213 on Subscriber Service


WORK WITH THE MEN

WHO WROTE THE BOOK!

When it comes to controls for missile propulsion systems, you can make use of the experience and knowledge of the men who practically wrote the book.

Bendix has a matchless record in fuel metering and controls—from the earliest developments in carburction for aircraft engines to the last word in complete controls for advanced turbine engines.


Today, this long experience is proving to be a natural for related problems in missile propulsion systems—ram jets, rockets or nuclear power!



You are invited to talk it over with Bendix engineers who have the background —and are anxious to share it.

BENDIX PRODUCTS SOUTH BEND, IND.





sure death...

THE HUGHES FALCON PROVES ITS RELIABILITY

THROUGH LING VIBRATION TESTING SYSTEMS!



Vibration testing a GAR-3 on a Ling System

Overcoming destructive vibration forces is an important p of reliability determination at Hughes Aircraft Company.

Both individual components and complete packages as as this production model Falcon (GAR-1D), are qualifithrough a continuing program of environmental vibration ing, using the many Ling Vibration Systems installed at Hugh

Latest in the series of Hughes air-to-air missiles, the GAR has been put through a random wave vibration test progrusing another Ling Vibration System.

This accent on accuracy pays off for Hughes with provreliability and for National defense with trustworthy weapor

LING

ELECTRONICS, IN

Factory Sales Offices:

9937 W. Jefferson Blvd. • Culver City, Calif. • TExas 0-7711
120 Cross Street • Winchester, Massachusetts • Winchester 63