


OCTOBER 20, 1958



ION ENGINE—ABMA's Stuhlinger  
Sees Barriers to Success—p. 20




# missiles and rockets

INCLUDING MISSILE ELECTRONICS

**Engineering and Electronics Edition**

AN AMERICAN AVIATION PUBLICATION



## SPACE-ABILITY

Servomechanisms' proven ability to design and produce consistently smaller and more reliable Central Data Computers, has established SMI as the pace-setter in this exacting science. This experience, coupled with our major scientific advances in new materials research and deposited film circuitry techniques, will meet the requirements of even smaller and more reliable subsystems for the spacecraft of tomorrow.




SUBSYSTEMS DIVISION, Hawthorne, California

MECHATROL DIVISION, Westbury, L.I., New York

SPECIAL PRODUCTS DIVISION, Hawthorne, California

RESEARCH LABORATORY, Goleta, California

GENERAL OFFICES • 12500 Aviation Boulevard, Hawthorne, California





# Foresight with a **wallop!**



Foresight which saw the coming of the Space-and-Missile Age enabled Goodyear Aircraft Corporation to begin construction—*more than ten years ago*—of what is today one of the most advanced and largest integrated rocket engine case facilities in the nation.

Furnaces—among the largest ever built for the task—spawn these exacting space-conquering units. Experienced technicians, backed by batteries of test equipment, control the quality of the materials—insure the soundness of each weld—maintain tolerances to thousandths of an inch.

This foresight, these skills, this equipment have made Goodyear Aircraft the birthplace of more large-size rocket engine cases than any other producer.

For more information on this completely integrated facility, write Goodyear Aircraft Corporation, Dept. 916PV, Akron 15, Ohio.

ROCKET ENGINE CASES—One of the Prime Capabilities of

# GOOD YEAR AIRCRAFT


Plants in Akron, Ohio, and Litchfield Park, Arizona



Huge rocket case furnaces



Complete design facilities for development or production



Steel—or fiber-glass—rocket cases for weight savings



Quality control—by X Ray, hydrostatic and complete metallurgical test equipment



Thrust axis engineered to watchmaker's precision



10-year experience harnesses the high specific impulse of newest solid propellants

## NEW APPROACH TO "OLD" MATERIALS

By today's standards, the "old" refractor metals are outdated. The ultimate in high-temperature studies of 10 years ago is several generations behind in terms of modern aircraft and missile developme

Today's material requirements surpass anything envisioned 10 short years ago. Molybdenum and beryllium, for example, are still exciting metals with much promise for space vehicles and ultra-high-speed aircraft. It now appears, however, that the full promise of such metals may be fulfilled when they are used, not alone, nor as alloys, but when combined with other materials to form totally new types of structural materials.

Such a "marriage" of metals, ceramics and plastics is a promising approach to high-temperature problems that is being vigorously pursued at Avco. It opens new potential applications for many exotic combinations.

These bold steps forward are possible at Avco, where materials research include concurrent basic studies and applied research, plus developmental programs that extend through the solution of processing and testing problems.

The search for new knowledge goes forward simultaneously with the creation advanced technology at Avco's Research and Advanced Development Division. The creative man, whether he is interested in basic studies or practical problems, finds effort enhanced by the stimulus of interdisciplinary contact and feedback from other related fields.


*Research and Advanced Development is more than a descriptive title at Avco. It is a concept that promotes creativity.*

# AVCO

*Research and Advanced Development*  
DIVISION

*For information on unusual career opportunities for exceptionally qualified scientists and engineers, write to: Dr. R. W. Johnston, Scientific and Technical Relations, Avco Research and Advanced Development Division, 201 Lowell Street, Wilmington, Mass.*





**COVER:** *Miniature laboratory ion-propulsion model, operating at near vacuum conditions in NASA's Lewis Research Center, produces thrust which propels the small wheel behind the jet. ABMA's Dr. Ernst Stuhlinger (see page 20) discusses barriers which must be overcome before ion engines can become a reality.*

Editor .....ERIK BERGAUST  
Executive Editor .....CLARKE NEWLON  
Managing Editor .....E. E. HALMOS JR.

#### ASSOCIATE EDITORS:

NORMAN L. BAKER ....Engineering & Production  
RAYMOND M. NOLAN ....Electronics & Guidance  
PEER FOSSEN .....Optics & Telemetry  
WILLIAM O. MILLER .....Military & Defense  
ALFRED J. ZAEHRINGER ....Propulsion & Chemistry

#### ASSISTANT EDITORS:

FRANK MCGUIRE ....Legislative & International  
E. M. CROMLEY .....Personnel & Management  
DONALD E. PERRY .....NASA & ARPA  
ELLEN BERLOW .....Copy Editor

#### CONTRIBUTING EDITORS:

FREDERICK C. DURANT III .....Astronautics  
F. I. ORDWAY III, H. CANNEY and  
R. C. WAKEFORD .....Research  
DR. ALBERT PARRY .....Soviet Affairs  
DR. HUBERTUS STRUGHOLD .....Space Medicine

#### EDITORIAL ADVISORY BOARD:

DR. WERNHER VON BRAUN .....ROBERT P. HAVILAND  
DR. PETER CASTRUCCIO .....DR. ARTHUR KANTROWITZ  
KRAFT A. EHRLICH .....DR. EUGEN SAENGER  
RICHARD F. GOMPERTZ .....ALEXANDER SATIN

#### REGIONAL EDITORS:

F. S. HUNTER, RICHARD VAN OSTEN  
Beverly Hills, Calif., 8929 Wilshire Blvd.  
ANTHONY VANDYK .....Geneva, Switzerland  
10 Rue Grenus, Phone 321044

#### PRODUCTION:

WILLIAM H. MARTIN .....Art Director  
COLLIS CAMPBELL .....Asst. Art Director  
JOHN WALLEN .....Production Manager  
ELSIE GRAY .....Asst. Production Manager  
HERBERT SPARK .....Editorial Assistant

WAYNE W. PARRISH  
President & Publisher

LEONARD A. EISERER .....General Manager  
C. A. HURT .....Assistant Publisher  
EDWARD D. MUEHLFELD .....Advertising Sales Manager  
LAWRENCE BRETTNER .....Circulation Director  
STEPHEN A. RYNAS .....Advertising Promotion Mgr.  
GLADYS BUSSELL .....Advertising Service Mgr.

missiles and rockets Vol. 4, No. 16, Oct. 20, 1958

Published every week by American Aviation Publications, Inc., 1001 Vermont Ave., N.W., Washington 5, D.C. Printed at the Telegraph Press, Harrisburg, Pa. Second class mail privileges authorized at Washington, D.C., with additional entry at Harrisburg. Copyright 1958, American Aviation Publications, Inc.

Subscription rates: U.S., Canada and Postal Union Nations—1 year, \$8.00; 2 years, \$12.00; 3 years, \$14.00. Foreign—1 year, \$20.00; 2 years, \$30.00; 3 years, \$40.00. Single copy rate—\$75. Subscriptions are solicited only from persons with identifiable commercial or professional interests in missiles and rockets. All subscription orders and changes of address should be referred to: FRANK R. WILLIAMS, circulation fulfillment manager.

## in this issue

### ▶ OCT 20 HEADLINES

#### Second Lunar Probe Termed "Successful"

Although it meets fiery death, valuable data furnished for scientists at extreme altitudes .....13

#### Boeing Wins Minuteman Competition

Selected from 18 competitors, growing missile business seen for airframe firm after B-52 phaseout .....14

#### Convair's Lobber Development

Small cargo missile could be counterpart to Army Ordnance's proposed Project Adam .....15

#### Dr. Ernst Stuhlinger

"Mr. Ion Engine" discusses barriers that must be overcome before engines are operational .....20

#### Liquid Scale-Up: Step to Space

Propulsion Editor Albert J. Zaehring gives rundown on how Jupiter will be clustered for 1.5 million pounds of thrust .....27

#### Space Can be Liquid

Industry help needed, Navy Admiral says, in missile submarine threat .....37

#### Coal's Place in Space Age

Hydrocarbons from low temperature coal tars appear promising for higher propellants .....43

#### Assembly of Thor Engines

New production techniques makes assembly line technique feasible for Rocketdyne engines .....50

### ▶ MISSILE ELECTRONICS

#### Thompson Products-Ramo merger

The story behind the transfer of stock .....77

#### Painted Sphere to test Radiation Belt?




Doubtful that lunar probes can do the job alone .....78

### ▶ DEPARTMENTS

Washington Countdown ..	9	Soviet Affairs .....	70
Industry Countdown .....	11	Moscow Briefs .....	72
Space Age .....	52	When and Where .....	75
Missile Business .....	55	Missile Electronics .....	78
Contract Awards .....	56	Keeping Track .....	83
New Missile Products ...	59	Editorial .....	90




# CAPABILITIES AND FACILITIES



New methods in forming  
rocket motor body shell.

Welding facilities assure  
strong, uniform welds.

X-ray-Inspection before annealing.



## *National Electric's Contribution to The Rocket and Missile Program*

**ENGINEERING...** A staff of engineering specialists with extensive backgrounds in physics, mathematics, stress analysis, metallurgy, thermodynamics, hydraulics, electronics and structural, mechanical and electrical design. Their efforts have resulted in mass production methods and techniques for the fabrication of rocket bodies and components faster, more economically and to closer tolerances than ever before achieved.

**RESEARCH AND DEVELOPMENT...** Since 1949 National Electric has been executing classified research and development contracts for the government. The results . . . an enviable record of pioneering achievements in the production of rockets and guided missiles . . . from the first Jato motor bodies to the famous Nike Hercules.

**MASS PRODUCTION...** Mass production has been achieved through continuing technical advancements and modern techniques. Currently extensive research and development projects are being conducted on several highly critical and important rocket motor bodies including mass production on the Nike Hercules.

Write for your free copy of our Rocket and Guided Missile booklet. Our experience can be an added asset to your experience.



### **A NATIONAL ELECTRIC FIRST**

Advanced heat-treating methods developed by National Electric provide new and highly important breakthrough in rocket and missile production.



**ROCKET AND GUIDED MISSILE DIVISION**

**National Electric Products Corporation**

**TWO GATEWAY CENTER • PITTSBURGH 22, PA.**

Circle No. 35 on Subscriber Service Card.





# STRAIGHT TALK TO ENGINEERS

*from Donald W. Douglas, Jr.*

*President, Douglas Aircraft Company*

You may wonder what the future holds for the engineer who decides to build his career in the aircraft/missile industry.

In terms of permanent demand, this industry probably requires a greater proportion of engineers to total personnel than any other. Here at Douglas we are now employing more engineers than we did during World War II.

In regard to professional standing, the aircraft/missile industry deals always with the

latest state of the art in every engineering and scientific specialty involved. Its engineers are in one of the best informed and highest prestige fields in their profession.

Whatever your present activity, if you decide to move into aircraft, missile and space technology, we would like to talk with you.

Please write to Mr. C. C. LaVene,  
Douglas Aircraft Company, Box 620-R,  
Santa Monica, California



# MISSILE PRECISION for a MOTOR TRUCK ENGINE

## **EEMCO Starter-Generator Type D-1025 Chosen for New Turbine Truck Engine**



### **SPECIFICATIONS FOR EEMCO STARTER-GENERATOR TYPE D-1025**

**Starter performance:** Breakaway torque of 220 inch-pounds with terminal voltage of 20 volts.

**Generator performance:** Delivers 40 amps continuously with intermittent peaks up to 80 amps at 28 volts.

**Weight:** 14½ pounds.

When one of the largest motor truck manufacturers developing a new type turbine truck engine requested EEMCO to design a starter-generator for the engine, it was recognition of the power, precision and reliability that is built into such EEMCO products. Now in an advanced stage of development, this new turbine engine may revolutionize the entire motor truck industry. EEMCO is proud to participate in this type of "revolution."

For years, EEMCO has been a specialist in the design and manufacture of special motors and actuators for the aircraft and missile industry. Now EEMCO's starter-generator Type D-1025 is an example of EEMCO's flexibility in related fields. EEMCO motors or actuators are on the majority of the latest missiles and supersonic military aircraft for these reasons:

1. Sixteen years of continuous experience in research and development, as well as exhaustive environmental and performance testing, assure maximum reliability of all EEMCO products.
2. Ratio of output to weight is extremely high in all EEMCO units.
3. Production schedules are met on time under stringent military specifications that require the most precise tolerances and performance.

EEMCO starter-generator Type D-1025 is an example of such precision manufacturing. Scores of other EEMCO products have been designed and produced for special uses. Your inquiry is invited.



**ELECTRICAL ENGINEERING & MANUFACTURING CORP.**

4612 West Jefferson Boulevard, Los Angeles 16, California—Telephone REpublic 3-0151

**DESIGNERS AND PRODUCERS OF MOTORS, LINEAR AND ROTARY ACTUATORS, AND RELATED EQUIPMENT...EXCLUSIVELY!**



## washington countdown

### Contrary to popular . . .

opinion, one high Washington source told m/r that Air Force and Army are not competing on a time schedule as to who will make the next lunar probe. Army picked its own dates—most probably December for the first try—because it was tied up with *Explorer*. Reason: Gen. J. B. Medaris did not want undue public pressure on his team.

### Air Force was assigned . . .

two "space probes" in addition to three lunar probes several months ago by ARPA's Roy Johnson. The order said "get two *Thor-Ables* ready," and AF would receive later instructions on where to send them. It doesn't mean Venus either, although the planet is astronomically ripe in June, 1959; while Mars will not be in position until November, 1960.

### Second generation *Polaris* . . .

missiles are a dime a dozen, insofar as studies and proposals are concerned, according to a top Naval source. Code name *Atlantis* has been mentioned, but it's one of two dozen similar studies.

### The three R's . . .

Dr. James R. Killian says, should be actively expanded to include L, M AND S—lan-

guages, mathematics and science. They've been neglected, and emphasis on them could strengthen the free world and provide a better standard of living for all men, he added.

### A local storm . . .

prevented planned photography on the Oct. 12 eclipse. But the National Academy of Sciences-sponsored expedition managed to launch five *Nike-Asps* and one the following day. The sixth rocket was fired to compare normal conditions with those existing during the eclipse.

### Pioneer was successful . . .

and NASA apparently is a little embarrassed by the publicity it got as "administrative agency." The facts: Hardwork of coordinating and insisting on every possible checkout of all components was by ARPA, with NASA getting in on the act only days before launch.

### Use of Sidewinders by Chinese . . .

which set Peiping to shouting "dirty pool" at Washington, racked up high batting average for the Nationalists pilots. Out of the first six fired, four were definite kills. The other two were fired before Chiang's fighters were within range.

## Air Force Unveils X-15—First Space Ship



RELEASE from mother aircraft.



FLIGHT trajectory over range (see p. 84).

HOW

SCATE SOLVES

2 BASIC PROBLEMS

in testing  
electronic systems

Many complex electronic systems—missile guidance is a good example—may require testing that takes days by conventional methods. Yet the end function of such a system may last only a few minutes—even seconds.

Other systems, though less complex, must be tested in such large numbers that adequate personnel are frequently unavailable to perform tests by conventional means.

The SCATE system of automatic test equipment can solve both problems. It provides self-checking automatic testing which is fast, flexible and fool-proof.

The system evaluates all important parameters of equipment under test, including:

1. RF sensitivity, center frequency, band width, power output, noise figure.
2. Audio frequency gain, band width, power output.
3. Video pulse circuitry, including pulse decoding, logic, digital comparison, pulse delays.
4. Voltage levels, DC and AC.
5. Servo response.
6. Mechanical response.



Stromberg-Carlson has standing designs for all the standard components which go into a SCATE system, and is fully experienced in designing custom components which may be required in any test system.

Complete details on the SCATE system and other Stromberg-Carlson automatic test equipment are available on request.

\* Missile guidance system can be tested automatically by the SCATE system.

*"There is nothing finer than a Stromberg-Carlson"*



**STROMBERG-CARLSON**  
A DIVISION OF GENERAL DYNAMICS CORPORATION  
1463 N. Goodman Street • Rochester 3, N. Y.



Electronic and communication products for home, industry and defense



## industry countdown

### Boeing has accelerated . . .

its missile expansion program in preparation for possible awards on the *Dyna-Soar* and air-to-surface weapon systems. The company is currently undertaking one of the biggest engineer recruitment drives in history with the Pilotless Aircraft Division striving to hire 1,200 engineers before the end of the year. In addition to the possible *Dyna-Soar* program, Boeing is producing the 250-mile *Bomarc* and has been awarded a contract for development of a 400-mile plus version of the same missile.

### Missiles have boosted . . .

Temco Aircraft Corp's earnings for 1958 to nearly 10% above 1957 income. Temco, currently in a development program on the *Corvus* air-to-surface missile, expects its business to be half airframe and half electronics and missiles by 1961.

### Missile industry veteran . . .

Northrop in the meantime has shown a much greater earning record again as a result of increased missile orders. With approximately 60% of last year's backlog in electronics, unmanned aircraft and missiles, earnings jumped 23 percent above the preceding year. Major projects include the *Snark*, *Hawk*, target drones, and research and development contracts involving missiles and space craft.

### Cryogenics is receiving . . .

widespread applications in the field of infra-red guidance systems and is providing a large income to such companies as Air Products and the Linde Division of Union Carbide, leading research groups, and Arthur D. Little and Perkin-Elmer Corp. producers of cryostats for laboratory and military use. Cryogenics, essentially a fractional distillation for obtaining very low temperatures, although in use for many years for the manufacture of ammonia, is now receiving an immediate military application in the solid state cooling of infra-red devices for increased sensitivity.

### A billion dollars . . .

in extra missile and aircraft funds, provided by Congress, will not be spent at this time according to acting Defense Secretary Donald A. Quarles. Slated for such programs as the *Hound-Dog* air-to-surface, *Polaris* IRBM, *Minuteman* ICBM, and the KC-135 utilization of the funds will depend on rate of development of the individual systems. In addition, the Secretary emphasized that no ceiling would be placed on the 1960 budget

request leaving all three services free to request additional monies as needed to support next year's defense program.

### Chemical milling . . .

of component parts of the *Atlas* with a resultant weight savings of approximately 500 pounds has added an additional 100 miles to the range of the ICBM. New light-weight construction techniques utilizing the dynamic etching process for the thrust cylinder, fairing and nacelle sections of the missile have been developed since the time the original *Atlas* design was formulated.

### MIS (Man In Space) . . .

for placing a man in orbit for 24 hours or approximately 10 to 12 orbits of the earth, currently has \$40-million available for getting it underway. First companies to profit are General Electric (Philadelphia) and North American Aviation, selected out of five firms involved in a 90 day study and feasibility programs. To date program is the sole development responsibility of the Air Force with management responsibility still in the area of indecision. ARPA feels the project, in any analysis, is a military project. NASA is of the opinion that the first phases of the project are of a scientific nature with future military responsibility. NASA further contends that whatever project their agency is involved in can eventually be utilized for military applications.

### Nike-Zeus . . .

will, for all practical purposes, be an almost fully automatic electronic weapon system only calling on men for maintenance and logistics. One of the most important components of the system will be the acquisition, identification, and tracking systems. Some \$20-million of the recent \$135-million contract will be spent on the development, production and maintenance of several missile computers—an award received by the Remington Rand Univac Division of Sperry Rand Corp. The computers will be three times as fast as any comparable computers now in existence.

### Thiokol Chemical Corp. . . .

reportedly has received contracts totalling \$1.5-million from the Navy for packaged liquid propellant rocket engines. The awards are unofficially reported in connection with the *Bullpup* air-to-surface missile. A solid propellant auxiliary power unit will be demonstrated by Thiokol at the annual meeting of the ARS November 17 in New York.





## BRUNSWICK'S *SBP* SAVES POWER FOR THE PAYLOAD

A unique advantage of Brunswick's Strickland B Process (SBP) is weight savings in missile and aircraft components. Consequently, there's more power for the payload weight. SBP, a unique machine method, maximizes laminated strength, even for extremely high temperatures, by precise orientation of juxtaposed fiberglass to points and kinds of stress.

The use of SBP filament-wound laminate results in the highest strength and stiffness characteristics possible, and absolute minimum weight. Brunswick's SBP also produces a laminate that meets rigorous space age specifications for close tolerances and precision. It is a method that allows mass production by fully automated machines, as well.

More and more designers are turning to SBP laminates for use in new designs now on the drawing boards. Brunswick, a leader in research and development, can also help *you* find new uses for SBP laminates in the design, fabrication or testing stage. Write The Brunswick-Balke-Coller Co., Defense Products Div., 1700 Messler St., Muskegon, Mich.

# BRUNSWICK

MAKES YOUR IDEAS WORK



# AF Alters Pioneer For Third Moon Try

by William O. Miller

CAPE CANAVERAL—Notwithstanding the unprecedented achievements of the October 11 attempted lunar probe, the Air Force is far from satisfied and is giving the entire vehicle a complete reappraisal.

*Pioneer* failed to follow the predicted trajectory because the first stage of the Douglas *Thor* burned three seconds too long. The thrust gave the first stage too much loft and it fell short—by 850 feet per second—of attaining the programmed speed. The guidance system failed to correct a 3.5 degree error in angle.

While pleased with *Pioneer's* 43-hour trip into cislunar space, AF officials say it just didn't work well enough and did not do what it was supposed to do. As a result, a number of changes before the next attempt are being considered, including possible changes in the payload and Alterations in the thrusts of the various stages.

Meanwhile, the AF is striving towards a more successful attempt in November. Since the moon completes and orbit of the earth each 27.3 days, the next attempt would be made about noon, November 7.

Despite the accomplishment, the National Aeronautics and Space Administration would not predict whether Army or Air Force would make the next probe attempt.

The November shoot would be the third and final lunar probe which the Air Force is authorized to carry out under supervision of NASA.

However, the total number of probes probably will be raised. Indications are that the Air Force will make the November attempt as anticipated and the Army's first attempt—of two authorized—will be made with a modified *Jupiter* in the first week in December.


Maj. Gen. John B. Medaris, commanding general of the Army's Ordnance Missile Command said the Army plans to apply a corrective in the flight trajectory from the ground, and he believes the probe has a 50-50 chance of success.

If such correction could have been applied to the Thor-Able, chances are that the unplanned high angle would

(Continued on page 14)



LAWMAKERS JOIN MILITARY AND SCIENTISTS in jubilantly discussing details of *Pioneer's* top-like fourth stage, (L. to R.) Maj. Gen. Donald N. Yates, commanding general AF Missile test Center, Rep. Joe Kilgore, Texas; Rep. James G. Fulton, Pennsylvania; John Truesdale, NAS; Col. H. H. Eichel, AFBMD; Dr. Abe Silberstein, NASA; and Brig. Gen. O. J. Ritland, AFBMD.



INSTRUMENT PACKAGE OF *PIONEER'S* fourth stage was designed to provide five types of information, including radiation, gravitational fields of earth and moon, temperatures, meteorite impact and a TV picture.

## ... AF Alters

have been normal and the correct velocity—35,250 feet per second—would have carried *Pioneer* to a 50,000 mile vicinity of the moon.

• **Angle detected**—The erroneous high angle was suspected by trackers within three hours after blast-off. However, only raw data had been received from the five channels on which *Pioneer* was transmitting, and it took six hours before a crude trajectory could be plotted.

*Pioneer* almost "floated in space" for some two hours when it reached altitude of 79,212 miles above the earth's surface. Gravity was estimated at only four-hundredths of the gravity on the earth's surface.

Instrumentation weighed 39.6 pounds in five major packages:

1. An ion chamber to measure total incident radiation. Instruments were calibrated to measure the extremely high readings anticipated thereby eliminating weight-costly lead shielding.

2. A magnetometer to measure the gravitation fields of the earth and the moon.

3. Temperature gauges to determine internal temperature levels and to determine if fluctuations affected the instrumentation.



**EIGHT VERNIER ROCKETS** of third stage adjust its speed after separation.

4. Instruments for measuring micrometeorite impacts.

5. A TV-type scanner to provide a crude picture of the moon's surface. The scanner was not activated because it was tied to firing of the terminal stage.

To permit incorporation of the ion chamber which provided for radiation measurement, one or two levels of sensitivity previously planned was eliminated. This was considered one of the most important kinds of information sought, as preliminary *Explorer*

findings had indicated radiation might prove a barrier to human entry into space.

However, telemetered data from *Pioneer* indicated a passenger aboard would have experienced less than 50 roentgens. The tolerable level is well above this. The radiation counter showed the rate was four roentgens per hour at 5,000 miles, three per hour at 10,000 miles, and two per hour at 17,000 miles.

• **Button not fired**—The button which would have fired the terminal rocket was never fired because of a battery "freeze up." If all had gone well, the solid propellant payload rocket would have been fired from Hawaii. However, it could have been triggered from Canaveral as well.

The Thor-Able reportedly had no gyroscopic guidance system but used a Douglas-built autopilot with Minneapolis-Honeywell gyroscopes. When the gyro started to drift, either the stabilization servo or the telemeter radio command link did not work. There probably would not have been a battery failure if "on the shelf" batteries capable of operating down to Arctic temperatures had been used.


## Boeing Gets Prime Minuteman Contract

Boeing Airplane Co. has added the *Minuteman* ICBM to its growing list of missile development and production programs with the Air Force award of an assembly and testing contract. Contract amount was not disclosed.

The award was made to Boeing after the Air Force had evaluated approximately 18 bids from companies such as Douglas, NAA Missile Division, General Motors, Northrop and Lockheed. A company spokesman said the *Minuteman* test program will be the most demanding and critical of the entire weapon system. The three-stage solid propellant missile will be the most fully automatic long range system in existence.

Current concept will have the missile sites widely dispersed with the rockets in hard positions underground ready to go at the push of a button. The underground enclosures will hold the weapon at controlled temperature and humidity. Guidance system will be in constant readiness possibly with no prewarmup time required.

Boeing will center its *Minuteman* work at the main Seattle plant where the B-52 is now being produced. Phase-out in production of the B-52 sometime in February making available the high bay, large space areas for the assembly and testing of the missile in a vertical position, if necessary.



**PIONEER'S THREE STAGES** plus the instrumented payload tower 88.1 feet.

missiles and rockets, October 20, 1958



# Lobber

## System may be small Project Adam version

Army's *Project Adam* being researched by Army Ordnance Missile Command for its troop-cargo-carrying potentials is getting a healthy boost from industry.

Convair Division of General Dynamics Corp. has announced a smaller development—the *Lobber*, which could be *Adam's* short-range parallel project.

*Project Adam* originally was proposed to Advance Research Projects Agency by scientists at Army Ballistic Missile Agency as a means of getting man into space for a few minutes. Army had proposed rocketing an occupant to about 150 miles in a *Redstone* nose section which would have been parachute recoverable. The project was turned down by ARPA because it was felt its flight test would come about the same time as the X-15. Army, however, was authorized to research the project's potentials as a troop and cargo carrier.

The small Convair *Lobber* missile will be for short ranges, possibly under 25 miles. However, it can deliver rations, ammunition, medicines, communications equipment or other vital supplies accurately and in quantity to front-line troops, wherever and whenever needed, Convair said. The missile and its launcher can be hand-carried, if necessary, by a team of three men in the field.

Quick-disconnect *Lobber* payload sections can be pre-loaded at supply depots and at least 70% of every missile will be recoverable and can be re-used.

Maj. Gen. A. T. McNamara, quartermaster general of the Army, sparked development of the *Lobber*.

*Lobber* is also adaptable to offensive weaponry, carrying payloads of napalm, chemicals, high-explosives or small nuclear warheads, and has other uses in military engineering and communications.

Immediate capabilities of the *Lobber* are to provide emergency supplies for troops isolated by terrain or enemy action; monitoring radioactivity in contaminated areas; rapid buildup of supply depots under cover of darkness or weather; augmenting the mobility of beachhead assaults, and supporting purely offensive actions.

Most important in the *Lobber* concept, Convair said, "is utility when delivery is paramount; when bad weather prevents or restricts air drops, and when maximum mobility of a ground force must be maintained."

# Wayward Jupiter Follows Polaris

For the second time in recent weeks a large ballistic missile has tempermentally gone astray within seconds of launch and had to be destroyed over the Cape Canaveral launching site.

An *Army Jupiter* IRBM was destructed directly above its launching pad creating alarm to the test personnel on the base. Personnel in the immediate area were well protected in the control bunker, but night crews working in other areas of the center were in danger of flying debris.

Two explosions rocked the missile before it fell to earth. At least one piece fell near the *Thor-Able* gantry where the second Air Force rocket vehicle was being prepared for its lunar probe shot.


Several days before the *Jupiter* firing a two-stage *Polaris* fleet ballistic missile forced Cape Canaveral personnel to take cover when it had to be destroyed shortly after take-off. Part of the missile went inland and impacted near a congested area of Cocoa Beach.

## Hawk Readied for Deployment



U.S. Army

LOW LEVEL RAIDERS will be the target of Army's *Hawk* to be deployed in Washington area this year. Radar homing, the two stage missile with a range up to 22 miles will be the third member of the Army air defense missile team. Unlike *Nike Ajax* and *Nike-Hercules*, *Hawk* is highly mobile and can be transported on its mobile launcher, by aircraft or by helicopter. First emplacements probably will be in New York City and Washington, complementing present *Nike* installations.



# HYDROMATICS *FLO-BALL* VALVES

The accepted standard of maximum performance and reliability

## 100% FLOW EFFICIENCY

Hydromatics' exclusive FLO-BALL design provides a straight-thru unrestricted fluid path, exactly equal to the pipe line diameter.

## PERFECT SEALING

Zero leakage is assured through the use of a precision ball—the ideal geometric form for perfect sealing contact.

## LOW OPERATING TORQUE

Ball rotates in precision bearings which absorb all pressure loads. Pressure balanced valve seat further minimizes forces on ball, reducing frictional drag.

## LONG LIFE

Seat is always in sealing contact with the ball surface, resulting in a self-wiping, self-lapping action that insures long, trouble-free life.

## HIGH SPEED ACTION

Only 90-degree rotation is required to fully open or close valve. Full travel as fast as 5 milliseconds.

## RELIABILITY

Simple construction, with only one rotating part, provides built-in reliability and rugged, dependable operation.

## CRYOGENIC AND CORROSIVE APPLICATIONS

Hydromatics' FLO-BALL valves, with new diaphragm sealing and unrestricted fluid path, have been proved the best valves for operation with LOX, Liquid Nitrogen, Helium, Hydrogen Peroxide, Red Fuming Nitric Acid and Hydrazine.

## MODULAR ARRANGEMENT

Only FLO-BALL design, with its rotating valve action, permits side-by-side grouping of several valves, all driven simultaneously by a single actuator.

## VERSATILITY


Only FLO-BALL design makes possible the interchanging of manual, motor or pressure actuators without changing the valve body.

*HYDROMATICS, the world's leading designer and manufacturer of high performance ball valves for military and industrial applications, offers the most extensive selection of designs to meet all your requirements; Manual, motor or pressure operated. For cryogenic, corrosive or general service media. Pressures from vacuum to 10,000 psi. Sizes from 1/4 inch to 12 inches.*


**Hydromatics, Inc.**

**70 Okner Parkway, Livingston, New Jersey**







1.



3.



2.



4.

### MANUALLY OPERATED FLO-BALL CONTROL VALVES

Sizes from 1/4 inch to 12 inches. Pressures from vacuum to 10,000 psi. Operating temperatures to -350 degrees F. Low torque operation; typical model requires only 5 pound force to operate at 10,000 psi. Fast, finger-flip action with 90-degree full travel. Positive open and closed indication with detent locks at extreme positions. Interchangeable flanges per AND10050, AND10056, Female NPT or ASA. Materials of construction include 2024 and 7075 Aluminum; Stainless Steel; Nylon, Teflon or Kel-F seals. These FLO-BALL manual valves are only one-quarter the size of any other type unit suitable for operation at comparable pressures and flow capacity.

### 3. MOTOR OPERATED FLO-BALL CONTROL VALVES

Sizes from 1/4 inch to 4 inches. Pressures from vacuum to 10,000 psi. Interchangeable flanges. Driven by D.C. motor actuators, these FLO-BALL valves provide on extremely smooth, fast acting response both on opening and closing. Motor actuator is thermally isolated from valve body. Full travel operating times from 0.5 to 20.0 seconds. Valve position is positively locked by a Geneva-Lock mechanism. Models available with remote light indication of valve position. Motor input voltage is 18 to 30 VDC. Automatic current shut-off is provided at the end of each operating cycle. Available with electrical connector, pigtail or pigtail with connector attached.

### 2. PRESSURE OPERATED FLO-BALL CONTROL VALVES

For airborne and ground support applications where maximum flow and minimum valve size and weight are required. Sizes from 1/4 inch to 12 inches. Pressures from vacuum to 10,000 psi. Interchangeable flanges. Sealed double-acting actuators, specially developed by Hydromatics to achieve maximum operating speed and efficiency. Full travel operating times as fast as 5 milliseconds. Actuator is thermally isolated from valve body to guarantee fast, positive action when operating at LOX temperatures. Open or closed valve position remotely indicated by a signal light, controlled by mechanical actuation of a sealed snap-type switch.

### 4. MULTI-LINE FLO-BALL PROPELLANT VALVES

Designed to handle LOX, JP-4 and all other missile and rocket fuels and oxidizers, these mechanically linked propellant valves are available in hundreds of line size combinations from 1/4 inch to 6 inches. Pressures from vacuum to 10,000 psi. The precision linkage insures constant valve timing and reliable control. A positive-lock "lead" adjustment is available to vary the valving sequence between the lines. Special designs include 3-way or bypass arrangements. Pressure-driven actuators may be specified to operate with gas or liquid at input pressures from 200 to 3,000 psi. Fast valve action, with full travel response times as short as 10 milliseconds.

## Hydromatics, Inc.



**BEFORE  
BOMARC GOES...  
PESCO POWER  
CHECKS-OUT  
WHERE IT'S GOING**

## Ground Support Package for Guidance Control

Designed and built by PESCO, working in close cooperation with FARNSWORTH ELECTRONICS CO., a complete "check-out" package assures accurate pre-launch testing of BOMARC's guidance control system. The motor-generator features a PESCO Permanent Magnet Alternator—of 1.0 kva, 400 cycle power output at 3,000 rpm. The entire package including motor generator, magnetic amplifier type of voltage and frequency controls is contained in two sliding rack panels. Frequency regulation:  $\pm 2\%$ ; Voltage regulation:  $\pm 1\%$  over a load range from 50-100%. PESCO creative engineering is offered, without obligation, to solve your Ground Support Equipment problems. Please contact:

### WESTERN BRANCH

### PESCO PRODUCTS DIVISION

Borg-Warner Corporation  
3310 Vanowen Street  
Burbank, California



# Arc-Furnace Gages Solid Life

In a program sponsored by Hughes Aircraft Co., Stanford Research Institute has developed several techniques for indicating when a solid propellant charge should be retired.

The project originally was aimed at solid propellants under consideration for Hughes' *Falcon* missile, and how

they would stand up when exposed to extreme environmental conditions. However, the results may be applied to solid propellants in general. The information is being applied also to establish the basic causes of aging, and the end target is to reduce effects that cause solid propellants to lose their effectiveness.

One approach is a non-destructive involving ultrasonic principles to predict a propellant's remaining service life when it is installed in a "ready" missile or held as a replacement.

A ceramic plate is cemented to the charge and an electrical signal applied to the plate. This creates ultrasonic vibrations which are absorbed by the propellant. Any change in the degree of energy absorption reflects changes in propellant character, and an electrical measure of progressive change is obtained.

Another technique utilizes an arc-image furnace to measure ignition requirements and ignition behavior of solid propellants.

The arc-image furnace transmits radiant energy from a carbon arc through a reflecting mirror and shutter system that controls the amount of energy applied to a propellant specimen. Effects of propellant aging upon ignitability can be determined by comparing the ignition energy requirements of fresh and laboratory-aged samples.

The effects of propellant aging are being observed by other methods—the measurement of burning rates and determination of physical properties such as tensile strength, shear strength and creep. The character and concentration of degradation products are being determined also by microscopic examination of propellant surface regions and various types of chemical analysis.

## Cold Matter Researched By U. of C. Electromagnet

Ultra-cold matter will be researched with the free world's most powerful, continuously operating electromagnet, just installed at the University of California. Studies at temperatures approaching absolute zero ( $-459^{\circ}\text{F}$ ) should aid in work with radar, missile guidance systems, and computers; also give exact information on non-available energy contained by various materials.

Chemists plan to use the newly-installed electromagnet to study matter in its degenerate state at the low temperatures. Recent findings over the past few years about the behavior of solid state materials at low temperatures have created a need for such facilities.

## Lewis Lab Shuffles

### Top Scientific Personnel

CLEVELAND—Concurrent with the establishment of the National Aeronautics and Space Administration, Lewis Research Laboratory here has made organizational changes.

Eugene J. Manganiello was appointed associate director of the center, succeeding Dr. Abe Silverstein who has been appointed director, Space Flight Developments, NASA headquarters.

Dr. John C. Evvard and Bruce T. Lundin were appointed assistant directors. Dr. Walter T. Olson and I. Irving Pinkel were named special consultants to Center Director Edward R. Sharp.

Dr. Evvard will direct the activities of the Materials and Structures Division, Nuclear Reactor Division, Instrument and Computing Research Division (formerly the Physics Division), and a newly created Advanced Propulsion Division.

Lundin will direct the research conducted in the Fluid Systems Division, Propulsion Aerodynamics Division, Propulsion Chemistry Division and Propulsion Systems Division.

The Advanced Propulsion Division will be concerned with research into thermonuclear, ion, plasma, magnetohydrodynamics and other energy sources for propulsion of aerodynamic and space flight vehicles.

Main changes within the Instrument and Computing Research Division was the transfer out of aerodynamic noise research and incorporation of the work in the computing sections of the present Research Services Division.

Appointments within the research divisions are:

Advanced Propulsion Division, Wolfgang E. Moekel, Chief; Instrument and Computing Research Division, Jesse H. Hall, Chief; Propulsion Aerodynamics Division, Carl F. Schueler, Chief; William A. Fleming, Assistant Chief; Propulsion Systems Division, David S. Gabriel, Chief.

No changes were made in the Fluid Systems, Materials and Structures, Nuclear Reactor, Research Reports, and Propulsion Chemistry Divisions.

Henry C. Barnett was appointed as Assistant to the Director.



USED ON THE NEW BOEING B-52 JET BOMBER



## New MS Miniature Plug

WITH SOLDERLESS SNAP-IN CONTACTS

## Cuts Wiring Assembly Time

as much as 80%

**CANNON KM SERIES**  
**FIRST TO MEET MIL-C-25955**  
**(USAF) SPECIFICATIONS**

**THE PROBLEM**—To design a miniature environmental-resistant connector, suitable for use on present and future aircraft, missiles and equipment, in accordance with military requirements. Dependability with simplicity to facilitate assembly, installation and field service were vitally important.

**THE SOLUTION**—Crimp-type solderless contacts, with wire insulation support, are used in the new KM. They can be easily snapped into place, or removed as necessary. Individual contacts can be serviced one at a time, without removing others. A specially designed moisture-sealing grommet replaces potting. Closed entry, machined socket contacts are probe-proof. All materials are of finest obtainable quality. Shells and related parts are of aluminum alloy, cadmium plated. Contacts are plated

with gold over a heavy silver undercoat.

These features combine to provide a plug of optimum reliability that can be assembled and installed with utmost speed and be easily serviced in the field.

The new KM mates with the Cannon KO Plug Series, and is available in a wide variety of shell sizes, styles and insert layouts. Hermetically sealed receptacles also available. *For complete information write for Catalog KM-1.*

**Come to Cannon for all plug needs**—27,000 kinds to choose from. If we do not have what you want we'll make it for you. The largest facilities in the world for plug research, development and manufacturing are at your service. Write us today about your problem. Refer to Dept. 138

**CANNON ELECTRIC COMPANY** • 3208 Humboldt Street, Los Angeles 31, California

*Where Reliability for YOUR Product is Our Constant Goal.*

Factories in Los Angeles; Salem, Mass.; Toronto; London; Melbourne; Paris; Tokyo. Representatives and distributors in all principal cities. Please see your Telephone Yellow Book or write factory.

# CANNON PLUGS



MADE BY THE WORLD'S LARGEST MANUFACTURER OF PLUGS AND CONNECTORS FOR ALL INDUSTRIES



STUHLINGER compares chemical and ion propulsion velocities.



WITH HIS CHILDREN, on a tour of Rocket City's Observatory.

# Stuhlinger: Maybe Mars Before Moon

**ABMA's research director thinks man may walk on Red Planet first; ion propulsion may do trick**

by Erica Cromley

If Dr. Ernst Stuhlinger's prophetic calculations are as accurate as his mathematical computations, you will open your newspaper one morning in 1978 to this headline: MAN LANDS ON MARS.

The director of the Army Ballistic Missile Agency's Research Projects Laboratory believes it is even possible that man will get to Mars before he tries the moon, because of our satellite's formidable 300° temperature spread and the problems involved in lunar landing.

The top research scientist on the Army's moon probe program and a top-runger on the famed von Braun team has already made inroads on the problems involved in ion propulsion—the ticket that will give man entrance to space travel. Mathematically investigated from all angles by Stuhlinger, the ion-propelled vehicle would use electrical power from solar or nuclear energy.

Despite his leaning toward a Martian-landing-first approach, Stuhlinger does not underestimate the importance of an American man-on-the-moon coup. Otherwise, his quip to a reporter in answer to how long it will take us to get to the moon may bear the germ of an unhappy truth. "Twelve hours," Stuhlinger said "One to get

there and eleven to get through Russian customs."

Although such Stuhlinger witticisms are considered rare—"serious" is the word used most often to describe him—his close friends maintain he has a sharp and ready sense of humor.

Dr. Stuhlinger, at first appearance, is a mild-manner, excessively polite man. Closer inspection discloses a man who is a curious combination of scientific—almost pedantic—intensity and marked self-effacement. Praise of his work is met with noticeable embarrassment and protestation that any applause should be shared by the entire Redstone team.

"Our group is a big one and it works only because everyone works together," he said. "The success of the *Explorer* belongs to the von Braun team."

Wernher von Braun reveals that his research chief was upset when news-stories spotlighted Stuhlinger as the man who "pushed the button" for firing the second stage of *Explorer* I. "They have blown up my golden finger to make ill-conceived publicity," he told von Braun.

Nonetheless missile engineers feel the acclaim was justified. Although the space scientist had made advance the-

oretical calculations, Stuhlinger had exactly 3 2/3 minutes to recalculate at the time of flight on the basis of actual performance. As *Explorer* passed over San Francisco, Stuhlinger gave the signal and America's first man-made moon was on its way.

For all the publicity that comes to Stuhlinger via the *Explorer* and his work on ion propulsion, these areas are a minor part of the overall picture.

Says von Braun: "Stuhlinger's work covers the whole pie. Research in the field of plasma-flow—hydromagnetics, the cosmic radiation belt, and wave propagation. But his main job is to keep his eyes and ears open for progress in other fields that can be used in the missile field."

Stuhlinger has his own research budget and can select and let his own contracts. But like so many scientists who concentrate on pure research, he has to fight a continuous battle for funds. Governmental purse-string holders, never known for lavishness, are especially chary if they don't see the promise of a practical item.

• **Research problems**—Stuhlinger now has "a little money" for ion propulsion research. He lists the main problems as follows:



# MOISTURE PROOF

## EVEN AT VARYING ALTITUDE PRESSURES

**CERTI-SEAL**, AMP's all new moisture proof window connector, prevents moisture breathing at altitude. Tin plated copper rings are crimped over wire insulation to seal out vapors and fluids. Made for over 100 different insulation diameters in military specifications, **CERTI-SEAL** exceeds all specifications for:

- corrosion resistance
- vibration resistance
- flame resistance
- tensile strength
- dielectric strength
- immersion tests

*Send for samples and literature from:*



# AMP INCORPORATED

**GENERAL OFFICES: HARRISBURG, PENNSYLVANIA**

A-MP products and engineering assistance are available through wholly-owned subsidiaries in: Canada • England • France • Holland • Japan



STUHLINGER CONCEPT of ion-propelled space vehicle.

(1) the ion source must give 90% to 95% ionization.

(2) the ion beam must be so formed and controlled that it won't hit electrodes.

(3) the beam must be neutralized after leaving the thrust chamber.

(4) electrical energy must be produced.

(5) other ion sources should be investigated, particularly heavy molecules of atomic weight on the order of 200.

(6) design of the turbine must take into account lubrication, weightlessness, bearing sealing, high temperature operation.

(7) the electrical generator must be designed to present no cooling problem, no brush and commutator problems.

(8) the radiation cooler must be lightweight and not overly sensitive to meteors, perhaps segmented so that if one part gets punctured it can be cut out of the circuit while being repaired.

(9) guidance system must be perfected for interplanetary space.

(10) adequate crew compartment must be developed. Other problems to be faced include artificial gravity, feeding and communications in space.

When the Redstone scientist talks about his work and problems to be solved, he becomes an intense and persuasive salesman with a cause. The hesitant voice takes on a professorial, almost autocratic tone. When asked a question, he invariably starts out with: "The answer to that is the following: . . ." During the short space of the statement, his mind prepares the answer, which he gives in his rolling

German accent while he draws out his pencil and illustrates with a diagram.

• **Background**—The two-toned Stuhlinger personality had its beginnings at Niederrimbach, Germany. He was born in 1913 in a family of teachers—they were his father, mother, two grandfathers and most of his uncles and aunts. His two sisters and two brothers-in-law also are in teaching. Young Ernst went along with the family tradition when, after receiving his doctorate in physics, he was appointed assistant professor of the Berlin Institute of Technology's physics department.

He was a faculty member from 1935 to 1941, working closely with Dr. Hans Geiger, developer of the Geiger counter. It was not until after a stint in the German Army that Stuhlinger entered rocket work, and met von Braun who was technical supervisor of the Rocket Development Center.

"When he was assigned to Peenemünde in the spring of 1944, he was still wearing his Army uniform," von Braun recalls. "He was a one project man in guidance and control and in no way a big wheel. It was quite awhile before we discovered we had a golden egg."

Stuhlinger's new assignment was a welcome challenge after surviving the battle of Stalingrad and a 600-mile hike through the Russian winter. A combination of a minor wound and the German Command's need for engineers brought him the V-2 assignment.

In 1946 he came to this country as

one of the top ten of von Braun's 100 German V-2 scientists. He first conducted research and development work with guided missiles at Ft. Bliss, and assisted in high-altitude research firing of captured V-2's at White Sands Proving Ground. In 1950 he went to Redstone Arsenal where he has become, in his boss's words, "a kind of vice president in charge of research." The von Braun team has grown to 4,000 engineers, scientists and technicians.

• **Part of the team**—Stuhlinger, like others of the von Braun team, has been offered jobs by industry paying many times his present salary, but his loyalty to von Braun and the team won't permit him to consider these offers. "I would rather work on the Huntsville team than any other," he said. "It has a record of real achievement in space activity."

One of the rare scientists able to bridge the gap between theoretical physics and practical research programs, Stuhlinger is a prolific contributor of papers at IAF meetings and technical journals, including the article "Ion Propulsion and Why" which appeared in *m/r* in June of last year. He plans to publish a book on the subject.

Stuhlinger says "Ion propulsion never will be practical for small interplanetary vehicles. I believe 50 tons is about the smallest size spacecraft which would use it. Smaller than that you would use chemical propulsion. I visualize a very large craft for a Mars expedition—several hundred tons."

The man who forsees a Martian landing in 20 years, and who will have played an important role in its achievement, earnestly hopes we will put more money into pure research before too long. "This is the way to scientific progress," says Stuhlinger. "Science should not have to ride piggy-back on the military."

## Navy-Air Force Asking Bids For Rocket Target

The Navy and the Air Force want a medium sized rocket or ramjet propelled target aircraft for missile firing, fighter and interceptor aircraft.

A joint design competition among manufacturers, seeking an air launched high altitude, expendable target with short flight duration has been announced by the two services.

Requests will be mailed late in October to manufacturers asking for detailed design proposals for competitive evaluation.

In addition to rocket or ramjet propulsion, air turbo rocket also has been considered for the target vehicle which must be low in cost and high in speed.



What the eye would see on the other side of the moon has intrigued and defied the imaginations of scientific minds for centuries. But there's another way to look at moon trips—from a very much down-to-earth point of view. The Space Age is built upon the ingenuity and capabilities of American scientists and engineers who have solved the myriad problems of the space arts—propulsion, stabilization, and control of launching vehicles—and the transmittal, reduction, and analysis of data so that man can comprehend the scientific import of his achievement. The Telecomputing Corporation, through the specialized activities of its six divisions, has contributed significantly to advancements in each of these areas of the space arts. Look to the skills, experience, and facilities of Telecomputing for the solution of your control and data processing problems. Write today for your copy of the TC story—"Blueprint For Progress"

## ANOTHER WAY TO LOOK AT IT

### DIVISIONS AND SUBSIDIARIES OF TELECOMPUTING CORPORATION



**BRUBAKER ELECTRONICS** An R & D leader in the field of ground and airborne IFF components, test & checkout equipments—IFF systems analysis—Air Traffic control systems—radar beaconry—detection equipments.



**WHITTAKER GYRO** Leading producer of electrically driven and spring-wound free gyros, rate and floated rate gyros for advanced missile systems—rate of roll, pitch, and yaw indicators for manned aircraft—bank and turn indicators.



**DATA INSTRUMENTS** Pioneers in equipments for fast and accurate analysis of test data, with automatic recording of punched cards, tapes, or printed lists—for aircraft and missile flight tests, industrial and scientific applications.



**ENGINEERING SERVICES** Specialists in rapid, accurate reduction and evaluation of military and commercial data. Currently handling data reduction for daily missile firings at Holloman Air Force Base.



**WHITTAKER CONTROLS** The largest developer and builder of custom-built high-performance hydraulic, pneumatic, and fuel valves, controls, and regulators for advanced missile, aircraft, and industrial applications.



**NUCLEAR INSTRUMENTS** Designers and builders of high quality, reliable equipments for prelaunch checkout and testing of nuclear special weapons.

### TELECOMPUTING CORPORATION

915 North Citrus Ave., Los Angeles 38, California



Circuit Development  
Group Leader Ralph Wolcott  
(left) considers future changes  
in computer output unit for  
bombing—navigational systems.

*Ground-floor  
opportunities in*

**COMPLETELY INTEGRATED B-70 WEAPON SYSTEMS at**

# IBM



Project Engineer Robert J. Cantwell (left) uses a system of gimbals to describe navigational problems in the analysis of a new system design.



Staff Engineer William Howard (center) reviews gearing accuracy requirements of test equipment with electronic circuit designers.

The design and development of advanced air computers for the B-70 exotic-fueled bomber—an unusual opportunity to highly qualified engineers and scientists today. At IBM Owego you now have a chance to work on **completely integrated weapon systems** for this jet "flying computer." And a real challenge joining this new Division — helping develop this new long-range, high-speed bomber which will usher in entirely new characteristics of manned aircraft. In addition, you have all the advantages . . . of the security . . . of IBM.

**Challenging assignments now open:**

- Airborne digital & analog computers
- Units & systems test equipment
- Inertial guidance & missile systems
- Radar electronics & systems
- Information & network theory
- Servomechanism design & analysis
- Magnetic engineering
- Theoretical physics
- Maintainability engineering
- Transistor circuits
- Optics
- Other openings in related fields to broaden your skills and knowledge

**QUALIFICATIONS:** B.S., M.S. or Ph.D. Degree in Electrical or Mechanical Engineering, Physics, or Mathematics, and proven ability to assume a high degree of technical responsibility in your sphere of interest.

**FOR DETAILS,** just write, outlining background and interests, to: **Mr. P. E. Strohm, Dept 604W**  
Military Products Division  
International Business Machines Corporation  
Owego, New York

IBM is a recognized leader in the rapidly expanding electronic computer field. Its products are used in both military and commercial applications. You can find ground-floor opportunities for technical achievement and professional advancement at IBM Owego. IBM's liberal company benefits set standards in the industry today. Salaries are commensurate with your abilities and experience.

## IBM

## MILITARY PRODUCTS

Plants and laboratories: Endicott, Kingston, Owego, Poughkeepsie, Yorktown, N. Y.; Lexington, Ky.; Rochester, Minn.; San Jose, Calif.



## Crosley Div. Readies For Avcomb Production

The Crosley Division, Avco Manufacturing Corp., Cincinnati, has announced development of a stainless steel honeycomb sandwich.

Called Avcomb, the lightweight paneling will be of value in missile and spacecraft applications, Crosley spokesmen said.

The material is said to have the strength of solid steel with but a tenth the weight. It reportedly will stand air friction heating up to 600 degrees F. without significant strength loss. This is about three times as much as aluminum, the company said.

Avcomb is in pre-production stage at Nashville, Tenn. Test and experimental quantities are being produced and studies are under way on mass production methods. The material has been produced in flat and curved panels. It was tested in late September.

## NASA Appointee Hailed 'Fortunate' Choice

John A. Johnson, general counsel of the Air Force for six years, has been named chief counsel of the new National Aeronautics and Space Administration.

In making the announcement Administrator T. Keith Glennan, disclosed that Walter T. Bonney has been appointed public information officer. Bonney, who has been acting PIO, formerly headed the Public Information Office of the National Advisory Committee on Aeronautics which was absorbed by the new agency.

The appointment of Johnson was hailed as a "fortunate" one by Andrew G. Haley, president of the International Astronautical Federation who is known as the Dean of Space Law.

"A very thoughtful and prudent appointment," said Haley, "in view of his aeronautical and State Department experience. The two combined give him a basic 'feeling' for the law of outer space."

Johnson was with the State Department for two years (1946-1948) as assistant for International Security Affairs in the Office of United Nations Affairs. In that capacity he worked on international legal problems that involved the Security Council, Atomic Energy Commission, the Military Staff Committee of the United Nations and the United Nation's Commission for Conventional Armaments.

As head of the Air Force's legal department since 1952, Johnson has been aware of the problems involved in the development of international space law. He has had responsibility for several comprehensive studies of

the subject made by the department. However, he feels this is strictly a long-range problem. "The law will follow man's activities," Johnson said, "it always has."

He thinks control of space will be a long time coming. Meanwhile he has suggested that all satellites be subject to international inspection prior to launching and that "certain types of information" obtained for space activities be made freely available.

The 43-year-old attorney, who holds degrees from De Pauw University, the University of Chicago and Harvard, joins NASA October 27th. Meanwhile, Paul G. Dembling, former-

ly NACA general counsel has been acting general counsel.

## Missile Displays Set For AOA Annual Session

Missiles again will have the spotlight during the annual meeting of the Association of the U.S. Army in Washington, October 20-22.


Among exhibits will be a *Redstone* engine recovered from the sea after re-entry, an aluminum replica of the *Jupiter* nose cone, and the first exhibit of some new Signal Corps missile monitoring radar equipment.

Pointing up the missile theme will be a *Jupiter C*.



224 of Connecticut's manufacturers are producing missile parts or providing services to the missiles industry. An additional 272 have the ability and interest to perform missile work. This Directory lists missile parts and other products being made by these companies, and gives a numerical breakdown of personnel involved in manufacturing. It also lists research facilities. Here's a valuable guide for procurement officers and major missile manufacturers seeking skilled subcontractors. Write for your free copy to the Connecticut Development Commission at the address below. Or phone LeRoy Jones, Chief of Industrial Development, JACkson 7-6341, extension 548.

**CONNECTICUT DEVELOPMENT COMMISSION**  
Dept. M • State Office Building • Hartford 15, Conn.



## Wide variety of alloy and stainless steel products made possible with Standard's new electric melting furnace

With installation of our new electric furnace, we at Standard are now equipped to give you even better service—even faster deliveries—and much greater variety of steel analyses—than ever before.

These expanded facilities provide you with an in-plant source of forgings, castings, rings and flanges from virtually any specialty alloy steel, including bearing grade steels, tool steels, high temperature steels, and stainless steel.

Discuss your next requirements with us. You will appreciate our service as well as our quality. Write Dept. 6-K

**Standard Steel Works Division**  
**BALDWIN · LIMA · HAMILTON**

BURNHAM, PENNSYLVANIA

Rings • Shafts • Car wheels • Gear blanks • Flanges • Special shapes





# Liquid Engines Lead Space Power Race

**But with Russia leading in single-chamber work, improved propellants must evolve with engine development**

by Alfred J. Zaehring

Despite the gains being chalked up by solids during the past year (*Pershing*, *Polaris*, *Minuteman*) liquid propellant rockets are still far out front in the propellant race, both from the standpoint of performance and size. Though solids have put a big dent in terrestrial weapons, liquids are reacting vigorously by expanding out into space.

Even though the push toward raising specific impulse of liquids is still on, liquid engine manufacturers are not wanting in scale-up. The *Jupiter* IRBM engine is to be regarded as the first major step away from the old V-2 engine. The *Redstone* engine, which has attained a powerplant reliability of some 94%, can be regarded as the prototype for the *Jupiter* engine. *Jupiter's* engine, with a nominal rating of about 165,000 pounds thrust, also serves on *Thor* and *Atlas*.

In the same manner, the German A-10 engine (rated at 441,000 lb) probably served as a model for the current Soviet T-2 engine. The T-2 engine, a single-chambered affair, is definitely rated above the 220,000 lb thrust class. More probably it is in the 250,000-270,000 lb thrust class—making it the world's largest existing single-chambered engine.

Whether the T-3 powerplant is single-chambered or is clustered is not known with any degree of surety. An accompanying table lists some of the liquid engines that show the evolutionary pattern mentioned.


• **Million-pound goal**—It is now becoming apparent that the Soviets have been working on a single-chambered rocket engine of at least one million pounds thrust for about 8-12 months. In another 4-6 months, this mammoth engine should be ready and should pave the way for more startling satellites and space missions. Even *Sputnik III* should then be small stuff and the US will again be shocked. The one meg Russian engine is already in the test stand.

By contrast, the million pound US engine is still some years off, estimates George Sutton of Rocketdyne, member

of the single-chambered engine developers for the Air Force. Taking into account the lead time involved in the *Atlas* program and subtracting the learning process, the best guesstimate is that the megapound engine will not be ready for missile use before 1962.


• **1.5 Meg-cluster**—For this reason, this nation has placed a back-up program into effect for developing a clustered engine of at least one million pounds thrust. Roy Healy, Rocketdyne's *Jupiter* engine manager, figures that by clustering the proven *Jupiter*

## How Jupiter May Be Clustered





**precision...  
accuracy...  
performance**



**Motor-generators**



**Synchros**



**Servomotors**

Maximum precision, performance, and accuracy are inherent in all Kearfott components. Superior performance under the most adverse environmental conditions is assured.

**Synchros:** Sizes 25 through 8  
Errors as low as 20 seconds

**Motor-generators:** Sizes 15 through 8  
Linearity better than 0.01%

**Servomotors:** Sizes 25 through 8  
Wound for transistorized amplifiers

Components are available to withstand high temperatures (up to 200°C), severe vibration (to 2000 cps), and shock (to 50 G). Corrosion resistance and light weight are further reasons for the extensive use of Kearfott components in operational and developmental missiles and aircraft. Write today for engineering data.

*Engineers: Kearfott offers challenging opportunities in advanced component and system development.*

**Kearfott**



**KEARFOTT COMPANY, INC., LITTLE FALLS, N. J.**

A Subsidiary of General Precision Equipment Corporation

Sales and Engineering Offices: 1378 Main Ave., Clifton, N. J.

Midwest Office: 23 W. Calendar Ave., La Grange, Ill. South Central Office: 6211 Denton Drive, Dallas, Texas

West Coast Office: 253 N. Vineland Avenue, Pasadena, Calif.

## ... liquid engine

engines, the million pound goal can be ready in about a year.

Eight *Jupiter* engines could be clustered to provide 1.3-1.5 megs of thrust. Possibly the inner four clusters would be on gimbals to provide stabilization while four outriggers could be used for boost and later jettisoned.

Much larger vehicles (and hence payloads) can be boosted into space with these high thrust engines. However, for more sophisticated space ventures, engines of at least 6-15 million pounds of thrust will be required. Thus the eight engine *Jupiter* cluster would eventually have to bow out to the single-chambered 1 meg engine. For over 10 million pounds thrust, a 2-5 meg single-chambered engine will have to evolve.

• **Propellant prospects**—It will be much easier if propellants could also evolve with the engines if serious space missions are to be considered. Use of fluorine-hydrazine could materially reduce the size of the ICBM and the moon impact rocket. Although LO utilization will continue for some time, new storable liquids appear destined to take over terrestrial liquid rocket weapons systems.

Fluorine rockets will probably be used for major space applications until nuclear and ion rockets take over. It looks as if fluorine will be extensively used for boosting space aggregate providing, of course that solids don't manage to snag this field also.

• **LOX vs. storable**—The current feeling is that if you are going to have to work with a messy cold fluid like LOX, then you might as well get messier and go to something with higher performance. Many difficulties associated with LOX systems probably can be attributed to the low temperatures encountered in dealing with this fluid (-297 F). Pumps, seals, and valves are especially critical items.

Therefore, storable liquids are being seriously considered as the next step in improving the characteristics of liquids. Foremost among the LOX replacement candidates is nitrogen tetroxide. Available in tonnage quantities,  $N_2O_4$  is a high density (about 12 lb/gal at 77 F) liquid with a boiling point of about 70 F at atmospheric pressure. The vapor pressure is about 62 psig at 140 F., which means that it can be stored without refrigeration.

One large producer, Allied Chemical, reports that both Bell Aircraft and Rocketdyne have done work with the oxidizer. In addition, there have been





*Perchloryl Fluoride...*

## a new rocket fuel oxidizer...

offering important chemical and physical advantages

Pennsalt "PF"<sup>®</sup> (*Perchloryl Fluoride*— $\text{ClO}_3\text{F}$ ) is the first oxidizer designed for rocketry. The unique chemical properties of "PF" include high oxidizing power ... and its physical properties offer notable advantages. Your investigation is invited.

**STORABLE.** Readily shipped and permanently stored in liquid form without refrigeration (M.P., minus  $231^\circ\text{F}$ ; B.P., minus  $52.3^\circ\text{F}$ ).

Non-corrosive—safer for personnel.

Compatible with common materials.

Low toxicity.

**STABLE.** Not sensitive to shock.

Thermally stable in all climates.

Non-incendiary, i.e., not hypergolic with clothing, wood, tissue, etc.

Permanently storable without decomposition.

### **SUPERIOR PERFORMANCE.**

Provides high specific impulse.

$I_s$  = approx. 270 sec. (with hydrazine @

$p_c$  = 500 psia; frozen equilibrium)

Readily ignited...extremely smooth combustion.

**WRITE** for technical literature. Pennsalt "PF" is available in small cylinders, 100-lb. cylinders and ton quantities for shipment in the United States.

Commercial Development Department 660, Technical Division  
**PENNSALT CHEMICALS CORPORATION**


Three Penn Center, Philadelphia 2, Pa.

Circle No. 45 on Subscriber Service Card.



OUR  
BUSINESS IS  
**CONTROLS**

FOR  
THE FULL  
SPECTRUM OF  
PROPULSION SYSTEMS



Bendix\* has long been a leader in supplying controls and fuel systems for all types of aircraft engines. Today, Bendix is proving to be a natural for new challenges in related missile fields—on ram jets, rockets, nuclear power, and other advanced propulsion systems. So, when it comes to controls, remember that Bendix has the background—and is anxious to share it in solving your problems.


\*REG. U.S. PAT. OFF.

**BENDIX** PRODUCTS DIVISION **SOUTH BEND, IND.**



Circle No. 46 on Subscriber Service Card.





LOX-BASED systems are phasing out, storables will be used to bridge gap between LOX and fluorine. Small bar with each propellant combination on the chart gives the impulse times density ratings of the combination.

reports that Redstone Arsenal has taken a serious look at the tetroxide as a substitute for LOX. The oxygen content is about 70% by weight.

Performance is slightly under LOX but the higher density makes the difference. In a V-2 type vehicle, the use of N<sub>2</sub>O<sub>4</sub> will give a 12% increase in range because of the higher density. The oxidant is hypergolic with such fuels as hydrazine, cyclic hydrazines, aniline, toluidine, and xylidine with furfuryl alcohol, cyclopentadiene, pyrocatechol, and metal carbonyls. Another advantage is the fact that it is non-corrosive to ordinary carbon steel under anhydrous conditions.

Another bright prospect for a storable liquid is perchloryl fluoride (PF), ClO<sub>3</sub>F. Pennsalt has rushed this oxidant out in time to hit the increasing storable liquid interest. Performance is slightly greater than for nitrogen tetroxide, though it has a better impulse-density rating. PF melts at -231 F and boils at 53 F. Vapor pressure at 71 F is 176 psia. PF also is non-corrosive when anhydrous. Density of liquid PF is about 1.4 g/cc.

• **Ozone out**—The application of liquid ozone to rocket propulsion is practically dead. Of considerable in-

terest is the fact that Clark Thorp, one of the nation's outstanding ozone exponents, has left Armour Research Foundation. ARF was one of the last strongholds in advocating use of liquid ozone for an oxidant.

On the other hand, it appears that the Russians have not given up on ozone and, in fact, may have already applied it for liquid rockets. It may be that the Soviets are using liquid ozone in combination with LOX to give immediate propulsion gains.

• **Monopropellants uncertain**—Despite the wild claims about liquid mon-

opropellants, the fact remains that only a handful of US groups are actively working on liquid monopropellants. These are: NARTS, Phillips Petroleum, Stauffer Chemical and Wyandotte Chemicals.

Performance over 250 I<sub>sp</sub> apparently is not too hard to achieve; the big stumbling block is sensitivity. Aside from low performance auxiliary power systems, no liquid monopropellants are operational—nor are they likely to be for at least 5 years—and then only in small engines.

• **Fluorine in lead**—The most likely

## Leading Liquid Rocket Engines

Engine	Sea Level Thrust (lb.)	Engine length (ft.)	Engine diameter (ft.)	Exit Nozzle diameter (ft.)	Notes
Viking .....	20,000	2.85	1.6	1.6	RMI
Vanguard .....	27,000	3.2			X-405 by GE
V-2 .....	56,000	5.67	3.1	2.4	German, LOX-alc.
Jupiter-C .....	~ 79,000				Hydine fuel-LOX
Jupiter .....	~ 165,000	7.0	2.5	4.0	Rocketdyne, LOX-RP
Saenger .....	220,000				Rocketdyne.
T-2 .....	> 250,000	11.0	5.0	5.5	German, LOX-oil.
A-10 .....	~ 441,000	12.0	6.0	6.0	Soviet IRBM.
T-3 .....	> 500,000				German, LOX-oil.
	1,000,000	17	7	8	Soviet ICBM, Rocketdyne.

# AiResearch centralized air data computing system...

## on Navy's new McDonnell F4H-1

...supplying the following major airplane subsystems: Autopilot, Air Induction, Armament Control, Navigation, Surface Controls, Cockpit Indication and Pneumatic Static Pressure Correction.

The AiResearch centralized air data computing system integrates pneumatic, electronic, electrical and mechanical components on one of the Navy's fastest jets. It senses, measures, and automatically corrects all air parameters affecting flight. It supplies air data information to the pilot and all major airplane subsystems.

This centralized combination of transducers, computers and indicators is the

most complete air data computing system ever devised. It enables aircraft to operate at maximum efficiency continuously.

Eliminating duplication of components, the AiResearch centralized air data computing system cuts down space and weight requirements over decentralized systems by many times. Its principal functions: angle of attack, true static pressure (electrical and pneumatic), true air speed,

true Mach, altitude, rate of climb, total temperature, dynamic pressure and altitude and Mach error.

AiResearch has been the leader in the development of centralized computing systems. The F4H-1 installation is the first, single package air data computer possessing completely interchangeable, modular construction.

Your inquiries are invited.



**THE GARRETT CORPORATION**


### AiResearch Manufacturing Divisions

Los Angeles 45, California • Phoenix, Arizona

Systems, Packages and Components for: AIRCRAFT, MISSILE, ELECTRONIC, NUCLEAR AND INDUSTRIAL APPLICATIONS



## ... liquid fuels battle



**EVOLUTION** of liquid rocket engines. Drawn to scale, growth from 27,000 lb. thrust *Vanguard* engine (at left) to 1 million lb.

thrust Rocketdyne model. Soviet T-2 engine is about twice as powerful as *Jupiter* engine.

chemical contender to succeed in liquid rockets will probably be liquid fluorine. Despite messy handling, toxicity problems, and high cost, fluorine figures big in future space applications.

Both Rocketdyne and Bell Aircraft have fired medium thrust fluorine rockets, while NACA has put in several years of work on fluorine systems. With NACA forming the nucleus of NASA, it is expected there will be a pitch for large fluorine rockets.

Fluorine is probably the last chemical plateau that rocket engineers can look to. It shouldn't be too difficult to get an  $I_{sp}$  of at least 300 seconds immediately. Large fluorine rocket engines is not too far off. The Air Force rocket engine test stand at Edwards is getting ready to handle a liquid fluorine engine (probably a modified *Jupiter* IRBM) of about 170,000 pounds thrust for a duration of up to one minute.

Fluorine has been trucked around the country for some time, but supplying this material on overseas bases may be another matter. For this reason, it looks like anhydrous HF will be shipped to remote bases where it can be electrolyzed to form elemental fluorine.

• **Fuel fiasco**—For a long time there had been a mistaken belief that fuels were the thing to look for in radical rocket performance increases.

It has been found that, with a given oxidizer, the range in specific impulse from the hydrocarbons to the exotics to hydrogen lies in a quite narrow band. For this reason, other factors such as cost and handling are often more compelling deciding parameters.

Currently, the swing has been from the alcohols to petroleum hydrocarbons. The next step will be toward hydrazine base stocks. Whether the boron exotics will move into the rocket engine field is debatable. Boron hy-

drides are having a hard enough time proving themselves in turbojets and ramjets, let alone in rockets. One of the big stumbling blocks is the high combustion temperature which, in large rockets, means short durations or cooling.

The thermal stability of boron exotics will probably preclude them from use in regeneratively-cooled engines. For this reason, boron may make a bigger dent in the solid rocket picture than in the liquid field.

### MIT'S Weber Named Advisor in Army R&D

Dr. Harold C. Weber of the Massachusetts Institute of Technology and member of the Army Scientific Advisory Panel, has been appointed Chief Scientific Advisor Consultant to the Army's Chief of Research and Development.

Professor of chemical engineering at MIT since 1921, Dr. Weber is the author of numerous technical articles and the textbook "Thermo-dynamics for Chemical Engineers." He was also a contributor to "Marks' Mechanical Engineers' Handbook."


The new scientific advisor received his BS from MIT in 1918 and his doctorate in science from the Eidgenössische Technische Hochschule in Zurich, Switzerland.

### French Army, Air Arms To Split Missile Work

French Minister of Defence Guillaumat has ordered what official communiques called a "specialization of the efforts" of the Army and Air departments in the fields of missiles, it was recently announced.

Under the order, the Department of Ground Forces will concentrate its efforts on development of all types of ground-to-air missiles. The Department of Air will concentrate on the development of ground-to-ground, and air-to-ground—as well as air-to-air weapons. These latter will include the short-range SS 10/11/12 anti-tank missiles.

The order, however, specifically does not forbid the Army to work with aircraft manufacturers in future missile development.



## MICRO MINIATURIZATION FOR DIGITAL COMPUTERS

*12 resistors, 4 capacitors, 4 diodes and 4 transistors...  
all are contained in the complete flip-flop circuit illustrated above.*

At the Hughes Research & Development Laboratories, dramatic reduction in component size is symbolic of the advances in the digital computer art...advances which are preparing the digital computer for its role as a system control in space.

In addition to developing new digital circuits and components, Hughes engineers are delving into other digital computer space mission tasks such as navigation guidance and control, communications processing and display, vehicle control, mission programming.

An intensive Hughes program in digital computer systems has created openings for

creative engineers and physicists with degrees from accredited engineering universities in the following fields:

**CIRCUIT and COMPONENT DEVELOPMENT:** Digital Computer Analysis, Micro-circuitry and Cryogenics, Solid State Physics, Magnetic Storage Devices.

**SYSTEMS ENGINEERING:** Closed-loop Digital Control, Digital Sensing and Conversion, Radar and Communications Information Processing, Inertial Navigation.

The salary structure for these personnel reflect the exceptional backgrounds required and the unusual challenge of the projects.

Inquire by writing directly to:  
Dr. Allen Puckett, Associate Director  
Systems Development Laboratories

**HUGHES**

Hughes Aircraft Co.,  
Culver City 13, California

© H. A. G.

Circle No. 48 on Subscriber Service Card



## Tooling for Space Age Feature of L.A. Show

The challenge of space age tooling requirements highlighted the technical sessions held in connection with the first biennial Western Tool Show in Los Angeles under the sponsorship of the American Society of Tooling Engineers.

With 250 exhibitors displaying more than \$5 million worth of products ranging from automation to assembly and fastening devices, theme of the five-day event was "Tooling for the Space Age."

Precision, in the future, will be measured in millionths rather than tenths of thousands. "And when we stop to reflect that such tolerances encroach upon the measurement perimeters of our own Bureau of Standards one must certainly ask 'where do we go from here?'" observed A. S. Turner, assistant chief tool engineer for the Northrop division of Northrop Aircraft.

The job of tooling the *Snark* missile was found in the inner components rather than in the outer structure, Turner reported in a paper on the Air Force's first intercontinental missile. Fine tolerances that defy conventional tooling techniques are the rule rather than the exception in the guidance section of the *Snark*. He told how equipment to generate gear teeth of 5.0 secs. of arc from tooth to tooth, noncumulative over 54 teeth, was developed.

The use of optical measurement will increase to the point of becoming routine practice in missile tooling, Turner said.

L. G. Granstedt, chief tool engineer for Convair-Astronautics, also emphasized the use of optical tooling in obtaining the alignment of the component pieces that go into the assembly of a

missile, such as the *Atlas*. From the *Atlas*, Convair learned that tool designers must get into the field of special mechanized tools and the jig and fixture man must become, to a degree, a machine tool builder.

"Automatic controls on tools are not a thing of the future, but, as on the *Atlas*, are an established fact of the present," Grandstedt declared. The broadening field of tool engineering is encompassing previously unrelated fields of machine design and electronics, he added.

In this age of phenomenal engineering developments, manufacturing must be as visionary as engineering, said T. F. Vajda, supervisor of tooling and manufacturing methods at Plant B-9 of Lockheed's Missile Systems division. He declared that tooling, methods and ingenuity become synonymous.

## Nike Hydraulic Test Stands Awarded Hufford

*Nike* missile system hydraulic test stands will be provided by the Hufford Division of the Siegler Corp. under a contract in excess of \$350,000 awarded by Douglas Aircraft Co., according to Dan W. Burns, Hufford president.

Under the terms of the contract, the second of its type to be received, Burns said, Hufford will provide an undisclosed number of test units to be used in *Nike* sites for periodic functional tests of hydraulic components in the ground-to-air missile's launching equipment. Test stands of this nature are required, he said, to make certain all segments of the launching equipment's hydraulic system are operational following a protracted period of setting in the ready position.



## Transistorized FREQUENCY STANDARDS

- ★ Provide stable frequency source for missile requirements
- ★ Light weight—small size
- ★ Ruggedized for missile service

Compact, rugged, completely transistorized units . . . consisting of crystal controlled oscillator, six binary counter stages and tuned power output stage. Provides precision time and frequency reference. Proved out in current missile projects by all three armed services. Various frequencies and accuracies are available as required.

### TYPICAL SPECIFICATIONS

Type TFS-400-28D


Output Frequency . . .	400 CPS
Frequency Accuracy . .	$\pm 0.002\%$
Under the following conditions:	
temperature . . . . .	0 to $+60^{\circ}\text{C}$
voltage variation . . .	25 to 30 VDC
vibration . . . . .	0 to 2000 CPS @ 10G
Output Power . . . . .	50 Milliwatts
Output Impedance . . .	80 Ohms
Input Voltage . . . . .	28 Volts DC
Input Power . . . . .	1 Watt
Heater Voltage . . . . .	28 Volts DC
Heater Power . . . . .	3 Watts DC
Size . . . . .	$4\frac{1}{2}''$ long x $1\frac{3}{4}''$ diameter
Weight . . . . .	11 Ounces

Write for data sheet or information on your specific requirements.

*Designers for Industry*  
Incorporated 1935

4241 Fulton Parkway • Cleveland 9, O.  
Circle No. 6 on Subscriber Service Card.

## Newest for Navy Missiles



**GUIDED MISSILE FRIGATE** will be built by Bethlehem Steel, at Quincy, Mass., which recently received a letter contract for design and construction for \$10 million, with fixed price contract to come. Scheduled for delivery in January, 1962, the ship—designated DLG(N)—will have twin *Terrier* missiles fore and aft, plus conventional armament. Bethlehem already has contracts for the first nuclear-powered guided missile cruiser, the "Long Beach," and installation of *Terrier* handling and guidance systems for three conventionally-powered guided missile frigates.

missiles and rockets, October 20, 1958



11-53

## Man-Machine Relationships: A New Field for Scientists and Engineers

A new field for Operations Research Specialists, Engineers, Computer Programmers and Behavioral Scientists has arisen from System Development Corporation's work on relationship of men and machine systems.

It involves two major projects: 1 *creating and conducting large-scale training programs in present and planned air defense systems*; and 2 *operational computer programming for SAGE*.

Attaining the most effective interaction between men and machines is of prime importance. It requires intensive effort in an unusual combination of technical and scientific areas; it is a new field of endeavor.

Both activities also have these elements in common: they are constantly changing • they are long-range in nature • they are essential to the welfare of the United States.

The close interrelationship of these two major projects, the widely

diversified specialties involved in them, and the dominating influence of man-machine relationships make SDC's work unique. Operations Research Specialists, Engineers, Computer Programmers, Behavioral Scientists—all find their assignments reflect the unique qualities of this new field.

The expanding scope of SDC's work has created a number of positions in these fields. Inquiries are invited. Address: R. W. Frost, 2414 Colorado Ave., Santa Monica, California, or phone collect at EXbrook 3-9411 in Santa Monica.



**SYSTEM  
DEVELOPMENT  
CORPORATION**  
Santa Monica, California

11-53A

An independent non-profit organization.



# Admiral Weaves Another Trap



**Problems of "Liquid space" offer challenge to industry—  
help needed to meet submarine missile threat, Thach says**

by William O. Miller

Task Group Alfa consists of an aircraft carrier—the "Valley Forge"—its air group of fixed wing anti-submarine aircraft, a helicopter squadron, destroyers, shore based patrol aircraft, lighter-than-air patrol craft, and submarines. It is the sea-going "laboratory" for the Navy's Anti-Submarine Defense Force, which was formed July 1957 to meet the growing threat of defending this country against enemy submarines.

The man saddled with a large part of the responsibility of facing up to this defense challenge—Rear Admiral John S. Thach, commander of the Navy's special Task Group Alfa—looks it squarely in the eye, and says:

"The submarine-launched missile is the greatest single threat facing this nation today. None of us have any illusions about the problem, but one thing we know for sure—it's got to be met and solved. It's our job to see just how good we are with what we have."

During World War II, the same Thach helped solve the problem of fighting faster, more maneuverable Japanese Zeros—these new fighter tactics became famous as the "Thach weave."

Task Force Alfa operates around the clock with one exercise following another, improving old tactics, experimenting with new approaches (both from the viewpoint of the sub-hunting

units and the target submarines), trying out new equipment when asked, and welding men into an integrated team.

However, there is one thing—and it is a key point—that the Task Group Men don't agree on: the sub hunters are pretty sure they can take on any sub, and the submarine crews are equally convinced that they have the edge.

**All-hands job**—In response to personal orders of the Chief of Naval Operations, Admiral Arleigh Burke, the force was set up last Spring and is being given the latest and best the Navy has in the way of ships, personnel, equipment and weapons. A unique feature of Task Group Alfa is that for the first time, the Navy is assigning units to an anti-submarine force on a semi-permanent basis. But there is still much to be desired. Admiral Thach explains it this way:

"The research and development of adequate weapons and search and identification equipment is an all-hands evolution. The Navy has not ignored the anti-submarine problem in the years since World War II, but it has been difficult to generate nationwide interest in such an unglamorous program. Consequently, effort and money have been concentrated in other areas. What

we need are some major break-throughs to meet the threat we were made aware of by our own development of Fleet Ballistic Missile System.


"These break-throughs cannot be made overnight. Discovery of new principles results from years of research and concentrated effort. We cannot expect results without it. It's never been so when we have had to meet other challenges, and we'd be kidding ourselves if we thought differently now. We need help and need it badly, from every segment of industry concerned with the tools we need, and from many people who probably aren't even aware they might be able to help us."

Admiral Thach points out that the preoccupation of the nation and the military with the problems of space, earth satellites, missiles, and counter measures can be turned to an advantage.


"All across the country thousands of people in industry and privately operated laboratories are working on the problem of space. I am sure that they will make discoveries, and bring to light new principles which could assist in the break-through we need in solving anti-submarine problems—if they are aware of the problem."

**Liquid space**—Admiral Thach likes to refer to the sea's vast subsurface ex-





**THREE ELEMENTS** of sub-killing team—helicopter, seaplane and destroyer—are ready for their jobs.



**DESTROYER FINISHES "kill"** with depth-charge, after aircraft have marked location of target.

panses as "liquid space." He points out that the major difference is the density of the element, a lack of knowledge concerning the nature and topography of the ocean bottom, and detailed information in many areas.

"You might call us sea-going psychiatrists," Admiral Thach continues, "We know our subject quite well from surface observations. We know many of its moods and physical features. But as we probe further into the depths, we encounter many phenomena and observe many things for which we can offer no explanation."

All these phenomena, Thach says, are interesting and often very strange. And some are nothing less than disturbing. For example:

"The concealment offered by the ocean depths provides the biggest launching pad in the world to any enemy intent upon destroying this country. The disturbing thing is that this launching pad is free to be used by anyone with the knowledge to use it. It extends right to our front door from Maine to Texas, and from Canada to Mexico."

**Ocean research lags**—Earthmen actually know more about the surface of the moon than is known about the bottom of the oceans—a large proportion of the earth's surface.

"The Russians probably will make available more IGY information of an oceanographic nature than they will concerning their satellite and space programs," Thach commented.

Oceanography as a science is relatively new. It actually began with the round-the-world cruise of the HMS Challenger from 1872 to 1876. There had been other similar voyages before, such as the "Beagle" with Charles Darwin; but none gathered the vast new scientific information that the "Chal-

lenger" accomplished in its three and a half years and 69,000 mile exploration in the Pacific and Atlantic.

In oceanographic research ships, the United States lags behind several nations. Foremost among them is the Soviet Union. The largest U.S. ships are the 2,700 ton "San Pablo" and the "Rehoboth" of the Hydrographic Office, but the majority are of the 500 ton class or less.

The Japanese have been active because of the importance of the fishing industry to that nation. Great Britain has a number of modern units. The Russians have several in the 5,000 ton range and two 12,000 ton ice breakers, which are classified as oceanographic research ships. This may or may not have some bearing on the fact that the first announced use of nuclear power for ship propulsion by the Russians will be for an ice breaker.

It is not only on numbers and size that the U.S. lags, but in the design and facilities on the ships. The 298-ton ketch "Atlantic" is the only American vessel originally designed for research purposes, while the Russians are building specially-designed vessels which have a number of laboratories and up to 60 scientists aboard. Of special interest is the first cruise in the North Atlantic, completed late in 1957, by the Russian 5,960-ton "Mikhail Lomonosov."

The most optimistic estimates of the situation are that the U.S. has about 10 years to catch up and carry out a 25-year replacement program.

**Why needed**—A better knowledge of the element is a prime requisite for efficient undersea warfare. The sea is a strange and noisy place. All sorts of marine life make noises that either sound like ship noises or contribute to the general sonar confusion so as to

cover up the noises of another ship or a submarine. The ocean bottom, for the most part, is an unexplored jungle.

The vast undersea rivers and currents which conceivably could be used by submarines, just as aircraft use jet-streams, are not completely located. The differences in temperatures of layers of water which bend and distort sound waves and provide a protective cover for submarines must be penetrated. And there are always those strange phenomena for which there is no explanation. The decoys are many and varied.

**Greatest need**—"Our greatest need," Admiral Thach says, "is for longer range detection equipment and the weapons to give us the kill capability by the time we have the extended range search and identification gear."

Sonar is still the basic means of searching the depths. There is limited capability in determining what the target is. The range of weapons, other than the nuclear depth charges and warhead, has gone little beyond World War II. To sum up, what is needed:

Improved detection, classification and kill ability.

Weapons presently on hand include the fixed wing aircraft and helicopters of the aircraft carrier. The Grumman S2F Trackers can employ a variety of weapons including the Mark 43 homing torpedoes, depth charges of both the conventional and nuclear type, and Mark 5 rockets which are effective only against a submarine on or very near the surface. Important in its search equipment is the magnetic aerial detection gear (MAD), which though limited in range, can differentiate between metallic and non-metallic contacts.

The destroyers of the task group have in addition to World War II type depth charges and the Hedgehog,

missiles and rockets, October 20, 1958



Weapon Able and the Rocket Assisted Torpedo (RAT) which have limited range and other shortcomings.

The submarine major weapons are the old model Mark 14 torpedo, the smaller and slower acoustical Mark 27 and 28, the homing torpedo, and the now-available wire-guided torpedo.

The 16 helicopters on board the Valley are Sikorsky HSS-1, which employs the dunking sonar to detect and hold a contact until the killer sub, surface vessels or aircraft can arrive on the scene to assist. The HSS-1's can employ the Mark 43 torpedo and depth charges, either conventional or nuclear. Greater endurance and greater life capability is needed here. Thach said that one shortcoming, a night capability, will be met with the delivery of HSS-1N's due in about a month.

Other areas in which there is need for improvement are synthetic trainers to instruct personnel in the most effective use of varied and complex equipment, easier maintenance of the electronics equipment, automatic navigation equipment for aircraft, and an automatic means of plotting the tactical situation so that the units may be directed to make the most effective attack upon the target.


**Subs on team**—Probably the greatest innovation developed by TG Alfa is the utilization of the killer submarine as a part of the hunter-killer team. The submarine is particularly valuable because of its ability to drop sonar detection gear lower than the helicopter. The information thus obtained can be sent to attacking aircraft and ships. Surface noises can be minimized, and the submarine can get below the gradient that ships and helicopters can't penetrate.

Despite advances of four to five times the effectiveness of World War II sonar, stepped-up investigations of the complete sound ranges from very low to the very high frequencies are badly needed.

Communications is a special problem for the submerged submarine. The sub can talk by underwater telephone to surface ships, but the range is extremely short.

The submarines vitally need a breakthrough which will give them a weapons system to match those in other vessels. Present weapons are not up to detection ability. Control of highspeed underwater vehicles such as torpedoes are a special problem inasmuch as even limited use of control surfaces can cause wildly erratic movement of the torpedo. A number of possibilities are under consideration, including chemical torpedoes or even rocket propelled torpedoes to provide high speeds and better control.

missiles and rockets, October 20, 1958



**ORGANIZATION** of Navy's efforts to combat undersea attack is clear from chart.

**Part of the Force**—Task Group Alfa is only a part of the Anti-submarine Defense Force commanded by Vice Admiral W. G. Cooper. It is part of the training operations, but in time of emergency, TG Alfa would join the other anti-submarine carrier groups in the defense forces. Adm. Cooper has four such hunter-killer groups under his operational control, as well as other ASW forces. He is responsible for all


phases of anti-submarine defense, including research and development.

The heart of the system is the operations control center at Norfolk, where all reports from aircraft flying the Atlantic Barrier from Newfoundland to the Azores, merchant ships' reports, or contacts from any source are plotted, evaluated, and if necessary, investigated.

In some ways, the peacetime job is



ADM. THACH considers help of industry men essential to his task.



**MB**-designed vibration  
test systems give

## high performance table motion

**I**t's *System Performance* that counts most in vibration testing.

Whole purpose of a vibration test system, large or little, is to subject specimens to *motions* that simulate service conditions as closely as possible. Such motion gives you *reliable* information on vibratory response and performance of structures, products, components. It helps reduce risk of malfunction or failures in the field.

But many factors contribute to this motion. Among them: force output and characteristics of the exciter; ample and undistorted power supply to meet all shaker-plus-specimen load relationships; meticulous matching of components in the entire system from input signal to output at the shaker table.

### INTEGRATED SYSTEM OFFERS OPTIMUM RESULTS

As the manufacturer of complete systems, MB intimately knows the operational needs of shaker, builds amplifiers and controls around those needs. Each MB system is integrated toward the highly

desired end result . . . *delivering optimum performance at the shaker table* for present and future needs.

The largest field service organization in vibration testing is ready to help you achieve that result. For latest information, call on MB.

### HIGH FORCE HIGH PERFORMANCE SYSTEM

Shown above is a typical MB test system. It includes a Model C70 7000 pound force vibration exciter fit for environmental testing chambers.

The MB T996 amplifier is rated at 50KVA output and can handle the most adverse reactive shaker loads for broad-band sine wave and random motion testing. The T68MC control console is easy to use, also provides automatically cycled testing. The T88 console expands system for complex motion work.

Send for Bulletin 470 which gives detailed specifications on the high performance available from this system; and from others to 25,000 pounds force.

*largest producer of complete systems for vibration testing*

**MB manufacturing company** 1055 State Street  
New Haven 11, Conn.  
*A Division of Textron Inc.*





more difficult than a wartime task. It's not as simple as making contact, evaluating it as an enemy and proceeding to attempt a kill. Under international law and in peacetime, a capability of prolonged surveillance is necessary, which points up the necessity for major breakthroughs in detection and classification methods.

As Admiral Thach says, "The problem is new; therefore, the defense must be new—and when we have to cope with nuclear submarines, our job will be more difficult than it is now—detection by present-day conventional means will be much more difficult, for instance."

There seems little doubt that some of the current reports of unidentified submarine contacts are genuine. In all probability, they are probes and tests of our defenses and our ability to detect such probes.

"We've got to be able to detect and identify," Thach says, "or else our potential enemies can use their submarine forces to blackmail our weaker allies by pointing to our inability in this area."

**Observers**—The cabin door is wide open in Task Group Alfa. Since its formation, there has been a continuous stream of some 60 guests from all segments of industry. They have witnessed the operations, seen what the problems are, and are better able to appreciate the task which must be carried out by the naval force.

From such visits as this, Admiral Thach hopes to stimulate an interest in his Task Group. Although his Task Group cannot be an equipment research and development organization, he said he is willing to try out anything offered to fill the present gaps in communications, weapons, detection and identification gear. However, he points out that actual cognizance for such equipment comes under the appropriate bureau, and proposals concerning them should be sent to the proper naval bureau first.

As his Task Group busies itself in its 10,000 square mile training area, always ready to move in any direction to investigate unidentified contacts, Thach considers the 12 million square miles of water that forms the North Atlantic and says:

"Everybody is busy looking at satellites. We're like the man worried about the chandelier falling on his head, who then gets the rug pulled out from under him—we need help in nailing down the rug."

# JUST OFF THE PRESS

completely revised

The Fall-Winter 1958-59 Edition

## World Aviation Directory

**NEW.....** A U.S. PRIMARY MANUFACTURERS' FOREIGN OFFICES SECTION listing addresses, phone numbers, key personnel, and cross-indexed for your convenience.

**EXPANDED....** WASHINGTON REPRESENTATIVES FOR AIR TRANSPORT AND MANUFACTURING SECTION for comprehensive coverage.

**INCREASED....** Now over 31,000 COMPANIES, PRODUCTS, PERSONNEL make this the most complete edition ever published.

**OVER 1,000 PAGES...**

**THESE VALUABLE CONTENTS...**

THE BIG AIR TRANSPORTATION SECTION, U.S. Air Carriers, Scheduled, Certified and Intrastate, Supplemental Air Carriers, Air Express, Air Freight Forwarders, Contract Air Carriers and Air Taxi Operators; THE FOREIGN REPRESENTATIVES SECTION now listing Foreign Offices for Primary Manufacturers in addition to U.S. Offices of Foreign Air Carriers and Foreign Aircraft and Engine Manufacturer's Offices in North America. THE WASHINGTON REPRESENTATIVES SECTION; THE USEFUL MANUFACTURING SECTION listing all the important companies, products, people in Primary Manufacturing for the Aviation Industry; THE BUYERS GUIDE with separate Company, Product and Trade Name indexes; THE SPECIAL SERVICES SECTION, Fuel and Oil Companies, Insurance, Credit and Financing, Distributors, Maintenance, Overhaul, Export and Foreign Services, Ferrying, and Airport Ground Services, Consultants, U.S. Terminal Airport, Schools, Organizations and Associations, Aviation Publications and House Organs; THE GOVERNMENT SECTION including U.S., State Agencies Concerned with Aviation, Airport Commissions and Departments, U.S. Foreign Service and Foreign Diplomatic Representatives in the U.S.; THE FOREIGN SECTION with all Foreign airlines, manufacturers, publications and government agencies arranged in alphabetical order by country; INDEX OF PERSONNEL and INDEX OF ADVERTISERS.

Savings of up to \$1.50 per copy on quantity orders!

**U. S. AND CANADA**  
1 to 4 copies \$9 each  
5 to 9 copies \$8 each  
10 or more copies \$7.50 each

**OTHER COUNTRIES**  
1 to 4 copies \$10 each  
5 to 9 copies \$9 each  
10 or more copies \$8.50 each

## WORLD AVIATION DIRECTORY

1001 Vermont Avenue, N. W., Washington 5, D.C.

Please ship ..... copies of the new edition to:

Name	Title	
Company	Products/Services	
Address		
City	Zone	State

Orders from Great Britain and Northern Ireland should be addressed to The AAP Co., 17 Drayton Rd., Boreham Woods, Herts., England, and remittances made thereto in sterling.


New **VICKERS**

building block concept applied to

# CONSTANT SPEED DRIVES


for 400 cycle A.C. electrical systems

- 1 Unlimited Versatility
- 2 High Efficiency
- 3 Fast Delivery
- 4 Low Cost



Frequency control  $\pm 0.1\%$ . Uses electronic frequency controller to regulate pump displacement. System pressure is function of load.

Frequency control  $\pm 0.25\%$ . Uses load sensitive system to match infinitely variable electrical load. System pressure is constant, flow demand is load dependent.



● Using this "building block" construction, Vickers Constant Speed Drives are assembled to exact requirements from the abundance of Vickers standard and proven components. Practically any characteristics you need can be quickly adapted to the existing Vickers product mix. These include:

## FREQUENCY CONTROL

- $\pm 3\%$  with hydraulic control
- $\pm 0.1\%$  with electronic control (or better if desired)

## VERSATILITY

- 1 to 75 hp with standard hardware
- Flexibility of package shape and location

## HIGH EFFICIENCY

- Volumetric efficiency of either pumps or hydraulic motors is 96% at 3000 psi. This together with optimum matching of components results in very high system overall efficiency.


## MINIMUM WEIGHT

- Significant optimization engineering can be applied to your system design considerations from similar Vickers application experience.


## OVERLOAD CAPACITY

- Depending upon system requirements, overload capacity of from 120% to 200% can be provided.


For further information, write for Bulletin SE-100.



Frequency control  $\pm 0.1\%$ . Uses electronic frequency signal to trim hydraulic flow control. System pressure is constant.



Frequency control  $\pm 3\%$ . Uses hydraulic flow control only. System pressure is constant.



Frequency control  $\pm 3\%$ . Uses hydraulic flow control to supply single or dual motors depending upon load variations. System pressure is constant.

## VICKERS INCORPORATED

DIVISION OF SPERRY RAND CORPORATION

Aero Hydraulics Division—Engineering, Sales and Service Offices:

ADMINISTRATIVE and  
ENGINEERING CENTER

Department 1470 • Detroit 32, Mich.

TORRANCE, CALIFORNIA

3201 Lamita Blvd. • P.O. Box 2003

Torrance, California

Aero Hydraulics Division District Sales and Service Offices:

Albertson, Lang Island, N. Y. • Arlington, Texas

Circle No. 36 on Subscriber Service Card.



# Coal's Place in Space: Rocket Fuels from Tars

## Bureau of Mines Studies Hydrocarbon Fractions For Fuels of the Future

Howard W. Wainwright\*



An intensive research program to find uses for the hydrocarbon fractions of low-temperature coal tars as high-energy rocket fuels is being conducted by the Bureau of Mines of the Department of the Interior.

This has been made possible by re-  
viving interest in low-temperature  
(950°)F carbonization of both coking  
and non-coking coals because of the  
successful application of fluidized-bed  
techniques.

Fluidized carbonization offers new  
commercial markets for coal, and  
should allow it to play an important  
role as high energy rocket and jet fuels.  
However, regardless of the end use of  
the char, the tar must be utilized profit-  
ably before low-temperature carbon-  
ization processes can be established  
commercially.

The Bureau of Mines is researching  
the characterization and upgrading of  
tars from both experimental and com-

mercial low-temperature carbonization  
processes. The hydrocarbon fractions  
amount to about 60-70% of the whole  
tar, and consist mainly of polycyclic  
aromatic and naphthenic compounds.

• **What's needed**—The key require-  
ment for a high-energy fuel is a high  
heat of combustion, along with good  
thermal stability. An increase in energy  
content per unit volume or unit weight  
of fuel results in increased range and  
greater speed of the vehicle.

Other characteristics of the fuel  
that must be considered include freez-  
ing point, gravity, distillation range,  
aromatic and olefinic content, corro-  
sion, smoke volatility index, additives  
and inhibitors.

However much research must be  
done before a completely satisfactory  
fuel is found that meets the stringent  
requirements of high-performance  
rocket and jet engines.

### Coal and Missiles—so far, a secondary relationship

It may be hard to visualize, but  
coal has a place in this nation's  
space program. The hardware sent  
into space, and most of the energy  
that powers these vehicles, come  
from prosaic holes in the earth.

Coal's first contribution—al-  
though an indirect one—is its use as  
a fuel for generation of electricity.  
Nearly 70% of the electrical energy  
generated by utility companies in  
1957 was derived from 160 million  
tons, with a considerable amount of  
this channeled for use in the pro-  
duction of metals required for the  
space age. For instance, approxi-  
mately 32,000 KWH is required to  
produce a ton of aluminum and a  
ton of magnesium. Approximately  
1,200 KWH are required to liquify  
a ton of oxygen, and 15-20,000 to  
liquify a ton of hydrogen.

Coal also will contribute to the  
production of the "oxidizers"—  
fluorine and ozone. Approximately  
6,000 KWH are required for the  
production of a ton of fluorine by  
the electrolytic method.

The fuels of the future may  
come by using low-temperature coal  
tar as the raw material. As pointed  
out in the accompanying article,  
fully hydrogenated polynuclear hy-  
drocarbons appear desirable because  
of their high heating values per unit  
of volume, low viscosity, low vapor  
pressure, and low pour point. Some  
of these perhydroaromatics in coal  
such as decahydronaphthalene—  
have an advantage over petroleum  
fuels of the JP-types because of  
higher heats of combustion per unit  
of volume. Thus, there are bright  
possibilities for coal research.

• **Solutions suggested**—The Air  
Force has suggested that "if these fuels  
are to remain principally in the hydro-  
carbon class, major improvements can  
be realized by several methods for  
their respective engines: 1) Selecting  
a pure hydrocarbon which will satisfy  
all the . . . requirements. 2) Systematic  
blending of hydrocarbons to produce a  
very precisely controlled mixture of  
known and unvarying composition, 3)  
Addition of non-hydrocarbon chemi-  
cals to hydrocarbon base fuels, and 4)  
Petroleum-derived chemical fuels."

The last possibility does not pre-  
clude the use of coal-derived chemical  
fuels. It appears that completely hy-  
drogenated polycyclic aromatic hydro-  
carbons of the type found in coal tar  
may be desirable for this use.

B. F. Wilkes, of Development  
Headquarters, U.S. Air Force, told the  
Western Petroleum Refiners Associa-  
tion: "Widespread press releases about  
high-energy-exotic-ultra energy fuels  
have certainly increased public interest  
in fuels of all types.

"But be reassured the glamorized  
'20 mule-team' derived fuels, free radi-  
cals and ions won't replace, but will  
only supplement hydrocarbon fuels.

"Even for missiles, hydrocarbon  
fuels will long be with us. However,  
the way things change so fast now-  
days, I must clarify this paper and  
state: 'This is good for 1 February  
1958 only.'"

• **Research findings**—Bureau of  
Mines became interested in the possi-  
bility of using certain coal-tar fractions  
as jet and missile fuels through a U.S.  
patent (2,765,617) assigned to Mon-  
santo Chemical Company.

Gluesenkamp and Kosmin, the in-  
ventors, proposed the use of perhydro-

\*Chief, low-temperature tar laboratory,  
U.S. Bureau of Mines, Department of  
Interior.

**NEW**



**ASCOP**

# ELECTRONIC COMMUTATORS

**Provide Greater Accuracy In Analog Sampling Systems**

**HIGH ACCURACY:** 1% or better input-to-output accuracy for any mixed source impedances up to 25 K ohms, including linearity and offset.

**NEGLIGIBLE BACK CURRENT:** Maximum 1 micro-ampere back current during channel "off" time.

These and other advantages make solid-state ASCOP Electroplexers® ideal for your data handling systems.

**ENVIRONMENTAL EXCELLENCE:** Meets MIL-E-5272A specification. Operates from  $-60^{\circ}\text{C}$  to  $+85^{\circ}\text{C}$  with special packaging available for extreme intermittent temperatures.

**INCREASED RELIABILITY:** No moving parts. 5,000 hours of maintenance-free life.

**LOW POWER CONSUMPTION:** Less than 3 watts.

**STANDARD OPERATION:** Time-division multiplexing for 0-5V inputs in all IRIG standard PAM and PDM sampling rates.

**SMALL AND LIGHT:** Size, 45 cubic inches; weight 2 pounds (typical).



**WRITE FOR ASCOP  
BULLETIN EM-102**

® APPLIED FOR

**APPLIED SCIENCE CORPORATION OF PRINCETON**  
ELECTRO-MECHANICAL DIVISION

GENERAL OFFICES: PRINCETON, NEW JERSEY

**DISTRICT OFFICES:**

PRINCETON, NEW JERSEY: P. O. Box 44, SWinburne 9-1000  
COCOA BEACH, FLORIDA: I N. Atlantic Ave., COcoa Beach 3900

VAN NUYS, CALIFORNIA: 15551 Cabrito Rd., State 2-7030  
DALLAS, TEXAS: Exchange Bank & Trust Co. Bldg., Exchange Park, Fleetwood 1-0657



## ... coal in space

condensed cyclic hydrocarbons as jet fuels. They proposed preparing the starting polycyclic aromatics by high-temperature pyrolytic decomposition of single-ring aromatics, such as benzene and toluene, and to hydrogenate the polycyclic aromatics at temperatures of 100°-250°C. and pressures up to 700 psig in the presence of a nickel catalyst.

One example cited in the patent is a mixture of solid hydrocarbons boiling above 350°C at 760 mm. pressure that was formed in the synthesis of biphenyl by the pyrolysis of benzene. This mixture was hydrogenated in the presence of a nickel catalyst until a product having the following properties was obtained:

Specific gravity at 30°C	About 1.004
Heat of combustion	145,500 B.t.u./gal.
Pour point	+5°C
Flash point	149°C
Flame point	200°C
Distillation range	About 340 to about 396°C

Although this product has a rather high pour point of 5°C, the inventors cite examples in which the pour points are as low as -70°C.

The products are characterized by combination of properties that render them eminently suitable for use as high-energy fuels for aircraft engines, and particularly for turbojet engines. These include:

- 1) A heat of combustion within the range of 125,000 to 160,000 B.t.u. per gallon.
- 2) A specific gravity at 30°C. in the range of 0.85 to 1.5.
- 3) Low vapor pressure or high boiling point.
- 4) Low viscosity
- 5) Low pour point.
- 6) Substantially no sulfur or vanadium compounds.
- 7) No water.
- 8) Burn cleanly without substantial formation of solid combustion products.
- 9) Uniform materials with relatively narrow boiling range.
- 10) Substantially free from straight-chain and/or branched-chain aliphatic hydrocarbons except when blended with other materials.
- 11) Substantially non-corrosive.
- 12) Substantially non-gum forming.

• **Sources**—The inventors point out that the starting polycyclic aromatic hydrocarbons can be obtained from coal-tar or petroleum fractions. They believe that coal-tar stock hydrogenation products would probably have good heats of combustion, but unless carefully selected, would probably have rather high points.

There exists in crude low-temperature coal tar a certain amount of fully hydrogenated polycyclic aromatic hydrocarbons of at least two rings, such as decalin, but the majority of the hydrocarbons present are polycyclic aromatics with varying degrees of saturation and containing up to 7 rings per molecule. These include anthracenes, phenanthrenes, fluoranthenes, pyrenes, chrysenes, benzfluorenes, and many others.

Although polycyclic aromatics have high decomposition temperatures, their use as fuels is unsatisfactory because of excessive carbon deposition upon combustion. Also, the corresponding hydrogenated derivatives have consid-

erably higher heating values; perhydrofluoranthene, for example, has a heat combustion of 18,130 B.t.u./lb, or 148,450 B.t.u./gal.

An important feature about the composition of low-temperature coal-tar hydrocarbons, insofar as high-energy fuels are concerned, is their high degree of alkylation. Alkylation generally improves the quality of a fuel by lowering its freezing point and viscosity and increasing its heating value per unit weight and per unit volume.

Ring analysis on certain low-temperature coal-tar pitch fractions showed them to consist of heavily alkylated anthracenes and phenanthrenes—the alkyl groups, for the most part, being

DELAVAN

# advanced fuel injectors

Designing and manufacturing  
Fuel Injectors for America's leading  
Turbojet, Rocket and Ramjet  
engines is a Delavan specialty.  
*How can we help you?*

**DELAVAN**

*Manufacturing Company*



WEST DES MOINES, IOWA

*This is one of a series of professionally informative messages on RCA Moorestown and the Ballistic Missile Early Warning System.*

## BMEWS AND THE SYSTEMS ENGINEER

Military science, in its need for large-scale, complex automatic equipment, has provided the environment for the evolution of the modern systems engineering concept. To meet the challenge of defense electronics particularly, this comprehensive and logical approach to engineering has steadily grown into a discipline in its own right.

BMEWS, a military electronics system of immense proportions, requiring the cooperative development efforts of four major corporations operating under RCA leadership, vigorously demonstrates the role of systems engineering in modern technology. Conceived by the Department of Defense and RCA systems engineers in 1955, BMEWS is evolving from mathematical model to hardware maturity entirely within the framework of the systems concept. The systems engineer is using his special tools of information theory, computing, probability, operations research, linear programming and other techniques to resolve the complex challenges of early detection of enemy ICBMs.

As an architect of defense, the RCA Moorestown systems engineer is also giving close scrutiny to the equipment requirements of the space vehicle age and to the physics of the generation of weapons beyond.

Engineering scientists who are interested in joining the Systems Engineering activity at RCA Moorestown are invited to address inquiries to Mr. W. J. Henry, Box V-13K.



**RADIO CORPORATION of AMERICA**

MISSILE AND SURFACE RADAR DEPARTMENT  
MOORESTOWN, N. J.

## ... coal in space

no larger than the ethyl group.

This alkylation undoubtedly will persist throughout the higher molecular weight hydrocarbons present in low-temperature tar. These alkyl groups will probably be preserved during hydrogenation as alkyl groups, as aromatic nuclei generally are resistant to hydrogenation.

• **Not from petroleum?**—Robert A. Wells of the Gulf Oil Research Center, recently stated that "Unfortunately, with hydrocarbon fuels from petroleum as the B.t.u./gal. increases the B.t.u./lb. decreases and aircraft range moves along the same lines . . . This condition does not remove hydrocarbon fuels from the realm of high-energy fuels but pretty well rules against hydrocarbons directly from petroleum.

"Fortunately, there are several hydrocarbons which can be synthesized from coal and petroleum chemicals which branch off from this saw and yield fuels with both higher B.t.u./gal. and B.t.u./lb." Perhydrofluoranthene, mentioned above, is one of these hydrocarbons.

How successfully can these selected coal-tar fractions be hydrogenated?

Although the Bureau has no experimental results at present, some indication can be obtained from a recent patent of the Coal Tar Research Association in England. This patent is concerned, in part, with improvements in producing fully hydrogenated polynuclear aromatic hydrocarbons from aromatic hydrocarbons, or their partially hydrogenated derivatives, present in coal tar.

The process consists in passing the hydrocarbons in the vapor phase over a hydrogenation catalyst at 20-100 atmospheres partial hydrogen pressure and temperatures of 200-500°C. A tar fraction boiling between 200-280°C. containing mainly naphthalene and methyl naphthalenes gave a 95% fully hydrogenated product. A fraction of boiling range 300-380°C., consisting mainly of anthracene and phenanthrene, gave a product of 84% fully hydrogenated material.

• **Russians on track**—The literature reveals that a considerable amount of work is being done in Russia on hydrogenating high molecular weight aromatic hydrocarbons from both petroleum and coal tar. Recent work has been done on a hydrocarbon fraction consisting of polycyclic aromatic and naphthenic rings having aliphatic side chains.

The side chains represented, on the average, 47 to 60% of the molecular



# ENGINEERS NEEDED IN FLORIDA

**MARTIN ORLANDO**, newest integrated engineering and production center of The Martin Company, is now in operation at Orlando, Florida.

Immediate and outstanding positions exist in the following areas:

## **Aero-Thermodynamic Specialist**

**ME, AE, ChE**

Advanced degree desirable, however not necessary, with 3 to 6 years experience in analytical and experimental studies related to aerodynamic heating of Hypersonic Missiles.

This specialist would initiate, plan and execute analyses and experimental studies concerned with boundary layer heat transfer research in continuum, slip, and free-molecule flow.

Development studies will consist of transient temperature calculations on structure and equipment resulting from boundary layer and internal heat sources.

## **Test Site Supervisors**

For static and systems test sites located in Northern Alabama and East and Central Florida.

Will be responsible for the technical direction of instrumentation for the guidance and control systems performance, and for functional systems tests.

## **Propulsion Specialists**

Ability and experience in design and development of solid rocket motors: cases, grain configurations, internal ballistics. Design and development of liquid rocket engines: pump and pressurized, uncooled and regeneratively cooled, propellant thermodynamics injection and heat transfer.

## **Electronics Specialists**

Exceptional opportunities for those electronics engineers talented in the practical and theoretical aspects of electronic warfare systems design. Vacancies for both design engineers who prefer to work essentially alone as well as for group leaders in the design of analog and digital computers, pulse circuitry, display techniques, servo-mechanisms, communications and radar equipment.

## **Electronic Tooling Specialists**

Electronics production test engineers with experience in designing and analyzing production test equipment. Production test group engineers, experienced in production test techniques, such as control systems, guidance systems, and complete missile systems. Detail test design engineers experienced in missile production test equipment and practical application of automatic testing involving all electronics and guidance systems of a missile.


## **Test Planning Engineers**

Experienced in the design of missiles and associated complex electronics and electro-mechanical circuitry.

## **Test Equipment Standardization Specialists**

Experienced in field of electronics test equipment design and standardization of electronic equipment.

**SEND RESUMÉ TO: JOHN F. WALLACE**  
Director of Employment  
**THE MARTIN COMPANY**  
P.O. Box 5837,  
Section MR-10  
Orlando, Florida




**MARTIN**  
O R L A N D O

# BULOVA

FAMED FOR PRECISION SINCE 1875



## CRYSTAL FILTERS



Precision engineered multiple-crystal filters are now available as packaged units from one of the world's foremost manufacturers of quality crystals.


By being able to maintain exacting control of individual crystal characteristics, during manufacture, Bulova can quickly and economically produce precision crystal filters on a custom design or production basis.

**TELEMETRY:** Many telemetry centers are now relying on Bulova filters to preserve the accuracy of multiplexed data during processing. Wide band and narrow band filters are available.

**SINGLE SIDE BAND:** For voice and other ssb applications Bulova filters provide excellent suppression of unwanted side band in both transmitting and receiving equipment.

Center frequencies from 10 KC to 20 MC, with bandwidths of .01%-8% of center frequency can be provided in either symmetrical or asymmetrical filters using Bulova high precision crystals.

Send for literature on Bulova's standard and custom design filters today, or let our engineering staff study your filter problem and recommend a suitable package for your particular application.



# BULOVA

watch company

Electronics Division  
Woodside 77, N. Y.

Write Dept. A-848 For  
Full Information and  
Prices on Crystal Filters

## ... coal in space

weight. Hydrogenation converted the aromatics into polycyclic naphthenes containing 4 to 6 rings per molecule. Sixty percent of molecular weight of these polycyclic naphthenes was represented by paraffinic side chains, indicating that the side chains present in the feed material were not removed during the hydrogenation.

• **Sulfur is problem**—It is realized that the hydrogenation of coal tar-derived stocks, or the equivalent hydrogenation feedstocks from aromatic cuts of refinery products, might prove to be somewhat troublesome owing to the presence of sulfur compounds. Also, it might prove difficult to obtain precisely controlled hydrogenated fuels in view of the usual variations in the feedstocks.

There is a strong possibility that the selected coal tar fractions need not be limited to polycyclic aromatic and perhydroaromatic hydrocarbon fractions, but can also include mono- and dihydric polycyclic phenols. Laboratory results have showed that the same complexity of structure apparently persists throughout all classes of compounds in the tar, and that if a particular structure is found for one class of compounds, this structure will likely exist in other classes.

Little is known of the composition of the higher molecular weight phenols in coal tar, but it would appear that if a particular polycyclic aromatic hydrocarbon is present in the tar, the corresponding polycyclic phenol will also be present.


Experimental results have proved the presence of biphenyls and alkylated naphthalenes in low-temperature coal tar. Also, the corresponding alkylated naphthols, such as 2-methyl-1-naphthol and 4-methyl-1-naphthol, and o- and p-phenanthrols, and even higher molecular weight phenols are present.

It may be possible through a one-step hydrogenation process to remove the hydroxyl group from these polycyclic aromatics and simultaneously hydrogenate them to the corresponding perhydroaromatics. The significance of this lies in the fact that, in chemical processing, a class separation between phenolic material and hydrocarbons would not be necessary.

However, much research is needed to prove the feasibility of such a process. Some work on the reduction of polycyclic phenols is reported in the literature. Pelletier and Locke of the Rockefeller Institute have published their work on the reduction of polycyclic phenols to hydrocarbons, and Russian information also is available.



Metals Division of Kelsey-Hayes  
expands in New Hartford . . . to produce  
vacuum induction metals for all industry



## Capacity: 1 Million Pounds Per Month

Our new facilities make it possible for all industry to obtain vacuum induction melted alloys on a production tonnage basis—ingot, billet, bar, sheet, strip and wire to specifications. *New areas of application, perhaps in your field, are opening up every day.* For information on the latest developments and technical brochure on new and improved alloys, write Metals Division, Kelsey-Hayes Company, New Hartford, New York.




# METALS DIVISION OF KELSEY-HAYES

SOME ALLOYS COVERED BY U.S. PATENT #2809110

®TRADE MARK REGISTERED

missiles and rockets, October 20, 1958

Circle No. 51 on Subscriber Service Card.



ROUND NICKEL TUBES, .045 in diameter, are pressed into rectangular form.



FORMED TUBES are stacked on mandrel.


## Assembly Line Produces Rocket Engines

Thin nickel tubes, brazed with solder and held in place with thin steel bands, form the envelope for the United States' largest liquid propellant rocket—in production for *Thor*, *Thor-Able*, *Atlas* and *Jupiter*.

by Norman L. Baker




PENETRATION of solder checked by X-ray.



DRILLING OPERATION at manifold end of chamber for attachment of injector.

missiles and rockets, October 20, 1958





**MOST CRUCIAL** operation is tube soldering.

**THRUST CHAMBER** is mounted on large lathe for manifold preparation.

NEOSHO, Mo.—The Air Force lunar probe attempt of August 17 was started on its way by the first production rocket engine to roll from Rocketdyne-Neosho's assembly lines.

The largest single chamber unit in production in the United States, its status as a mass assembly item represents one of the most radical advancements in missile technology. The technique employed in fabrication is a unique approach to the weight/cooling problem that has plagued engineers for many years.

Although the Neosho engines are being produced for the *Thor* IRBM, similar construction is used on the booster and sustainer engines for the *Atlas* ICBM and the Army-developed *Jupiter* IRBM. Major differences in the engines are in the propellant feed system. Fabrication of the thrust chamber proper is, for all practical purposes, identical.



Round nickel tubes, .045 inches in diameter, form the envelope for the combustion chamber, nozzle and exit area of the thrust chamber. The tubes are changed to rectangu-

lar form in a tube press, which not only changes the tubes from straight and round to rectangular, but to the exact cross-sectional contour of the chamber.

After the pressure forming, the tubes (approximately 300) are placed against a torch-weld jig and held in place with steel bands for the welding operation. The tubes are joined in the jig by brazing with silver solder.

Approximately \$300 worth of solder is used in this operation. The steel bands holding the tubes in position are welded to the tubes at intervals as reinforcing bands to absorb the stress resulting from the combustion pressure and heat expansion. In the region of the combustion chamber, the reinforcing bands form a solid continuous band.

Following the brazing/welding operation, manifolds are attached to the ends and the injector plate mounted into position. After X-ray examinations, pressure checks and cold flow tests, the thrust chamber is ready for the installation of the main propulsion package of turbo pump, gas generator, main lines.




**HOT AIR HEATER** dries thrust chamber after cold-flow calibration.

**ENGINE** in thrust alignment power.



# eliminates

a major cause  
of servo valve  
failure



New

MF

MICROWEB®

FILTER

... cleans missile and aircraft hydraulic fluids of *all* particulate contaminants 0.45 micron and larger.

This is the new *process volume* form of the famous Millipore filter — a unique plastic screen with 50 million precisely dimensioned pores per sq. cm. of surface area, with 100% cut-off at 0.45 micron.

MF Microweb filters are now being used to clean hydraulic fluids (1) before storage in tanks (2) on fill/flush/bleed stands both during missile manufacture and field testing and (3) by component manufacturers for flush cleaning and filling. They are also in use filtering critical lubricating oils, ultrasonic cleaning fluids, process air and gases — wherever close-tolerance clarity is essential.

Microweb apparatus, including stainless steel filter holders, can be supplied in standard and special designs.

# Millipore

NEW STANDARD

OF PRECISION IN MICROFILTRATION



SEND FOR DETAILS — clip this coupon — attach it to your letterhead — sign your name — and mail to —

MILLIPORE FILTER CORP.  
Dept. MR, Bedford, Mass.

Circle No. 10 on Subscriber Service Card.

## space age

by Norman L. Baker



**CETEX Committee**—A number of scientists planning for the first landings on the moon have expressed concern unless proper precautions are instituted to prevent undesirable contamination from terrestrial sources. To meet this problem, the International Council of Scientific Unions (ICSU) set up a committee on Contamination by Extra-Terrestrial Exploration, under the auspices of COSPAR (Committee on Space Research), to specify conditions of landing that would keep contamination to acceptable levels. The second lunar probe attempt by the Air Force, anticipating a 25% possibility of impacting the lunar surface, had its payload sterilized with a DDT-type of disinfectant.

**Shades of negligence**—The reason for the Air Force's first lunar probe failure has finally been determined. An instrument package, reportedly attached to a frail oil line feeding one of the propellant turbine bearing mounts, produced such severe vibrations during the first stage engine firing that the line separated, starving the bearing of oil. After a few seconds, the bearing froze, either stopping or drastically slowing the turbine until upstream pressure forced a line system to give way.

**van Allen Belt major experiment**—The first stage engine modification requirement was only a secondary reason for postponing the planned September lunar shoot. The van Allen-Singer recommendation that vertical high altitude probes be made of this radiation belt to determine its limits apparently were recognized by the Air Force lunar team. Their determination to modify the scanner-magnetometer payload, as engineered for the first attempt to include radiation counters, forced an understandable stretch-out of the originally planned program. Main question—is the 40,000 mile line, as theorized by Singer, the limit of the radiation belt or does it continue to an infinite limit in space?

**Russia's next move?**—Albatoli A. Blagonravov, *Sputnik* scientist, has repeatedly denied that Soviet scientists have experienced failures during their satellite program. If this is a fact, it would indicate a thoroughness of pre-cutdown check-out and rocket component reliability not practiced in this country. As for the nearness of the next Soviet space venture, Leonid Sedov alerted us with his statement that unmanned space flights to the Moon, Mars and Venus would be made "within the nearest future." Early in September 1957, the Russians announced they would attempt to launch a satellite in "the near future"—a report American scientists took too lightly.

**X-15 apologies**—This column erroneously reported Sept. 8 that the Reaction Motors Division of Thiokol was being assisted by North American's Rocketdyne Division in the development of the first X-15 60 k rocket engine. A back-up Rocketdyne engine is under development, but the first engine development was Reaction's. X-15, rolled out on Oct. 15, was equipped with an XLR engine (type used on earlier X-series craft), which will be replaced before first powered flights by the Reaction powerplant.

**Silent satellite**—*Explorer IV*, with an estimated life of six years, has joined *Explorer I* as space debris. Its second transmitter ceased operating profitably two weeks before the final signal was heard. The signals during the last days of power life were unintelligible, serving only as an aid in tracking. The satellite's original tracking transmitter quit transmitting September 9.

missiles and rockets, October 20, 1957



**Experience—the added alloy in A-L Stainless, Electrical and Tool Steels**



## Allegheny Ludlum knows more about stainless than anybody . . . and puts it in print for you

Allegheny Ludlum *should* know more about stainless than anybody: they've been the leading producer of all forms for more than 40 years. And the industry's only that old.

Today, A-L produces more different sizes, shapes, finishes and alloys of stainless than any other company. Backing up its quality products are research and development facilities with people second to none.

With know-how and experience gained over the years, Allegheny Ludlum keeps little of it secret: it offers the most complete selection of literature available anywhere.

Literature, designed to help you learn more about Allegheny Stainless and how it can improve your product, is just one help offered by Allegheny Ludlum. You also get the best assistance from trained salesmen and technicians, ready to help you on your specific problem.

All this service is available through your Allegheny sales engineer. Call him today. Or, as a starter, write for the publication list describing the over 150 technical pieces made to assist you.

*Allegheny Ludlum Steel Corporation, Oliver Bldg., Pittsburgh 22, Pa. Address: Dept. MR-10.*

## ALLEGHENY LUDLUM


for warehouse delivery of Allegheny Stainless, call RYERSON

Export distribution: AIRCO INTERNATIONAL

EVERY FORM OF STAINLESS . . . EVERY HELP IN USING IT



WSW 7123



Model E6440-1 exemplifies Airborne capabilities in the design and development of large special motors. Inset shows application on Walter Kidde & Company lightweight compressor package (2.4 scfm, 3000 psi) used for auxiliary pneumatic power on jet tanker.

## AIRBORNE CAN HELP YOU WITH LARGE SPECIAL-DESIGN MOTORS

Airborne can design and develop almost any type of large special motor you need and supply it in any quantity you require. Evidence of this capability is found not only in current projects, but also in the many different motors developed over the years for use on our own actuators and electromechanical systems.

Typical of the large special motors designed and produced by Airborne is the one above developed for Walter Kidde & Company to power one of its outstanding lightweight compressor pack-

ages. Special features include magnesium castings for weight savings; modified high-temperature insulation and lubricants; and a special thermal overload protector (Type C protection) to prevent winding damage at temperatures above 400°F.

Whatever your particular requirements in large special-design motors, it will pay you to consult Airborne. Chances are we can solve your problem in good time and at reasonable cost. Write, phone or wire for more information.




Photo courtesy Walter Kidde & Company, Inc.

### GENERAL ENGINEERING DATA

Airborne Special Design  
Motor E6440-1

1. 115/200 v a-c, 400 cycle, 3 phase (conforming to MIL-M-7969A)
2. Rated 1.7 hp at 10,900 rpm—10 in-lb full load torque; 25 in-lb starting torque
3. Duty cycle: 30 min. on at full load/30 min. off
4. Ambient temperature: —65 to +165°F
5. Altitude: to 50,000 ft
6. Weight: 8.8 lb

See us at the Aircraft Electrical Society Show in Los Angeles

LINEATOR® • ROTORAC® • TRIM TROL® • ROTORETTE® • ANGLgear®



**AIRBORNE ACCESSORIES CORPORATION**

HILLSIDE 5, NEW JERSEY



ROTOLOK

**NEW  
CATALOG  
SAM-58**

Describes Airborne special actuators and motors. Write for a copy today.

Represented in Canada by: WINNETT BOYD LIMITED • 745 Mt. Pleasant Rd., Toronto 12, Ont.



# missile business

by Fred S. Hunter



Some years ago, Robert E. Gross almost put together a merger of Lockheed Aircraft Corp. and Hughes Aircraft Co. The late Harold Talbott, then secretary of the Air Force, blocked it. Talbott didn't think it would be good for the government to have a prime contractor operating a major electronics facility turning out components for other prime contractors.

Gross, who thinks in big terms, had gone after Hughes because it had become a big company, making big inroads into the electronic and missile fields. At the same time, Gross felt Lockheed was lagging behind some of the other companies in the industry. Since then, of course, Lockheed has more than caught up by the successful organization of its own Missile Systems division.


But another reason Gross and the Lockheed people liked the idea of buying the Hughes Aircraft Co. was to give Lockheed a ready-made start in electronics and missiles. There was only one stockholder to worry about. Howard Hughes was the sole owner of the Hughes Tool Co. of which the Hughes Aircraft Co., at that time, was a division. Once a price was reached with Howard Hughes only legal formalities would have remained to complete the consolidation of the two companies.

Working out a big merger is an extremely difficult job. There's much more to it than an examination of a couple of financial statements. There are such considerations as location, facilities, labor agreements, management characteristics, workloads and countless legal details. After you settle all these, you start studying the stock structures. And here's where many proposed mergers fall apart. You have to have a deal that fits two sets of stockholders.

Witness the attempts of Whitley C. Collins to bring about a merger that would make Northrop Aircraft bigger and better. He had a consolidation with Vertol Aircraft Corp. all but finalized, only to have to call it off at the last minute because no satisfactory way could be found to mesh the stock structures of the two companies. Recent negotiation with American Bosch Arma ended the same way. The two companies were unable to agree on several points, but the big stumbling block was the exchange of stock.

Gross would still like to bring an electronics company into the Lockheed fold. He has engaged in talks with several companies. Not long ago a financial commentator attributed the strong position of Lockheed's stock to the possibility of a merger with the Hazletine Corp. There also have been reports of talks with Sylvania Electric Corp. Whether anything may materialize from these or any of the conversations Gross may be having elsewhere remains to be seen. But they represent a further illustration of the difficulties that are encountered in trying to bring about a favorable merger when companies of the scope of Northrop or Lockheed are involved.

**Company briefs:** Polarad Electronics Corp. reports a new peak in sales —\$9.6 million—for the fiscal year ended June 30, 1958 . . . Temco Aircraft Corp. has arranged to acquire \$5 million in capital through first mortgage and 5¼% sinking fund bonds, to finance a new office building and engineering center . . . Solar Aircraft Co. announces it is building gas turbine-powered pulse generators, for use by Navy in mine-destroying units for Navy minesweepers . . . American Welding Society has issued specifications for low-alloy steel electrodes, insisting, among other matters, that electrodes must now meet chemical as well as mechanical requirements . . . Lukens Steel Co. has succeeded in rolling what it calls the widest sheet of high strength steel ever produced, for use in rocket motors. Sheet is 160 in. wide.



## Work where PUMP ENGINEERING

reaches its peak!

It takes exceptional pumps to feed the most powerful propulsive system ever built—the Large Rocket Engine. And it creates an exceptional career for the man who develops these pumps.


Rocket Engineering offers the most interesting opportunities in the pump engineering field today. Your experience with commercial pumps and compressors will be extremely useful—to help solve problems of head capacity, power and speed never before encountered. You'll gain technical and professional experience that is unobtainable elsewhere...your contributions to the advanced techniques of pump design will be recognized and rewarded.

Rocketdyne builds high-thrust rocket propulsion systems for America's major missiles. You'll work with the leading producer in the nation's fastest growing industry.

If you are an experienced pump engineer with the ambition to break new ground, tell us about yourself. Chances are your creative ability can open up a new career for you in Rocket Engineering—more fascinating and more valuable to you than the work you are now doing. Write: Mr. D.K. Jamieson, Rocketdyne Engineering Personnel, 6633 Canoga Avenue, Canoga Park, California.

## ROCKETDYNE

A DIVISION OF NORTH AMERICAN AVIATION, INC.  
BUILDERS OF POWER FOR OUTER SPACE



## contract awards

### ARMY

**Ford Instruments Company**, Division of the Sperry Rand Corporation, Long Island City, New York, was awarded \$1,209,277, details of which are classified.

By Headquarters, Redstone Arsenal, Ala.:

**Firestone Tire and Rubber Co.**, Guided Missile Div., Los Angeles, Calif., received \$34,627 for furnishing to the government twenty-four (24) man-months of technical services of full qualified field engineers and services, to be utilized in connection with courses of instruction

and programs for training groups of military and other personnel.

**Philco Corp.**, Philadelphia, Pa., received \$46,499 for furnishing and supplying manhours of fully qualified technician instructors to the U.S. Army Ordnance Guided Missile School.

By U.S. Army Engineer District, St. Paul, Minn.:

**Power Engineering Co., Inc.**, Sioux City, Iowa, received \$46,500 for construction of Anti-Intrusion System for Launcher Boxes, Minneapolis-St. Paul Defense Area.

By San Francisco Ordnance District, Oakland, Calif.:

**Lockheed Aircraft Corp.**, Missile Systems Div., Sunnyvale, Calif., received \$58,317 for Missile Borne Television Systems (*Jupiter* Missile Program).

By U.S. Army Ordnance District, Philadelphia:

**Douglas Aircraft Co., Inc.**, Charlotte Ordnance Missile Plant, Charlotte, N.C. received \$36,939 for *Nike* Spare Parts and Components.

**Douglas Aircraft Co., Inc.**, Charlotte Ordnance Missile Plant, Charlotte, N.C. received \$23,131 for *Nike* Spare Parts Components.

**Douglas Aircraft Co., Inc.**, Ocean Park Blvd., Santa Monica, Calif. received \$18,539 for Blue Streak & Emergency Spare Parts.

### AIR FORCE

By AFB Cambridge RC, ARD&DC:

**Sylvania Electric Products, Inc.**, Waltham, Mass. received \$48,708 for a study of electromagnetic and magneto-hydrodynamic properties of ionized gases associated with high speed missiles.

By Headquarters, AFOSR, AR&DC:

**Vitro Laboratories**, Div. of Vitro Corp. of America, received \$66,111 for research on "Energy Exchange in High Intensity Arc Plasma."

By Oklahoma City Air Material Area, Tinker AFB, Okla.:

**Hayes Aircraft Corp.** received \$28,699 for overhaul and repair of fuel valve assembly.

### NAVY

By District Public Works Officer, Sixth Naval District; Charleston, S.C.:

**Seth E. Glen and Associates**, Memphis, Tenn., received \$167,490 for Mini-track Facility, Receiver Site at the Naval Silver Lake Site, Greenville, Miss.

By Bureau of Ships:

**Roller Smith, Inc.**, Newark, N.J., received \$334,747 for switchboards for *Terrier* guided missile fire control system.

### AIR FORCE

By Air Force Office of Scientific Research:

**Vitro Laboratories**, Division of Vitro Corp. of America, West Orange, N.J., received \$66,111 for research on "Energy Exchange in High Intensity Arc Plasma."

**Ohio State University Research Foundation**, Columbus, received \$49,464 for continuation of research on "Certain Phases of the Interactions Between Electromagnetic Radiation and Matter."

**Atlantic Research Corp.**, Alexandria, Va., received \$49,862 for continuation of research on solid propellant combustion.

# GROUND HANDLING EQUIPMENT "FLIES"



## with an assist from Binkley Landing Gear-Leveling Jack

A giant Thor transporter-erector is shown being loaded abroad an aircraft for transportation anywhere in the world. This is real mobility! And Binkley helps make it possible by supplying the landing gear for this surface handling equipment.

Custom-designed for Food Machinery and Chemical Corporation, the Binkley mechanism has a capacity of 100,000 lbs. and is capable of manually lifting and leveling weights up to 18 tons.

Binkley has specialized in the design and manufacture of similar parts and components for truck and trailer bodies during 25 years service to the transportation industry. Put that experience to work for you! Call or write today for prompt and confidential attention to your ground handling equipment problem.



Serving the transportation industry since 1933

**MANUFACTURING COMPANY** Warrenton, Ma.

WEST COAST REPRESENTATIVE: Walter Weyman Company  
2216 Fifth St. • Berkeley 10, Calif. • THornwall 5-3990



# The Mobile Missile Market

Kodak



Like a mobile . . . the missile market is made up of separate parts and different elements. Many industries and thousands of companies compose the mobile missile market. Aircraft companies build missile frames and prime systems. Automobile companies manufacture missile systems . . . a cereal company builds missile subsystems.

And like a mobile . . . there is constant movement and change in the missile market. New developments happen fast. That's why missile men in management, engineering, production and procurement need an undiluted missile book to be posted constantly and accurately. Throughout the complex market missile men look to **MISSILES AND ROCKETS** as the number one missile book.

## MISSILES AND ROCKETS

**AMERICAN AVIATION PUBLICATIONS, INC.**

WORLD'S LARGEST AVIATION PUBLISHERS

1001 Vermont Avenue, N.W. • Washington 5, D.C.

ILLUSTRATED BY  
FURNACE


ABC

ABD

*For Safe, Leakproof  
Shut-off  
of Liquid Fuels*

**SPECIFY:**

## **Hamer** **Vented** **Chest** **GATE VALVES**



**Chevron Packing**  
Expands as pressure increases to prevent escape at stem.

**Chest Vented to Pipe Line**

Seal on one side vents chest to pipeline, thus preventing locked-in pressure buildups.

**Micro-finish Wedge**

Seating surfaces are precision finished for exacting metal to metal fit against seats.

**Positive Shutoff Seal**

Located in one side of the wedge only, this seal compresses against valve seat forming an absolute shut-off.

**Integral Body Seat**

Integral design eliminates threads, welds & other objectionable surface irregularities.

• Proven under environmental field conditions, these contour engineered Gate Valves seal equally well with line flow in either direction. Seal in one side of wedge vents valve chest to pipeline preventing dangerous pressure buildup. Valves are available in various sizes in a range of metals. Write today for literature and the name of your nearest Hamer representative.



Send for **FREE** Bulletins **LTG, VCG** ▶

**Hamer VALVES INC.**


58-1B

Box 1851 — Long Beach 1, California  
Circle No. 13 on Subscriber Service Card.

# **ENGINEERED MANIFOLDING**

**BY REPUBLIC**

**SAVES** SPACE  
WEIGHT  
INSTALLATION COST  
MAINTENANCE




### **AIR CONTROL MANIFOLDS**

Concentrates air controls by combining line shut-off valve, pressure regulator, blowdown valve, check valve, gage shut-off and gage. Eliminates leakage and external connections. Easily maintained. Saves much space and downtime. Units interchangeable. Can be multiple-mounted by use of headers.



### **DUAL HAND PUMPS**

2 double-acting hand pumps, 2 gages, 2 relief valves, and 2 needle bleeder and shut-off valves, completely manifolded, for missile ground support equipment. All valve adjustments readily accessible.



### **RELIEF MANIFOLD**

Pilot-operated relief valve, check valve, flow control valve and by-pass valve combined to facilitate test-stand operation. Gives quick, easy control of both flows and pressures.



● **MANIFOLD COMPONENTS**, engineered for a specific application, is a Republic specialty. Modern design demands a new dimension in space, weight, installation, and service. Let our valve specialists solve your specific compacting problem.



**RM**

**REPUBLIC MANUFACTURING CO.**


15655 BROOKPARK ROAD • CLEVELAND 35, OHIO

Circle No. 14 on Subscriber Service Card.  
missiles and rockets, October 20, 1958



## new missile products

### Accelerometer Has Low Cost Sensitivity



Lind Corporation, Princeton, N.J. has put on the market the type TA2 accelerometer. The new unit is a seismic mass system which possesses low cross sensitivity by virtue of the high transverse stiffness of the self compensating E springs.

It is totally immersed in a silicone fluid with a viscosity selected to provide a damping ratio of 0.65. Volumetric changes in the oil with temperature rise are compensated by expansion chambers in the case. This allows an operating temperature range from  $-40^{\circ}\text{C}$  to  $+100^{\circ}\text{C}$ . Dual pots are provided for high level, redundant output. According to Lind, life tests reveal that units can stand 10 million reversals without affecting calibration.

Circle No. 231 on Subscriber Service Card.

### Transfer Digital Circuits In Two Packages

The Components Division of Epsco, Inc., Boston, Mass., has placed on the market a complete line of transistor digital circuits in two package styles and three temperature ranges.

Package Style A is for mounting in 9 and 14 pin miniature tube sockets. Package Style B is for 15 pin in-line mounting. The three available temperature ranges are:  $-10^{\circ}$  to  $+60^{\circ}\text{C}$ ,  $-10^{\circ}$  to  $+71^{\circ}\text{C}$ ,  $-55^{\circ}$  to  $+71^{\circ}\text{C}$ . The circuits are designed for 100 KC operation, but permit operation up to 200 KC, and in some cases, up to 400 KC. A duplicate line of one megacycle circuits is being engineered.

Available circuits are flip-flops and counters, diode and gates, diode or gates, nor gates, parallel gates, cascade gates, inverter amplifiers, non-inverting amplifiers, emitter followers, power drivers, one shot delays, pulse shapers, level converters, neon indicators, incandescent indicators, blocking oscillators, level shapers, 6, 12, 18 volt power supplies, and clock pulse generators (O-250C).

Circle No. 237 on Subscriber Service Card.

### Disconnect Coupling Stands 22,000 psi

A new quick disconnect coupling for hydraulic and fuel lines in missiles which withstood 22,000 psi in a burst test, is in production at On Mark Couplings, Inc., Los Angeles. Designated On Mark Type 5-5002-8, the new coupling may be connected and disconnected manually under high pressure through the elimination of commonly used steel balls and "dogs" which avoids inherent difficulties such

as Brinell type indentures in the retainer seat. Remotely actuated couplings of this new design are also available.


Even under high pressure this coupling may be connected simply by pushing the halves together, and disconnected without effort by pulling back on the actuating ring, with practically no loss of fluid. Locking mechanism is smooth and positive, will compensate itself as wear occurs, which assures utmost in reliability and long life since a full  $360^{\circ}$  gripping action is used. End fitting may be altered to suit various applications.

Circle No. 242 on Subscriber Service Card.

## PRESSURIZATION!!!

Now get the facts on Kahn's versatile new Portable Air Stand. This dependable, portable equipment provides HIGH PRESSURE — dry air or nitrogen for pressurizing aircraft or missile systems.

- 4-Stage Compressor delivers 1S SCFM of dry air at pressures to 5000 PSIG.
- Kahn's High Pressure Automatic Dryer provides dryness of minus 65 degrees F. or lower dew point.



### KAHN'S HIGH PRESSURE PNEUMATIC ACCESSORIES TEST STAND

Highly versatile 3-Station Component Test Stand delivers 5000 psi. air at minus 65 degrees F. dew point. Tests components such as Pressure Switches, Solenoids, Cylinders etc. KAHN'S INTERLOCK SAFETY feature prevents component tampering under pressure.

Inquiries Invited.



*Kahn and Company, Inc.*

541 WINDSOR STREET  
HARTFORD 1, CONNECTICUT

Circle No. 15 on Subscriber Service Card.

### DESIGN-ENGINEER & PRODUCTION OF AIRBORNE & GROUND SUPPORT EQUIPMENT

## INERTIAL GUIDANCE TRAINING

with BULOW EQUIPMENT

MISSILE TRAINING EQUIPMENT . . . COMPLETE AND SUBSYSTEMS. FOR INERTIAL GUIDANCE CLOSED LOOP SIMULATION. DIRECT ALL INQUIRIES TO SYSTEMS ENGINEERING DEPARTMENT.

MISSILE TRAINING EQUIPMENT • GROUND SUPPORT TEST EQUIPMENT • COMPONENTS-PRESET TIMERS, TIME INTERVAL METERS, ANTENNAS, HEATER THERMOSTATS, TAPE READERS

**BULOW ELECTRIC CO.** 11000 CAPITAL, OAK PARK 37, MICH.

Circle No. 16 on Subscriber Service Card.



THOMPSON PRODUCTS NEEDED A HEATER FAST . . .

## Here's how General Electric solved customer's heating problem—in 3½ days!

Recently, Thompson Products, Inc., ran into a problem: components were not available which would function at the extremely low temperature ambients required for a control being manufactured for a new USAF fighter. A holdup here could halt the entire aircraft program.

A General Electric sales engineer was called in. To General Electric's Specialty Heating Products plant at Cossackie, N. Y. went a call. Asked the customer: "How soon can you design, develop and deliver a prototype heater for our airborne system component?" The General Electric answer "78 hours—3½ working days—after we receive your specs."

Project preparations started immediately. When the rough equipment sketches arrived, the team

went into action. At 11:00 A.M. Thursday—3½ days later—the heating unit passed final inspection; was on its way. Final result: the aircraft program never slowed down.

**THIS IS ONE EXAMPLE** of how quickly General Electric can solve straight forward thermal conditioning problems. When you have a heating problem, call in your nearest General Electric sales engineer.

**GENERAL ELECTRIC COMPANY**  
Section M220-14, Schenectady 5, N. Y.  
Please send bulletin GEA-6285A, G-E  
Specialty Heating Equipment  
☐ for immediate project  
☐ for reference only


Name \_\_\_\_\_  
Position \_\_\_\_\_  
Company \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_

*Progress Is Our Most Important Product*

**GENERAL  ELECTRIC**

. . . new products

### Flexible Connector Reduces Turbulent Flow



A new lined flexible connector has been designed by **Flexonics Corporation** for ducting systems of missiles and advanced aircraft. The lined connector greatly reduces turbulence and pressure drop through the flexible elements of the ducting system where turbulence of an undesirable degree was often set up in conventional flex sections.

The liner is an especially designed interlocked flexible tube, formed of stainless steel strip. The interlocking convolutions are an axial motion for which the connector is designed. The liner is relieved so that the corrugated element is the sole pressure carrier.

The lined flexible connector has proved especially useful in liquid oxygen systems, where it cuts turbulence and prevents cavitation in centrifugal pumps. It has also proved effective in pneumatic power piping, where it helps designers by eliminating some of the variables that result from pressure drop.

Circle No. 234 on Subscriber Service Card.

### Kearfott Producing Miniature Servo Valves

Kearfott Co., Inc., Clifton, N.J., has in production miniature lightweight servo valves which, according to the manufacturer, by virtue of a totally new approach in the design of electrohydraulic feedback amplification has resulted in a servo valve having only two moving parts—the spool and the torque motor armature.

The new units are designed so that clogging and silting are effectively prevented through use of oversize orifices which also permit operation even with highly contaminated fluids. In addition to high frequency response, these units also exhibit minimum null shift.

Employment of unity hydraulic feedback eliminates springs, and com-

missiles and rockets, October 20, 1958




pensates for pressure and temperature variations. Inherent unity feedback of spool position also reduces sensitivity to load, pressure, and vibration. Since control ports of these servo valves are of closed center design, quiescent flow is low, thus reducing pump requirements.

High flow rates are possible, ranging from O-2, O-5, and O-10 gpm at a supply pressure of 3000 psi. Supply pressures range from 500 to 3000 psi. The standard motor is a permanent magnet DC type. The four-way is free floating, accurately matched to its sleeve, and has inherent dither which acts directly upon it. The driving amplifier is somewhat simpler, since a dither signal need not be supplied.

Circle No. 240 on Subscriber Service Card.

### Specialized Hose Assemblies for Missiles



Zep Aero of El Segundo, Calif., announces a new nylon covered tygon hose assemblies with An, MS, or special fittings. These hose assemblies are for use with oxygen and special corrosive fluids and gasses, burst pressures to 2000 P.S.I. and temperature range from -68 to +215°F. They are lightweight with extreme flexibility yet allowing minimum bend radius without collapsing—excellent shelf life far surpasses rubber compositions.

Circle No. 235 on Subscriber Service Card.

### Sylvania Adds Ka-band Magnetrons for Missiles

Three new Ka-band magnetrons rugged enough for missile applications have been developed by Sylvania Electric Products, Inc.

The new tubes bring to five the number of magnetrons for Ka-band (33-36 kilomegacycles frequency) applications available from Sylvania. The new types—M4063 and M4155—plus the earlier 5789 and 6799, cover a power range from 20 to 100 kilowatts.

These tubes, developed at Sylva-

missiles and rockets, October 20, 1958

## Major Southern California missile operation has **immediate openings** for qualified graduate engineers with experience in

### Instrumentation Systems

with general knowledge of missile systems, including propulsion, guidance, structures and electrical systems.

### Guidance Systems

Experienced in research and testing of practical hardware, and with mathematical background for systems analysis.

### Flight Test

Background should qualify for planning and formulating entire flight test programs.

### Aerodynamics

Must be able to analyze missile configuration to determine aerodynamic performance and stability and control characteristics.

*For information on these and other engineering positions, write:*

Mr. H. B. Richards, Dept. 451

Missile Division

North American Aviation, Inc.

12214 Lakewood Blvd., Downey, California

**MISSILE DIVISION**

NORTH AMERICAN AVIATION, INC.



Circle No. 17 on Subscriber Service Card.

SPECIALLY BUILT TO WITHSTAND  
SEVERE OPERATING CONDITIONS



# Bendix

Red Bank

## HARD GLASS TUBES



6094  
BEAM POWER AMPLIFIER



6384  
BEAM POWER AMPLIFIER



6754  
FULL-WAVE RECTIFIER

• Ideal for modern high-performance aircraft and missiles.

• Processing at higher vacuum and under the higher heat permitted by the hard glass reduces gas and contamination and provides greater operating stability at higher temperatures.

• Ceramic element separators prevent emission loss from high heat and vibration.

• Solid aluminum oxide heater-cathode insulator eliminates shorts, reduces leakage.

For complete line of tubes, write RED BANK DIVISION, BENDIX AVIATION CORPORATION, EATONTOWN, NEW JERSEY.

ELECTRICAL RATINGS*	6094 Beam Power Amplifier	6384 Beam Power Amplifier	6754 Full Wave Rectifier
Heater Voltage (AC or DC)**	6.3 volts	6.3 volts	6.3 volts
Heater Current	0.6 amp.	1.2 amp.	1.0 amp.
Plate Voltage (Maximum DC)	300 volts	750 volts	350 volts
Screen Voltage (Maximum DC)	275 volts	325 volts	—
Peak Plate Voltage (Max. Instantaneous)	550 volts	750 volts	—
Plate Dissipation (Absolute Max.)	14.0 watts	30 watts	—
Screen Dissipation (Absolute Max.)	2.0 watts	3.5 watts	—
Heater-Cathode Voltage (Max.)	±450 volts	±450 volts	±500 volts
Grid Resistance (Maximum)	0.1 Megohm	.1 Megohm	—
Grid Voltage (Maximum)	5.0 volts	0 volts	—
(Minimum)	-200 volts	-200 volts	—
Cathode Warm-up Time	45 sec.	45 sec.	45 sec.

\*For greatest life expectancy, avoid designs which apply all maximums simultaneously.

\*\*Voltage should not fluctuate more than ±5%.

MECHANICAL DATA	6094	6384	6754
Base	Miniature 9-Pin	Octal	Miniature 9-Pin
Bulb	T-6½	T-11	T-6½
Maximum Over-all Length	2½"	3½"	2½"
Maximum Seated Height	2½"	2½"	2½"
Maximum Diameter	¾"	1½"	¾"
Mounting Position	Any	Any	Any
Maximum Altitude	80,000 ft.	80,000 ft.	80,000 ft.
Maximum Bulb Temperature	300°C	300°C	300°C
Maximum Impact Shock	500G	500G	500G
Maximum Vibrational Acceleration	50G	50G	50G

West Coast Sales and Service: 117 E. Providencia Ave., Burbank, Calif.  
Canadian Affiliate: Computing Devices of Canada, Ltd., P. O. Box 508, Ottawa 4, Ont.  
Export Sales & Service: Bendix International, 205 E. 42nd St., New York 17, N. Y.

Red Bank Division



Circle No. 18 on Subscriber Service Card.


## ... new products

nia's Special Tube Operations plant in Williamsport, Pa., are used for radar equipment requiring very high resolution. As the source of the pulsed outgoing signal, they are the "heart" of a radar set.

Typical applications of the new tubes are in cloud-finding, mapping, and missile guidance equipment, according to the manufacturer. The 20-kilowatt M4063 weighs only nine pounds, while the 70-kilowatt type M4064 weighs 13 pounds. Between these is the 11-pound M4155, a ruggedized version of the 5789, with a rated peak output power of 40 kilowatts.

Circle No. 236 on Subscriber Service Card.

## Vernistat Potentiometer Made By Perkin-Elmer



A new miniaturized version of the precision Vernistat a.c. potentiometer has been developed by the Vernistat Division of the Perkin-Elmer Corp., Norwalk, Connecticut.

The Series 4 Vernistat potentiometers are size 11 components (1.062-inch diameter, with a weight of only two ounces). They are available with maximum output impedances of 200, 100, and 40 ohms, combined with high input impedance, and low output quadrature. Minimum output voltage increment (resolution) is 0.01% and terminal linearity is 0.05%.

The Series 4 also can be produced in nonlinear versions with 30-chord accuracy.


The new series operates in essentially the same manner as the Series 1 and 2 Vernistat potentiometers, and according to manufacturer combines the best features of a multiturn interpolating potentiometer with a precision multi-tapped autotransformer, for relating mechanical shaft rotation to a voltage. Applications for the Vernistat are found in servo systems, control systems, and analog computers. Among the military systems in which it is currently being used is the Atlas.

Circle No. 232 on Subscriber Service Card.



## ... new products

### Quick-Disconnect Unit For High Pressures



A high temperature (+400°F), high pressure (3,000 PSI), self sealing quick disconnect coupling has been developed by **Arkwin Industries, Inc.**, for use with hydraulic fluids such as OS-45, Oronite 8515, and MIL-H-5606A oil.

The unit is said to be capable of operation in a temperature range of -65°F (54°C) to 400°F (+204°C). Two classes of Type III system quick disconnect couplings are available according to the company:

- A. Class 600-Six hundred PSI rated pressure furnished in 1¼, 1½, and 2 inch tube sizes.
- B. Class 3,000-Three thousand PSI rated pressure furnished in ¼, 3/8, ½, ¾, and 1 inch tube sizes.

When MIL-L-7808 synthetic oil is used, the quick disconnect coupling conforms to Military Specification MIL-C-7413A (USAF) dated 5 October 1955 and is for use in Type I and Type II systems (low pressure to 600 PSI).


Circle No. 225 on Subscriber Service Card.

### Phase Angle Voltmeter Fills Many Atlas Needs

A multi-functional Phase Angle Voltmeter, designed and manufactured by **North Atlantic Industries, Inc.** fulfills a prime function in the *Atlas* program. This unique instrument, designed also for phase-sensitive null indication, as a ratiometer for zeroing and testing precision synchros, servo-mechanisms and transducers, is used to align highly critical control equipment in the *Atlas*.


North Atlantic is a prime supplier of high precision phase sensitive voltmeters to the electronics and missile industries for precision nulling and alignment of control systems, direct reading of in-phase and quadrature voltages, phase angles plus a wide range of other applications in diversified fields.

Circle No. 226 on Subscriber Service Card.



The GAR-2A FALCON, developed by Hughes Aircraft is cushioned with BLOCKSOM molded Paratex in this special pack for shipping to air bases without damage.

Blocksom molded Porotex cushioning cradles the Falcon missile for shipping without damage.



## USE BLOCKSOM

# Paratex

## CUSTOM-CUSHIONING FOR PRODUCTS THAT MUST NOT FAIL

When it is necessary to deliver products such as the Falcon guided missile "to target" without fail, then Blocksom's engineered cushioning is of major consideration.

### MEETS MILITARY SPECIFICATIONS

Blocksom packaging engineers have over 25 years of experience in developing and engineering molded curled hair cushioning for industry. Paratex combines the natural resilience of latex rubber with the springiness of curled hair to guarantee the safe arrival of delicate instruments or complete missiles.

PHONE COLLECT or WRITE TODAY for free consultation on your packaging problems

### BLOCKSOM & COMPANY

Packaging Division  
MICHIGAN CITY, IND.

Packaging Representatives  
in All Principal Cities

BLOCKSOM & COMPANY  
Michigan City, Ind., Dept. MR-10

- ☐ Send me folder on Paratex Packaging
- ☐ Have packaging engineer call

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

from any point of view

# CON





# DIESEL IS GROUND SUPPORT

TEST  
SERVICE  
LAUNCH  
HANDLING  
DATA PROCESSING  
POWER SUPPLY

More than half the brains and cash invested in missiles goes into missile support. Both missiles and aircraft command the most precise... advanced technological experience available. Such broad experience can only be acquired through a consolidated background in the many complex areas of Ground Support. This has been Consolidated's endeavor... for over a decade. The unique is the usual at Condiesel. Our experimental, development, and scientific staff is anxious to study your problems and offer a sound economic solution.

## CONSOLIDATED DIESEL ELECTRIC CORPORATION


AIRCRAFT EQUIPMENT DIVISION, Stamford, Conn. • POWER EQUIPMENT DIVISION, Stamford, Conn.  
TEST EQUIPMENT DIVISION, Stamford, Conn. • CONSOLIDATED AVIONICS, Westbury, L. I., N. Y.  
CONSOLIDATED CONTROLS CORP., Bethel, Conn. • LIMA ELECTRIC MOTOR CO., Lima, Ohio  
CONDIESEL WESTERN, Inglewood, Calif. • C.D.E.C., Rexdale, Toronto, Ontario

*For the rocket and missile speed up programs ahead...*

**Lebanon Steel's Special  
Products Division offers  
cast steel component parts  
from 3 ounces to 300 pounds.**



Nozzle ring for  
rocket engine,  
cast for Reaction  
Motors in  
stainless steel.



*cast  
precisely  
to drawing  
in high  
or super  
alloy steels  
of class I  
x-ray  
quality*

12"

**... precision quality at significant  
TIME & COST SAVINGS**

THIS CAST NOZZLE RING for a rocket engine illustrates how Lebanon Steel Foundry can become indispensable to your missile or rocket program. Here Lebanon's unique experience and facilities enabled production of a vital component to proceed from *drawing to finished part* at minimum time and at great savings in tooling and production costs.

This casting achieves all the advantages of precision methods. Tolerance control demands absolute accuracy of core placement and smooth metal surfaces cast precisely to drawing in order to reproduce the curved contours of the internal passages, which would be virtually impossible to machine. Cast holes are round on one side, rectangular on the other.

This casting was produced by Lebanon's CERAMICAST® Process. No other known method offers production of such an intricate stainless steel component at anything approaching Lebanon's time and cost factors.

This experience is available to you now. To take the fullest advantage of the assistance we can render in your rocket and missile prototype work, consult us at the earliest stage of your design project.

Special facilities have been created at Lebanon to get all available foundry engineering help to you *when you want it*. For immediate action on your inquiry, phone or write DEPARTMENT AM.

*\*Produced under licensing agreement with Shaw Processes, Ltd.*

**LEBANON STEEL FOUNDRY**


AIRCRAFT AND MISSILES PRODUCTS SECTION

171 LEHMAN STREET LEBANON, PENNA.

Circle No. 20 on Subscriber Service Card.

**... new products**

**Floated Rate Gyros  
Withstand Heavy Shock**



Floated rate gyroscopes capable of withstanding 150 g shock or acceleration are being built by the **Garrett Corporation's AiResearch** manufacturing division, Phoenix, Arizona.

The rugged units, designed for maximum versatility, operate from either direct, or one, two or three phase alternating current. Regulated or unregulated voltage from 350 to 2500 cycles per second can be used for the AC power supply.

The 210 Series gyros are of completely floated gimbal construction. Damping is held nearly constant over an ambient operating range of minus 67° to plus 165°F. This is accomplished by use of silicone oil flotation together with a special variable gap ring and cam design, rather than with vibration-prone rate springs.

A typical gyro weighs less than a pound and measures 2 1/8 inches square by 3 1/2 inches long. With extreme accuracy the unit will withstand sustained 75 g acceleration in any axis and absorb twice that force without damage.

Under severe environmental conditions, operating life of the new AiResearch gyros ranges from slightly over 150 hours for the DC units to more than 1000 for the AC models.

Circle No. 227 on Subscriber Service Card.

**Tantalum Capacitors  
Provide Broad Range**


A new line of tantalum capacitors made by **P. R. Mallory & Co. Inc.**, designated the TAP2 series, provides a broad range of ratings.

Only 0.226" in diameter and 0.625" long, the TAP2 capacitors come in ratings covering the range from 140 mfd., 6 VDC to 11mfd., 90 VDC. They are rated for ambient temperatures from -55° to +85°C, and will meet the 2000 cycle, 20G vibration requirements of specification MIL-C-3965B.

Circle No. 228 on Subscriber Service Card.

missiles and rockets, October 20, 1958





## No other missile test lab can do all the things we can do

Take our 100-foot test tower. With it we can simulate the pressure and aerodynamic loadings that occur during the actual launching and flight of a missile.

This is just one of the many specialized facilities and tools that we have built up in the last ten years. During this decade—because of our complete responsibility for the development of a major weapon system—we have also piled up a wealth of experience in many related fields.

The upshot of this is that we can handle any project from far-out basic research to static and dynamic testing of complete airframes.

For example, we can simulate aerodynamic heating and loading at the same time...on a complete wing or a large section of fuselage. We're old hands at applying heat gradients from leading to trailing edge and spanwise. And we are equipped to compute temperature differentials, and to predict specific area temperatures.

We're completely qualified to work with any kind of metals or nonmetals; materials and processes; electrical, hydraulic and pneumatic components and systems; structures; reliability; environmental testing (including re-entry); and instrumentation.


Now we'd like to solve your problems. The tougher the better.

Please write to E. R. Schenkel, Missile Division Test Lab Manager, North American Aviation, 12214 Lakewood Blvd., Downey, Calif.

### MISSILE DEVELOPMENT DIVISION



North American Aviation, Inc.



## for the first time . . .

a basic discussion of bellows design criteria including a slide calculator to provide a short cut to approximate bellows design. Made available by the The Belfab Corporation — the leader in the field of precision welded bellows. Price, one dollar.



Gentlemen:

Please send a copy of the new 24-page Bellows Design Manual with Slide Calculator. Please find \$1.00 enclosed.

Name.....Title.....

Company.....

Address.....

City.....State.....



**THE BELFAB CORPORATION**

Daytona Beach, Florida

Circle No. 21 on Subscriber Service Card.

## ... new products

### Check-Disconnect Unit Has High Flow Rate



A combination check valve and quick-disconnect unit for cryogenic ( $-300^{\circ}\text{F}$ ), corrosive or conventional fluid service, has high flow rates, up to 6,500 GPM of liquid oxygen at 70 psi. Maximum pressure drop, through three and a half foot unit length, is less than 4 psi, and has been developed by Reaction Motors division of Thiokol.

Extreme light weight results from use of brazed and welded, spun sheet metal construction. The largest current unit, 11-inch line size, weighs less than 50 lb.

The fore section can be used alone as a check valve. In certain applications fluid flows in either direction and the check valve comes into play only after valve and nozzle sections have separated.

This flight qualified item meets rigid leakage requirements for critical missile applications. Special features can be incorporated into the valve to meet operational requirements. Other size units can be provided.

Circle No. 229 on Subscriber Service Card.

### Cavity Filter Covers Wide Frequency Range

A cast-aluminum Tunable UHF Cavity Filter has been developed by Adams-Russell Company, Inc. of Cambridge, Mass. The filter is silver plated for low loss and pressure-tight to prevent the entrance of moisture and dust.


The Model 210 covers the frequency range of 200-420 Mc and has a power rating of 300 watts C.W. This filter provides: reduced interference between adjacent transmitter-receivers operating in same location; preselection for receivers with reduced images and other spurious responses; reduced harmonic radiation from transmitters, (40 db typical for second harmonic); and the capability to multiplex several receivers or transmitters into a common antenna.

Specifications include: Insertion Loss: Approx. 0.5 db; "Q" Factor: Approx. 150; VSWR 1.3.

Circle No. 230 on Subscriber Service Card.

missiles and rockets, October 20, 1958





## Whatever the shape of things to come . . .

58-16

Fantastic shapes for the space vehicles of the future already are on the boards. Even more radical designs are taking form in the minds of engineers. And their parts and components will just as radically differ from those produced today. New standards of precision and new methods of working new materials will be required.

One thing at least is certain: the same design, development and manufacturing experience which made the transition from aircraft piston engines to jets will be needed to produce these shapes of the future. Since the early 1920's, Ex-Cell-O has been among the major suppliers of machines, parts and assemblies to the aircraft industry. In that time it has built a reputation for extending the frontiers of precision.

Today, Ex-Cell-O manufactures such components

as: rotors, blades, fuel nozzles, actuators, valves and fuel controls. Tomorrow? Well, perhaps you yourself have a problem which Ex-Cell-O's long experience in the production of precision controls and assemblies might help you solve. If so, why not contact Ex-Cell-O today?

EX-CELL-O FOR PRECISION



**EX-CELL-O**  
CORPORATION  
DETROIT 32, MICHIGAN

*Aircraft  
Division*

Circle No. 56 on Subscriber Service Card.

MAN AND MISSILES FLY HIGHER, FASTER AND SAFER WITH PARTS AND ASSEMBLIES BY EX-CELL-O.

# soviet affairs

by Dr. Albert Parry



While Soviet scientists on the whole are friendly toward their American counterparts, the Soviet government doesn't like this warm interest. Khrushchev is rather suspicious of the pro-Western feelings sometimes displayed by Russian experts of astrophysics and astronautics.

To make sure that Red rocketry will not become a nest of opposition to the Communist Party through too much fraternization with the West, Khrushchev resorts to some noteworthy measures. Increasingly he puts into Russia's rocket and missile laboratories young men from the families of his most trusted Communist henchmen. Recently Khrushchev revealed that he placed his own young son to work in Russian rocketry.

Khrushchev also tries to counteract his scientists' friendly attitude toward Western scientists by ordering his press to keep up attacks against the latter. Typical of such stepped-up onslaughts is an article in the Moscow TRUD by Y. Kornilov aimed at Andrew G. Haley, President of International Astronautics Federation and his alleged remarks on efforts to shoot rockets to the moon.

Kornilov quotes Haley as saying: "Guard the moon! Otherwise the Russians will surely try to annex that unprotected planet. We know these Reds: yesterday it was rockets with them, today it's *Sputniks*, but tomorrow—look out!—they will land their agitators on the moon . . ."


Haley is further quoted by the writer as declaring that should Russia hurl a rocket to the moon and use this as her basis for territorial claims, international tensions would greatly increase and "he would be glad if the Russians would specifically assure him that they have no claims on the moon's territory."

The Moscow journalist asks this question: "Why is Mr. Haley so worried about the fate of that distant planet?" Kornilov solves his own puzzle:


"The reasons are plain. Time was when Americans noisily advertised their future satellite of the earth. But the first *Sputnik* flew into cosmos from the USSR, not from America. A short while ago much hullabaloo was raised in the USA around a rocket to be launched to the moon. One enterprising firm even organized a sale of lots on the moon—at one dollar per lot. However, Americans have not succeeded in reaching the moon. And now Haley, taught by bitter experience, apparently is worried by the possibility that the lots for which those credulous Americans have already paid their money would wind up in Russian hands . . ."

"Haley and his masters are accustomed to view everything from the standpoint of annexation and expansion. And even when the talk is about the moon, they are interested not so much in science as in the problem of who will be the first to grab the territory of that planet."

The attack in the Moscow TRUD is accompanied by a cartoon showing an American policeman wearing eyeglasses with a sour expression and walking the earth on stilts made of dollar signs while raising his threatening billy against the background of the moon. A sign, hanging from the moon, reads: "It is forbidden to land on the moon." The moon's face has a look of painful dismay at such Yankee "imperialism."



**SPECIFY  
STANDARD TUBING!**



**EVERYTHING FOR TUBULAR CONSTRUCTION**

One source, Standard, can furnish anything you need in welded steel tubing for the construction of ground handling and ground support equipment . . . in a vast range of sizes and grades—stainless, carbon and low alloy . . . for structural, mechanical, or pressure applications . . . and in round, square, rectangulars, and a host of special shapes. Let Standard specialists help your specifications take shape by supplying whatever tubing you need, or by doing the fabrication and complete assembly including weldments for you. Let Standard analyze your problem—quote on your job.



**FREE!**  
a weight table for square and rectangular tubing.  
Write address below.


**STANDARD**

THE STANDARD TUBE COMPANY and  
MICHIGAN STEEL TUBE PRODUCTS DIVISION  
24400 Plymouth Road • Detroit 39, Michigan

Welded stainless tubing and pipe • Welded carbon steel mechanical • Boiler and Heat Exchanger • Exercise rigidized patterns • Spectral Shapes • Steel Tubing—Sizes: 1/4" OD to 6" OD—.028 to .270 wall • Stainless—Sizes: 1/4" OD to 4 1/4" OD—.020 to .187 wall.

Circle No. 22 on Subscriber Service Card.







Rescue Hoist, 600 lb. capacity; hydraulic motor drive winch; 100 ft. cable, 100 ft. per minute rate. Weight, 51 lbs.



## Precision Hoists by BREEZE



Cargo Hook, 10,000 lb. capacity; 26 volts, D.C. Automatic touchdown feature opens hook to release load at touch; also manual release.



Cargo Winch Assembly, 2,000 lb. capacity; 28 volt electric motor and gear train, Overload clutch; 50 ft. cable, speed 10 ft. per minute.

For many years Breeze design and engineering of special purpose hoists and winches has consistently kept pace with the swiftly advancing world of aircraft design. Whether you require a hoist for rescue work, cargo handling, stores handling, ground support or other functions, Breeze has the right model, designed for specific applications, or can build it to your requirements.

Get in touch with our engineering specialists. Write for detailed literature concerning any of the units listed here or other data on hoists.



# BREEZE

CORPORATIONS, INC.

BREEZE CORPORATIONS INC., 700 LIBERTY AVE., UNION, NEW JERSEY

## Moscow briefs

**Academician Leonid Sedov** gave these figures at the Fifth Assembly of the IGY body in Moscow: *Sputnik I* resulted in 60,000 measurements on the basis of radio tracking and 400 measurements based on visual observation. For *Sputnik II*, such measurements were 12,800 and 2,000 respectively; while for *Sputnik III* (up to July 7, 1958) they were 52,750 and 2,000 respectively.

**"Super-precise" tracking** of *Sputnik III* is being done by the Alma-Ata Mountain Observatory of the Astrophysical Institute of the Soviet Kazakhstan Academy of Sciences, with the aid of what is described by the Russians as a special meniscus telescope of the Maksutov System. It is equipped with a printing chronograph, a special oscillograph, and a quartzitic generator. The resulting photographs fix the *Sputnik* track with an extraordinary exactitude in relation to the stars at each given moment. These photographs are then sent to the Moscow offices of the IGY.

The lifetime predicted by Soviet scientists for *Sputnik III* is not less than 500 days from the day of its launching

(May 15, 1958). Its carrier rocket will last about six months from the moment of its orbiting. This compares with 94 days of the existence of *Sputnik I* and the 60 days of its carrier rocket.

**Ultra-short radio waves**, reflected by meteorite traces, can be utilized for man's radio communications over long distances. So declares A. L. Mints, a corresponding member of the Soviet Academy of Sciences. He maintains that a method of such communication has already been worked out, but admits he does not know how practical it may prove.

He also asserts that, instead of using meteorite-trace radio waves, a radio-wave reflecting "mirror" can be created artificially "high in the sky" by shooting a rocket into the upper reaches of the atmosphere. The rocket, at the highest point of its trajectory, releases—as dust—a quantity of metallic potassium.

The resulting cloud of the thinnest possible powder becomes ionized under the effect of sun rays, and acquires its capacity of reflecting radio waves—thus replacing the meteorite traces. Such a cloud can last 45 minutes and may be used for radio communication

for longer periods than without the aid of the artificial "mirror" made by the potassium-sprinkling rocket.

**Eight different postage stamps** honoring the *Sputniks* have so far been issued by the Soviet government. Pictures of the *Sputniks* have also been placed on Soviet postal envelopes. The Communist governments of East Germany, Czechoslovakia, and Rumania have also honored the Russian *Sputniks* with postage stamps.

**The Soviet Union continues** its far-flung and feverish search for new minerals and metals to use in the atomic and missile age. P. Y. Antropov, minister of geology and conservation of ores of the USSR, states that this year more than 5,000 scientific expeditions, with a total personnel of nearly 290,000 men and women, are out in the field all over the country engaged in this search.

**The future lunar city** to be built by the Soviets, once Red rockets reach the Moon, will utilize the Moon's caves rather than its well-known craters. This is stated by Alexander Shternfeld, the celebrated Soviet astrophysicist. He also suggests digging tunnels on the Moon, at the depth of 15 to 18 meters, to reach underground levels where "vacillations of temperature are already insignificant."

Shternfeld proposes protection of such underground lunar cities by a system of inner doors and partitions, also of "tambours," or circular frames, each of two hoops, one fitting into the other. These "tambours" are to be made of sheet iron covered with a coat of silver, and, "yet better—of glass yarn impenetrable by air."

**The next *Sputnik*** may be the brightest celestial body, next to the Moon. Such are the latest plans of Soviet experts who are working on the ways and means of illuminating *Sputnik IV* when it is launched and orbited, and keeping it brightly lighted for most, if not all, of its existence.

**International cooperation** of scientists is once again being strongly advocated in the Soviet press. *PRAVDA* and *IZVESTIA* have published numerous editorials on the subject, which has been repeated time and again during the IGY and especially during the recent conference in Moscow. The editorials point out that 32 prominent scientists were among those chosen for membership in the Academy of Sciences of the USSR and that 514 delegations of the Academy visited 44 other countries. In addition, during 1957, 139 delega-

# SENSATIONAL NEW FLEXIBILITY

## ONE MODEL THREE MODES

✓ DIFFERENTIAL
✓ ISOLATED
✓ GROUNDED



### EXTREMELY LOW DRIFT

## WIDEBAND DC AMPLIFIER

Write for Bulletin AI 132.1

COMPUTER ENGINEERING ASSOCIATES, INC.  
380 NORTH HALSTED - PASADENA, CALIFORNIA

TRANSISTORIZED POWER SUPPLIES • DIRECT ANALOG COMPUTERS • ENGINEERING ANALYSES



tions of the Academy participated in the work of 62 international congresses. The relations between scientists of the Soviet Union and "other Socialist countries" and their strong creative friendship are inspiring examples for the scientists of all the world, according to PRAVDA. The Soviet newspapers say that it is not accidental that Moscow was chosen as the site of three great international conferences. The international conference of architects, the regularly scheduled assembly of CSAGI (Special Committee for the International Geophysical Year), and the Tenth International Conference of Astronomers were all held in Moscow.

**Photographic observations** of Soviet satellites are being carried out in the USSR with the aid of the 50 cm. Maksutov Meniscus telescope, resulting in an accuracy of  $\pm 2''$  and 0.001 of coordinates and time, respectively. Various methods of making such observations of satellites were tested at the mountain observatory of the Astrophysics Institute of the Academy of Sciences of the Kazakh Soviet Socialist Republic.

A small, wide-angle, fast camera is used for the purpose, including a

camera with a "Sapphire Boyet" objective which was used for observing the carrier rocket of *Sputnik I*. More attention has been given, however, to the organization of more accurate *Sputnik* observations by means of an adequately equipped meniscus telescope of Maksutov design (D=50 cm, F=120 cm).

**The Purple Mountain Astronomical Observatory**, located on a mountain a few miles east of Nanking, China, houses the largest telescope presently used in China. Situated 875 feet above sea level, the observatory has at least four domes, the largest being a little over 26 feet in diameter. The Red Chinese government claims that prior to "liberation", there were only ten workers at this observatory. Now there are more than a hundred. Facilities of the installation include an astronomical clock accurate to thousandths of a second; an observatory without a dome, but with a long narrow roof opening on a north-south line for observing star transits of the meridian; and electrically operated calculating machines.

**Three types of propulsion** have been advanced by Soviet scientists as the only practicable methods for creating thrust in outer space. According to R. G. Perelman, Candidate of Technical

Sciences, these systems are Ion, Nuclear and Quantum. Ion rockets are stated to be best, and credit for their creation is given to K. E. Tsiolkovsky. **Satellite computing equipment** has been the center of recent enigmas concerning Soviet capabilities in this field. Dr. Fred Whipple, head of the Smithsonian Astrophysical Observatory at Cambridge, was reportedly quite annoyed at Soviet failure to release any information on their tracking and computing methods. The Soviet scientists with whom Whipple dealt were even reluctant to explain why the American delegation could not see any of the equipment or installations. There never has been any real information available on the methods used. General statements are available, such as that dealing with telescopes, but nothing on computing equipment. **It may be recalled** that very soon after the launching of *Sputnik I* last October, there were announcements from Moscow giving the exact time and location where the satellite could be seen in various parts of the world. Such a rapid and precise system was thought to be almost impossible and not within the capability of the USSR, the only alternative suggestion being that the Soviets were so sure of their launching vehicle that they computed all the data in advance.




**Bendix**  
**PYGMY**  
 MINIATURE  
 ELECTRICAL CONNECTORS

**Accommodate 3 times as many circuits as comparable AN arrangements**

- 5-Key Polarization on PT Series
- AN Mounting Dimensions
- Lightweight, Compact
- Forged or Bar Stock Shells
- Resilient Inserts
- Closed Entry Sockets
- Moisture resistant
- Vibration resistant
- Heavily Gold-plated Contacts
- Quick Disconnect, Either Series

**Bendix** SCINTILLA DIVISION of **Bendix**  
 SIDNEY, N. Y. AVIATION CORPORATION  
 Export Sales and Service: Bendix International Division, 205 East 42nd St., New York 17, N. Y.  
 Canadian Affiliate: Aviation Electric, Ltd., 200 Laurentian Blvd., Montreal 9, Quebec



**PC SERIES**  
 Double Stub Thread

**PT SERIES**  
 3-Point Cam Lock


**FOUR WIRE TERMINATIONS**

"A" General  
 "E" Open Wire  
 "P" Pinning  
 "W" Cable

**IN .0001 SECOND**

$$\omega_e(x_1 \cos \alpha + m M_e D \frac{1}{r^2} \frac{d}{dt}) V$$

*Write for literature describing TRICE and its many uses: aerodynamic stability, control system stability, impact prediction, stable platform calculations, satellite orbit predictors and others.*



**TRICE** (Transistorized Realtime Incremental Computer, Expandable) is the first computer to combine the accuracy and repeatability of a digital computer with the speed, flexibility and ease of programming of an analog computer.

a subsidiary of

**12333 W. Olympic Blvd.**

**Los Angeles 64, Calif. BR. 2-2171**



# When and Where

## OCTOBER

**Sixth Annual USAF Weapons Competition**, Interceptor Phase, Air Defense Command, Tyndall, AFB, Fla., Oct. 20-30.

**University of California, Aviation Medicine Meeting**, UCLA, Los Angeles, Oct. 22-24.

**Fourth Annual Symposium on Aviation Medicine**, Miramar Hotel, Santa Monica, Calif., Oct. 22-24.

**Fifth National Vacuum Symposium**, Sir Francis Drake Hotel, San Francisco, Calif., Oct. 22-24.

**1958 National Simulation Conference**, sponsored by Institute of Radio Engineers Professional Group on Electronic Computers, Statler-Hilton Hotel, Dallas, Texas, Oct. 23-25.

**SAMA Laboratory Apparatus and Optical Sections' Midyear Meeting**, Westchester Country Club, Rye, N.Y., Oct. 26-28.

**Institute of Radio Engineers East Coast Conference**, Aeronautical and Navigational Electronics, Lord Baltimore Hotel, Baltimore, Md., Oct. 27-28.

**1958 National Metal Exposition and Congress**, American Society for Metals, Public Auditorium, Cleveland, Ohio, Oct. 27-31.

**Armour Research Foundation**, Illinois Institute of Technology, 5th Annual Computer Applications Symposium, Oct. 29-30.

**IRE, 1958 Electronic Devices Meeting**, Shoreham Hotel, Washington, D.C., Oct. 30-31.

## NOVEMBER


**Fifth Annual Meeting, Institute of Radio Engineers Professional Group on Nuclear Science**, Villa Hotel, San Mateo, Calif., Nov. 6-7.

**School of Aviation Medicine**, International Conference, Physics and Medicine of the Atmosphere and Space, Hilton Hotel, San Antonio, Texas, Nov. 10-12.

**1958 Annual Meeting, Society for Experimental Stress Analysis**, Hotel Sheraton-Ten Eyck, Albany, N.Y., Nov. 12-14.

**Conference on Scientific Information**, AFOSR/Directorate of Research Communication, NAS, NSF and the American Documentation Institute, Mayflower Hotel, Washington, D.C., Nov. 16-21.

**American Society for Quality Conference**, Sixth Annual Aircraft and Missile Division Conference, Biltmore Hotel, Dayton, Ohio, Nov. 17-18.



Men who know

## TURBINES, PUMPS, COMPRESSORS

Get in on the development of the most advanced high-speed rotary equipment ever built

Here's your opportunity to step up to a new, higher level of turbo-machinery technology—the Large Rocket Engine.

Whatever type of rotating machinery you know best, your experience could be extremely valuable in the important developments now going on at Rocketdyne. The seasoned and ambitious man who has cut his teeth on jet engines, steam or gas turbines, or other elements of rotating machinery, is urgently needed to apply mechanical principles to meet the increasing demands of power plant performance.


The combination of high speed, light weight, heavy loadings and exceptional pressures required in rocket engine work is leading to an entirely new breed of high-performance rotating machinery...and a new breed of engineer. You can be one of this advance guard of the turbo-machinery field—if you have the desire to build your professional status by accepting new challenges.

Rocketdyne is building high-thrust rocket engines for the nation's major missiles. You'll work with the leading producer in the nation's fastest growing industry. You and your work will be recognized as a vital part of the overall achievements. Testing facilities are among the world's finest. The power produced is beyond anything ever before thought possible. If you would like to tackle new assignments working alongside some of the finest minds in turbo-engineering, write and tell us about your background: Mr. D. K. Jamieson, Rocketdyne Engineering Personnel, 6633 Canoga Avenue, Canoga Park, California.

# ROCKETDYNE


A DIVISION OF NORTH AMERICAN AVIATION, INC.

BUILDERS OF POWER FOR OUTER SPACE



# ***This FLOW REGULATOR is simpler in design and lower in cost***

This unit exceeds  
MIL-V-8566 specifications  
in both regulation  
accuracy and pressure drop,  
thus confirming the  
tradition, *You can expect  
more from Vinson.*



## **OPERATION**

**PRESSURE**  
**3000**  
psi

**PROOF**  
**4500**  
psi

**BURST**  
**7500**  
psi

**Media**  
Hydraulic fluids &  
fuels. Available in  
stainless steel for  
corrosive liquids.

**AMBIENT  
RANGE**  
-65° to 275° F.

### **OTHER CHARACTERISTICS**

In stainless steel body, up to 600° F. Contains no seals; can replace restrictor valves; unaffected by back pressure. Sizes: 1/2", 3/8" and 5/16" have interchangeable parts. Available in 1/8" up to 3/4"; larger tube sizes to order. Any type port available.


Externally adjustable types available for laboratory use and system evaluation. Internal elements available for cartridge evaluation.

**WHAT'S YOUR FLOW PROBLEM?** Your inquiry will receive an immediate reply from engineers experienced in the specialized problems of flow control.

*Expect more from*

# **VINSON**

**PRESSURE REGULATORS  
RESERVOIRS • ACCUMULATORS**



**VALVES:** RELIEF • SHUTTLE • RESTRICTOR •  
UNLOADER • SNIFFLE • SOLENOID • BUTTERFLY

TELEPHONES: ST 3-2750 — ST 3-2576

8044 WOODLEY, VAN NUYS, CALIFORNIA



# Thompson-Ramo Merger OK'd STL Remains as Separate Group

by Raymond M. Nolan

Thompson Products stockholders in a special meeting in Cleveland voted to approve the merger with Ramo-Wooldridge by the overwhelming majority of 600 to 1. 99.8% of the 2,216,000 shares of the Thompson common stock voted in favor. Total stock outstanding is 2,764,639 shares. Ramo-Wooldridge shareholders, meeting in Los Angeles, approved the merger unanimously. Space Technology Laboratories, presently an autonomous division of Ramo-Wooldridge, becomes a separate subsidiary corporation with complete operational independence on November 1st.

In a foreword to the proxy statement sent to shareholders, Fred C. Crawford, retiring chairman of the board, said, "The company (Thompson) participated in the organization of Ramo-Wooldridge in 1953 and since then has supplied most of the financing for it. Thompson presently owns approximately 57½% of the total outstanding common shares of Ramo-Wooldridge; and has options (obtained in 1955 and exercisable at specific periods beginning in 1964) which, upon exercise, would give us approximately 85% of the equity ownership. The faith we had in 1953 in the future of Ramo-Wooldridge has been amply justified since that time and we now have the opportunity of obtaining 100% ownership at a price which we believe is substantially less than the price we would be required to pay in the mid-1960s."

Ramo-Wooldridge, organized in 1953 with financial assistance from Thompson, now employs about 4000 people. Out of the original organization have come Pacific Semiconductors Inc., organized in 1954, Space Technology Labs, civilian managers of the USAF ballistic missile program, and Thompson-Ramo-Wooldridge Products Company, organized early this year to develop and market the RW-300 process control computer.

Thompson Products, in business since 1900, has about 17,000 employees. Its major area, until the merger, has been as a supplier of components and sub-systems to the aircraft and automotive industries, although they have been moving into the electronic and nuclear fields gradually.

R-W got its start when Dean Wooldridge and Simon Ramo, then vice presidents of Hughes Aircraft, obtained financing from Thompson Products in

exchange for 49% of the new company's stock. Their original 1000 foot building (now a barber shop) in Los Angeles has grown to a total of 17 buildings with 987,300 sq. ft. of which 585,900 sq. ft. are located in the company's partially completed electronics complex on a 41-acre site south of Los Angeles International Airport. When the complex is completed in 1959, it will total some 850,000 sq. ft.

The merger results in a fairly impressive sales picture for the new corporation. When it becomes effective on October 31st, TRW will have over 20,000 employees, assets of more than \$200 million, and estimated sales for 1958, "somewhere between \$300 and \$325 million" according to a Thompson spokesman.

One problem which could have become thornier has been solved by the formation of Space Technology Labs as a separate corporation. Mr. E. C. Jones, secretary of Thompson Products, in a special notice to stockholders, said, "Because of the special nature of its participation in the ballistic missile program of the Air Force, Ramo-Wooldridge has, in effect, been excluded from the fabrication of equipment for use in the *Atlas*, *Titan* and *Thor* production missiles planned for the Air Force weapons inventory. While the proposed merger might result in an application of this type of exclusion to manufacturing activities of the company, Ramo-Wooldridge has presented to the AF and is presently engaged in a program for the separation of the activities of Space Technology Labs (STL) which, it is expected, will permit the merged company to compete for production contracts in the AF ballistic missile and space weapons programs."

STL will become a separate corporation on November 1st with a majority of its directors persons not connected with the Thompson Ramo-Wooldridge group. General James H. Doolittle will become board chairman on January 1st. All of the announcements to date have stressed the fact that the parent corporation will have no hand in STL's policies because of its involvement in the ballistic missile program.

In the merged group, J. D. Wright, now Thompson's president, becomes Board Chairman and Chief Executive Officer. Fred Crawford, present chairman of the board will retire but will continue as a director and head of the executive committee and will be re-

tained as a consultant (at \$85,000 yearly) to the company. Dr. Dean Wooldridge, now president and a director of R-W, will become president of the merged company, and Dr. Simon Ramo, now a vice-president and a director of R-W, will become executive vice-president.

A number of rumors which have been circulating about the merger were scotched by Thompson's Operations Vice-President Horace Shepard (who will become assistant to the Board Chairman in the merged company.) One report, Mr. Shepard said, was that Mr. Wright would be less active in the company. He pointed out in answer to this that Mr. Wright's significant title is that of chief executive officer and as such he will be as active as he has been.

Another rumor—that Thompson would go out of the auto business—was dismissed as ridiculous by Mr. Shepard. Nor is there any truth, he said, in a report that the new corporation may consider closing its Cleveland plants.

In a talk before a Thompson group recently, Dr. Wooldridge said that the merger is being made from a position of strength with the resulting organization designed to tackle military and commercial systems that neither Thompson or Ramo-Wooldridge could have handled separately. He also stated that there is no intention of interfering with the lines of activity of either company.

## 36-Inch 'Scope To Probe Space From Balloon

WASHINGTON—Plans for a 36-inch telescope to be sent to more than 80,000 feet by unmanned balloon to photograph planets, nebulae and galaxies has been announced by the National Science Foundation and the Office of Naval Research, joint project sponsors.

Called Stratoscope II, the telescope is a continuation of the ONR-backed 12-inch Stratoscope I telescope flown last fall to photograph the sun (m/T, June 1958, p. 73).

Dr. Martin Schwarzschild of Princeton University's Department of Astronomy will direct the Stratoscope II project, and the continued use of the Stratoscope I sun telescope.

The 36-inch telescope—currently the subject of a design study by the Perkin-Elmer Corp., Norwalk, Conn., which designed and built the Stratoscope I telescope—will have a television link with the ground.

The first flight of Stratoscope II is scheduled for 1961.

# Inflated, Painted Sphere Ideal For Testing Radiation Belt

## • Scientist Suggests New Methods That could Also Improve Sphere Visibility

by Peer Fossen

Exploration of the van Allen Belt by deliberately releasing large quantities of gas in the belt and observing the rate of expansion of the glowing gas cloud was proposed by German scientist Savo Coric in the July 14 issue of *m/r*. Since then, *Explorer IV* has been successfully launched, and its payload immediately revealed a series of secrets of great value to space technologists.

The recent Lunar Probe carried with it radiation measuring instrumentation to an altitude of approximately 80,000 miles, and the scientists have reported that preliminary findings indicate the van Allen Belt is less serious than expected from the standpoint of future space travel.

The telemetered findings of the probe showed that activity was at a rate of four Roentgens per hour at

5,000 miles, three Roentgens per hour at 10,000 miles and two Roentgens per hour at 17,000 miles. It is calculated that had a human being been aboard the rocket in its ascent, the space traveler would have suffered less than 50 Roentgens of radiations. The lethal dose is about 450 Roentgens.

Answers to these and other related questions will undoubtedly come from the lunar probes, but it is uncertain whether the lunar probes alone can explore all the secrets of the radiation zone.

## • Army Project Best Bet For Exploring Belt

In the opinion of scientist Coric, there is one existing U.S. satellite project which, if properly adapted, could be instrumental in revealing further secrets of the radiation belt.

The project referred to by Coric is the Army's plan to place a balloon-like satellite in orbit to determine the air density in the upper regions of the Earth's atmosphere. A

large inflated plastic sphere would be used for the tests.

Such a sphere is particularly well suited to carry out air-density measurements in the extremely tenuous atmosphere it would encounter in the lower parts of its orbit. It has a large surface-to-mass ratio, which means it will experience a much larger air drag than a smaller and denser metallic satellite.

This in turn will result in a correspondingly rapid descent to lower altitudes, where the balloon will finally be destroyed by the air friction in the denser atmosphere. The sphere's rate of descent, determined by means of optical tracking, will make it possible to compute the air density along the lower part of the orbit.

Coric's suggestion is that this balloon-like satellite be given a second task to perform; exploration of the radiation belt.

Along the higher part of the orbit, it will hardly encounter air molecules, but more and more charged particles of the radiation zone. What these particles are and how they behave in space is still a subject of conflicting theories, but it seems certain that there are currents of charged particles around the earth whose fluctuations seem to be responsible for the perturbations of the earth magnetic field one or two days after a period of increased activity or

## INSPECTION PROBLEMS?

This booklet is for you!

### BORESCOPIES

Free on request

Fill in and mail today

This comprehensive, elaborately illustrated booklet provides practical information on the use of the famous A. C. M. I. Bore-scope in various industries, for the inspection of interior areas or surfaces not otherwise visible—together with full data on the types of Borescopes available, and on their care and maintenance. Have you received your copy?

To *American Cystoscope Makers, Inc.*

8 PELHAM PARKWAY PELHAM MANOR, NEW YORK  
Gentlemen: Please send me without obligation a copy of your booklet on Borescopes.

Name \_\_\_\_\_  
Firm \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_

## WANTED!

Missile and Rocket Men

Seeking Classified Advertising Results

Qualifications: Must have the desire to

buy

sell

seek employment

in the booming Missile and Rocket Industry

Benefits: Guaranteed weekly coverage of 25,000 of the most important figures in the Missile and Rocket Industry.

For direct results, send your Classified Advertising TODAY to:

Missiles and Rockets Magazine  
1001 Vermont Ave., N.W.  
Washington 5, D.C.




## ... missile electronics

sun spots. If such currents cross the orbit of the balloon, they will be detected and their intensity and course determined by means of the observed deviation of the satellite's orbit.

When these currents are mapped, other satellites, or research rockets, equipped with radiation counters could be sent to record the fluctuations of the intensity of currents after an increased activity of sun spots has been observed. At the same time, other apparatus at the ground stations would record the fluctuations of the earth's magnetic field induced by the fluctuations of the charged-particle current. By comparing the fluctuation curve of the earth magnetic field with the fluctuation curve of the charged-particle current, the course of the current being known, the nature of the charged particles—protons or electrons—could easily be determined.

Larger fluctuations in intensity of a charged-particle current could, according to Coric, be detected by the balloon itself, but it would be a pure chance because the balloon-satellite has a very short life-time.

### • Stripes on balloon will lengthen its visibility



The outer surface of the balloon is to be covered by a reflecting paint so the balloon can be optically tracked at dawn and dusk when the satellite is catching sun rays, while the observing stations are still (or already) in the dark. The time during which a satellite is visible in passing over a tracking station is very short (a few minutes), and this is a serious drawback for a satellite whose lifetime is short.

However, Coric has come up with a very simple trick to lengthen—to a considerable extent—the time of visibility of this satellite. It involves covering only one half of the outer surface of the balloon with painted circular stripes separated by stripes of unpainted satellite's skin, as shown in the above sketch.

When the painted satellite is circling through the radiation belt, the charged particles will bombard it and, being energetic enough, penetrate its skin. Inside the satellite they will excite and ionize the filling gas which will glow in its characteristic color,

and this glow will be visible from the earth through the unpainted transparent portions of the balloon. By this method, tracking of the balloon will be possible both when it is catching sun rays and when it is orbiting in the shadow of the earth.

The balloon will naturally lose some of its reflectivity after it is painted. The loss, however, will be less than 50% since some of the sun rays penetrating into the balloon through the unpainted stripes will be reflected from the back surfaces of the painted stripes and caught by the ground stations. In Coric's opinion this is no serious handicap for a large satel-

lite, and the benefit of prolonged tracking time will far outweigh the loss of reflectivity.


An alternate method is to use painted spots instead of the painted stripes.


### • NASA Project Could Also Benefit From Method

Coric also visualizes that another U.S. project can benefit from the prolonged tracking time obtainable in the above-mentioned manner. Here, he has reference to the 100-ft.-diameter balloon-like satellite NASA plans to put in orbit next year. The purpose of the satellite is to study the possibility



**THE NEEDLE BEARING OF VERY HIGH PRECISION**



*No chatter or wavy-marking*  
*Maximum rigidity of maintaining*  
*Easily adjusting to a thousandth of a millimeter*  
*Easiness of setting*  
*No radial runout*




**FOR UP TO DATE MACHINE TOOLS**  
*Lathe - Milling machines - Bore machines*  
*Grinding machines*

**LOOK FOR THESE MADELLA BEARINGS IN THE MOST FAMED MACHINE-TOOLS IN GUIDED MISSILES AND FLIGHT CONTROL EQUIPMENTS**

**THE QUALITY BEARING FOR BUILT-IN PRECISION**



MADELLA

**66-68, SOLOTHURNSTRASSE - BIEL (SWITZERLAND)**



## ... missile electronics

of using huge electric-wave-reflecting spheres in space to reflect back to earth the electric waves directed to them from radio, TV and radar transmitting stations in an attempt to greatly extend the range of these stations.

The electrical reflectivity of such a balloon would hardly be affected by the fact that only one half of the balloon's outer surface is covered by reflecting metallic paint. In effect, the electric waves are much longer than the light waves, so they would not penetrate through the narrow unpainted stripes into the interior of the balloon. If they did, they would be reflected because the ionized gas is a good electric-wave reflector.



## Westinghouse Discovers New Chemical Compounds

Scientists of Westinghouse Research Laboratory, Pittsburgh, have discovered a new "family" of chemical compounds which promise to be among the most unusual in science. The alloys use uranium, molybdenum and other metals. Electrical currents flow in them undiminished and apparently forever.

Dr. J. K. Hulm, manager of the laboratory's solid state physics department said, "Because of uranium's widespread application as a nuclear fuel, the metallurgy of uranium and its alloys has been extensively explored. But no comparable research has been carried out on the electrical properties of these materials. Our purpose was to

study the unique electrical resistance of uranium alloys down to very low temperatures and to continue a basic investigation of superconductivity that has been pursued in these laboratories for many years."

Measurements of resistance were made on uranium-molybdenum and uranium-niobium alloys that had been stabilized in crystal structure by heating to 1650 degrees F for 24 hours and subjecting them to rapid quenching in water.

Contrary to all known alloys, the electrical resistance of the uranium alloys became progressively larger as the temperature was decreased down to one or two degrees above absolute zero. Then they suddenly became superconductors. The superconductivity was surprising to the Westinghouse scientists because of the rise in resistance preceding it.

The next compounds studied by Dr. Hulm and his associates were a group of intermetallics using uranium with such metals as aluminum, manganese, iron, cobalt and nickel. These were the studies which led to the discovery of the new superconductors.

The four superconductors were among the intermetallic compounds. Two of these were the first reportedly ever known to contain manganese and iron. Since the presence of these elements has always been regarded as undesirable to superconductivity, the Westinghouse group may have turned up a development of future usefulness.

Superconductors such as these could cause a revolution in the electronic and electrical industries if the operating temperatures could be raised to more easily attainable values. This would make sub-miniature electronics devices for missiles and space vehicles a reality, since the amounts of current required for operation would be so much smaller.

## Simmonds LIQUID LEVEL SENSING SYSTEMS keep Rockets ready for INSTANT LAUNCHING



Before the "FIRE" signal is given, a rocket or missile stands ready on the launching platform, frequently for a considerable time. Yet it must be ready to fire at any time, in spite of the evaporation of the highly volatile fuel and oxidizer liquids.

To keep fuel constantly up to capacity, Simmonds Liquid Level Sensing System senses when the fuel goes below a prescribed level. Automatically, the System then actuates a valve to add more fuel, shutting off when "full" level is reached. This process is continuous until the rocket is launched.

These Simmonds Systems have no moving parts—are shock, vibration and corrosion resistant—operate on low power consumption. They operate in any aircraft fuel, hydraulic fluid, jet engine oil and other liquids and liquefied gases, meeting all MIL specs. Detailed literature on request.

## Simmonds AEROCESSORIES, INC.

General Offices: Tarriytown, New York

Branch Offices: Detroit, Michigan • Dayton, Ohio • Washington, D.C.  
Dallas, Texas • Wichita, Kansas • Glendale, California • Seattle, Washington  
Sole Canadian Licensee: Simmonds Aerocessories of Canada Limited, Hamilton, Ontario



## Closed-Circuit TV Used For Missile Instruction

The U.S. Army Ordnance Guide Missile School at Huntsville, has begun telecasting a two-hour closed-circuit course in maintenance of Army missiles to the U.S. Army Armor School at Fort Knox, Ky.

Instruction covers the Nike-Aja, Nike-Hercules, Corporal, Lacross Hawk and Redstone. The course which will enable the two training centers to share equipment and instructor will run through next June on the first three Wednesdays of each month, was announced.

The Army said that the technique could also make available for instruction purposes the school's missiles at equipment valued at \$100 million.



## Hughes Develops 3-D Radar for Air Defense

WASHINGTON—The development of a new "three-dimensional" radar—called Frescanar—capable of detecting airborne targets at extreme ranges and simultaneously computing distance, bearing, and altitude has been announced by the Department of the Army. According to Army spokesmen, this is the first time simultaneous computation of range, bearing, and altitude has been accomplished.

The new radar and its associated electronic system is considered one of the most remarkable advances made in the field of electronic detection since the development of radar. Developed for the Army by Hughes Aircraft Company, Fullerton, Calif. the new radar will function as the eyes of "Missile Monitor," a mobile Army air defense guided missile fire distribution system. The radar itself was originally developed by Hughes for shipboard use by the Navy.

In comparing the new "3-D" system with conventional radars, the Army points out the following advantages:

1. Range performance. By concentrating all available power in sharp pencil beams, Frescanar pinpoints targets at great distance with extreme accuracy.

2. Single antenna and operator. Conventional systems need two or more radars, operators, and master consoles for comparable results.

3. Triple function by simultaneous computation of range, bearing and altitude.

4. Greater speed. All three types of data are transmitted to missile batteries, helping them to direct missiles at targets more rapidly.

5. Sees more targets clearer. Electronic beam scans rapidly and greatly increases number of targets which can be tracked at the same time. This provides better separation of closely spaced targets with minimum of ground clutter, and pinpoints targets faster.

The mobile system consists basically of an equipment van housing all radar gear with exception of the antenna, a power truck, and an antenna trailer.


All units of the system—which will provide information needed to fire missiles such as Nike-Hercules, Nike-Jax or Hawk at airborne targets—are interconnected and can communicate with each other even though a portion of the system may be destroyed or inoperative. Thus a fragmented system still could operate effectively. The group commander at each weapons monitoring center has complete information on all aircraft in his area.

missiles and rockets, October 20, 1958

**Now in**  
**MONEL**  
**The New**  
**CHERRY**  
**"800"**  
**RIVET**



**Newest in the Cherry**  
**High Clinch Rivet Line**








All of the established Cherry High Clinch features are now in the "800" Monel rivets:

(1) high clinch; (2) positive hole

fill; (3) wide grip range; (4) uniform stem retention; (5) positive inspection—which now includes grip length stamped on rivet head.

New design concepts are possible with the complete line of Cherry High Clinch rivets. Smaller fasteners—stronger materials—a complete range of temperature and strength applications suited to your problems. The new Cherry "800" in Monel, the "700" in aluminum, and the "600" high-strength, high-temperature rivet

\*Patents issued and pending

in A286 stainless steel give you a complete selection—all in the same proved Cherry High Clinch configuration\*.

For technical data on the new Cherry "800" Monel and other Cherry High Clinch rivets, write Townsend Company, Cherry Rivet Division, P. O. Box 2157-Z, Santa Ana, Calif.

## CHERRY RIVET DIVISION

SANTA ANA, CALIFORNIA

# Townsend Company

ESTABLISHED 1816 • NEW BRIGHTON, PA.

In Canada: Parmenter & Bullach Manufacturing Company, Limited, Gananoque, Ontario

# August Transistor Sales High

WASHINGTON—After the slight decline in the transistor market in July, Electronic Industries Association reports that factory sales of transistors in August attained the highest level in the history of the solid state industry. With 4,226 million units sold in August, the total number of transistors sold during the first eight months of 1958 is brought up to 25,310 million. In comparison, sales recorded by EIA for the entire year 1957 amounted to 28,738 million units.

The following chart, prepared by EIA, shows factory sales and dollar values of transistors for the January-August period of 1958. The unit figures for the corresponding months in 1957 are included for comparison purposes. The 14,611 million units sold during the first eight months of last year had a total value of \$42,063,000.

	1958 Sales (units)	1958 Sales (dollars)	1957 Sales (units)
January	2,955,247	\$ 6,704,383	1,436,000
February	3,106,708	6,806,562	1,785,300
March	2,976,843	6,795,427	1,904,000
April	2,856,234	7,025,547	1,774,000
May	2,999,198	7,250,824	2,055,000
June	3,558,094	8,232,343	2,245,000
July	2,631,894	6,598,762	1,703,000
August	4,226,616	9,975,935	2,709,000
TOTAL	25,310,834	\$59,419,783	14,611,300

These figures lend themselves to some interesting observations pointing out the continuing downward trend in transistor prices. The unit and dollar totals for the first eight-month period of both 1957 and 1958 show the following increases over a one year period:

	Units sold	Dollar value
Jan.-Aug. 1958	25,310,834	59,419,783—
Jan.-Aug. 1957	14,611,300	42,063,000—
Increase	10,699,534	17,356,783—

On a percentage basis, this means a 70% increase in number of units sold, while the dollar volume was increased only by a factor of roughly 40%. The average price per unit from factory in the January-August period of 1957 was close to \$2.60. The figures for the same period in 1958 leaves a unit price of \$2.35, indicating an average drop of \$0.25 per unit.

Unit costs will continue to decrease for quite a while yet. With most of the initial research and development money already absorbed, the semiconductor

industry foresees that mechanized production techniques, plus development of new devices, will significantly lower manufacturing and production costs within the next decade, and that the realized savings will be passed on to the customer. The full impact of modern mechanization is expected to be felt in 1965. This, along with device developments such as the glass transistor—already built in developmental quantities by some manufacturers—will put the industry in a position to lower the average germanium transistor unit price, to a point where it is directly competitive cost-wise with vacuum tubes. Silicon transistor prices are also expected to continue the downward trend as manufacturing economies are realized.

The transistor business which grew from nothing in 1952 to nearly 30 million sold units in 1957 is expected to market 100 million units in 1965.

## Ball Bearing Retainer Gives Long Lubrication

A new ball bearing retainer, developed by the Barden Corporation of Danbury, Conn., and called NYSORB, minimizes oil mass shifts and provides long-time lubrication.

The retainer is sintered from a finely divided nylon powder and impregnated under vacuum with an instrument oil. Since the oil is evenly distributed, there is little mass shift. The unit retains 20 to 25% of its own weight of oil under accelerations of over 800 g's.

The generally severe preload, speed, and environmental conditions present in missile gyro applications make the problem of lubricant mass shift an annoying one. Navigational errors are introduced which must be either tolerated or compensated.

Barden claims that many bearings with oil-impregnated NYSORB retainers at their only lubricant have operated within specifications for more than 5000 hours under extreme preload and speed conditions. In the same tests, bearings using conventional phenolic retainers had an effective life of only 200 hours. The new retainers absorb 10 to 20 times as much oil.

## RCA Gets \$3 Million Semiconductor Contract

Two USAF contracts totaling \$3 million have been awarded to RCA by

AMC and Wright Air Development Center, for the development of high-temperature devices using gallium arsenide and indium phosphide.

The contracts call for the development and production refinement of a computer diode, and power rectifier, a general-purpose transistor and a power transistor. The main requirements for each unit are that it will be capable of operation at 400 degrees Centigrade and that the case will be able to withstand temperature of 600 degrees Centigrade. One rectifier already developed by RCA operates at 350°C.

"Gallium arsenide and other compound semiconductors," an RCA spokesman said, "possess high temperature characteristics which permit the construction of semiconductor devices that can operate efficiently at temperatures substantially higher than is possible with germanium or silicon units. In addition, the use of these materials in transistors promises to provide the high-temperature advantage of silicon."

A special high-temperature laboratory has been established at the Somerville plant to carry out portions of the Air Force contract and reportedly is capable of furnishing research during most phases.

## Automatic Tool Program Is NAA-AIA Development

A new development, called API (the automatic programming of tooling), a joint development of North American Aviation and Aircraft Industries Association, will allow the direct and automatic conversion of design intent to tooling or finished parts.

A combination of the three-axis numerical control system NUMILL and the general-purpose, all-transistorized, digital computer RECOMP II—products of Autonetics, a division of North American—slashes the time-span from design concept to hardware.

On display at the Western Tool Show in Shrine Exposition Hall, Los Angeles, are airfoil sections—template and scribed lines—produced directly and automatically from design intent.

In the new system, an engineer can feed logical design possibilities into the computer and optimize design, which is then converted to mathematical equivalents on tape. From the tape information, NUMILL directs one or many standard machine tools in producing high-precision parts. Tolerances of .0002 inch are claimed to be repeatable for the system.





# keeping track

by Peer Fossen

One watt of electricity is sufficient to power the transmission of a rough TV-type picture of the moon's far side, according to Dr. Charles Sonnett, head of Applied Physics in the Instrumentation Division at Ramo-Wooldridge's Space Technology Laboratory. Used in conjunction with a 60-ft. receiving paraboloid, the one-watt unit would be able to transmit the picture over the 240,000-mile moon-to-earth distance in about 30 minutes to one hour. Current lunar probe TV instrumentation is believed to have a power demand much higher than one watt.

Once a lunar probe is successfully on its way into space, we must turn to Britain to get part of the answers to two vital questions: "Where is it?" and "How is it doing?" The answers will come from the University of Manchester, or more specifically from its 250-ft. steerable radio telescope at Jodrell Bank. The giant disc—the world's largest—will play a dual role in the moon shot programs; 1) pick up signals relative to the probe's position, and 2) pick up information telemetered back from the probe's instrumentation package.

All data gathered at Jodrell Bank will be forwarded to USA for final reduction and analysis. The Jodrell Bank telescope is of particular value in the tracking of lunar probes, since it has the narrowest beamwidth of all steerable instruments in the world. Should a probe go off course and escape, the telescope is capable of staying with it for a distance of one million miles, provided the batteries powering the transmitters in the probe are still functioning.

The Jodrell Bank telescope will cease to be the "world's largest" when Navy finishes its 400-ft. steerable paraboloid at the Sugar Grove, W. Virginia Naval Radio Research Station. Work on the \$60-million giant telescope—to be used in the study of outer space, advanced scientific research on the characteristics of the earth's atmosphere, and geodetic and geomagnetic studies of the earth itself—is anticipated to commence no later than October 15.

This tracking business is as fascinating as it is intricate and accurate. Recently, two Minitrack stations were temporarily out of commission for maintenance purposes. When put back in operation again, they were simply tuned in and locked on the *Vanguard* satellite, saving all the time and effort thrown into the calibration and lining up normally required to place one of these stations in operation.

With the death of the *Explorer IV* transmitter, *Vanguard* is the only U.S. satellite capable of maintaining radio contact. The transmitters in the *Vanguard* sphere are powered by Hoffman Electronics' silicon solar cell batteries.

From Britain come words of considerable progress in the development of photoelectric equipment for long-range detection of infrared radiation. According to Minister of Supply Aubrey Jones, the devices are so sensitive that they can detect immediately the launching of a ballistic missile 1000 miles away. The new devices are as yet not incorporated in a ballistic missile counter-weapons system, but work is being carried out toward this end.

Florida Development Commission's third Business Research Report shows that the state added 296 new industrial plants or major expansions between January 1 and July 31. More than 10,000 new factory jobs were created. Of these, more than 25% were in electronics.

## DATA PROCESSING SYSTEM SPECIALISTS

the techniques of high speed data processing offers a big future for you

A missile comes "of age"—reaches operational status—as a result of many influences. Vital among these influences is the rapid incorporation in the test vehicle of modifications required by evaluation of flight performances. The faster these modifications are made, tested, and become incorporated in the design the faster the vehicle is declared operational.

The completion of this cycle is dependent too upon the speed with which vast amounts of test data can be reduced, analyzed, evaluated, and reported to the military and to the cognizant weapon systems contractors.

So, with the advent of missiles has come a revolution in data processing techniques—a revolution in which the Engineering Services of Telecomputing Corporation has been highly successful in greatly reducing the elapsed time for complete processing of missile flight test data.

This is an invitation to join the data processing specialists who comprise the Engineering Services Staff—a Staff which establishes the state-of-the-art in data processing techniques and methods as we go about our job of computing the performance of missiles under test at the White Sands Missile Range.

Join us and work with high speed digital computers and other modern data processing equipment in reducing the test data from scientific data measuring systems such as, cinetheodolites, electronic measuring systems, precision optics, and telemetering systems.

Join us—and grow with us—as our advanced processing techniques are employed in this fascinating field of missile flight testing so important to our national defense effort.

Make your home in New Mexico's land of enchantment—mountain skiing and resorts just 30 minutes away—attractive salaries with area bonus—profit sharing—relocation pay—group insurance. Send your resume today to the Director of Technical Personnel.

engineering service division  
**TELECOMPUTING  
CORPORATION**

Box 447, Holloman Air Force Base,  
New Mexico

Circle No. 32 on Subscriber Service Card.

**advanced  
engineering  
opportunities**  
with the **TAPCO GROUP**  
of Thompson Products, Inc.



REWARDING RESEARCH OPPORTUNITIES for engineering specialists now exist in the Advanced Engineering Department of the TAPCO GROUP at Thompson Products. This is a continuing and expanding program. The TAPCO GROUP, made up of five major Thompson divisions, is serving the Aero-Space, Electronics, Nuclear and General Industrial fields with fully integrated facilities for research, development and production of structures, propulsion systems, electro-pneumatic-mechanical auxiliary and accessory power systems, electronic controls and check out equipment, and fuel systems involving solid-state, liquid and nuclear fuel studies.

If you would like to join the personnel of the Advanced Engineering Department in satisfying work at the frontiers of knowledge in these areas, there are opportunities for men with the following experience:

**GAS DYNAMICS**—Internal and external flow, single and two phase flows, transonic and rarified gas flows.

**HYDRODYNAMICS**—Experience in boundary layer cavitation and sound.

**APPLIED MECHANICS SPECIALIST**—Experience in trajectories, system stability, system analysis and simulation techniques.

**PROPULSION SPECIALIST**—Familiar with gas dynamics and thermodynamics of nozzle flows and combustion of solid and liquid propellants.

**INFORMATION THEORY ANALYST**—Experienced in mathematical analysis of mechanical and electromagnetic transmission of information.

**PHYSICIST**—Familiar with the physics of gases and liquids, mechanical and electromagnetic wave propagation within these media.

**SOLID STATE PHYSICIST**—To work on electronic elements.

**MAGNETO HYDRODYNAMICIST**—To work on advanced propulsion systems.

**APPLIED MATHEMATICIAN**—Experience in logical programming of systems and interest in communication and probability theory.

Your complete resume should contain personal, educational, experience data, and salary requirements. Send to DIRECTOR OF PLACEMENT. All replies will be held in strict confidence.

**Thompson Products, Inc.**

23555 EUCLID AVE. • CLEVELAND 17, OHIO

Phone: IVanhoe 1-7500, Extension 402, 703

Founded in 1901

Plants in 19 Cities

Nineteen Research and Development Centers

Circle No. 33 on Subscriber Service Card.

## North American Rolls Out X-15 For Test Flights

LOS ANGELES—The first X-15 space vehicle has rolled from North American's assembly plant to move into the final phase—flight test—of a program started six years ago for sending man beyond the atmosphere in powered flight.

With completion of the third vehicle, the program is expected to cost \$121.5 million in direct contract costs, plus sizeable additional indirect costs. The costs primarily are for laboratory and wind tunnel testing done by the National Aeronautics and Space Agency and the Air Research and Development Command. NASA has supported the program from its operating budget without contributing funds to defray direct contract costs.

With the roll-out of the hybrid air/space craft, additional details of its make-up were made available (m/r, Oct. 6, p. 17). The vehicle was designed around eight major sub-systems and components—engine, propellant system, hydraulic system, primary flight controls, auxiliary power units, ballistic control rockets, landing gear, and air conditioning/pressurization system.

The XLR-99, basic engine for the X-15, will not be delivered until sometime next year. While awaiting the 50-60 k Reaction unit, two RMI-XLR-11 engines (used in earlier X-1 rocket planes) will be utilized for initial flight tests. A single RMI-XLR-11 engine develops approximately 15 k. The 30 k thrust of the two engines is deemed sufficient for the early low apogee ballistic flight paths.

Propellants for the XLR-99 engine are liquid oxygen and ammonia fed at a flow rate of 10,000 pounds per minute. A hydrogen peroxide steam generator will drive a turbine pumping the propellants to manifold pressure. Helium is used for tank pressurization and liquid expulsion.

The horizontal and vertical tail control surfaces, speed brakes, and the landing flaps are operated by two 3,000-psi systems operating in parallel. The primary flight controls are a further development and extension of the conventional aircraft method designed to withstand increased surface loads high g forces, and extreme temperatures. Above the atmosphere the X-15's controllability will be dependent upon hydrogen peroxide steam jets located in the nose and wingtips. Proper attitude will be maintained during the ballistic trajectory by actuating the jets from a three-axis control system.

Two auxiliary power units, developed by General Electric, operating in parallel will supply electrical and hydraulic power.

missiles and rockets, October 20, 195






# WELDED PRECISION ASSEMBLIES...

## ...a major AMWELD® fabricating service

American Welding has produced thousands of complicated welded assemblies, which have satisfactorily met the stringent specifications for aircraft, missiles, submarines and atomic reactors. These components are welded from a wide range of materials, including most stainless grades, titanium, aluminum, and heat-resistant alloys. Amweld's fabricating, forming, and machining facilities, plus testing and research departments, are available on a subcontract or research and development basis. If you would like to obtain complete information on the capabilities of American Welding and how we can be of assistance to you — phone or write today. Our local representative will be happy to call and discuss your requirements.

**The American Welding & Mfg. Co.**  
554 Dietz Road • Warren, Ohio

# AMERICAN WELDING



Write for complete  
information.  
NEW 20-page  
catalog of  
Amweld Welded  
Precision  
Assemblies,  
Rings and  
Bands.

# Pentagon Starts Annual Budget Battle Early

The annual struggle within the Pentagon over how much money to request from Congress is well along. The individual services, skirting the official "guidelines" laid down by DOD top echelons, have proposed budget requests running well over the DOD party line recommendations, and threaten to boost the defense budget by about \$1 billion for FY 1960.

The reasons for establishing guidelines seem to rest in a concentrated effort to stop a runaway defense budget from mounting to higher and higher figures every year—at the rate of \$1-billion jumps.

Although Deputy Defense Secretary Quarles emphasized that the guidelines were not intended to have the effect of ceilings on individual service requests, the Defense Department cannot conceivably overlook wholesale disregard of its recommendations.

Secretary Quarles added that the guidelines were intended to control expenditures, not appropriations, but admitted that there were no plans to change the DOD budget request to Congress. He said that planning was very much in the formulative stage and no final decision have been made. If made necessary by future developments, Quarles said, an alternative budget may be submitted, if a form can be agreed on by all concerned no later than January.

Declining to release information on the amount of excessive requests involved in the controversy, Quarles commented only that the heads of the various services are trying to iron out the situation with top DOD officials.

Secretary Quarles gave an indefinite answer when asked about rumors of cancellation on the B-58 Hustler and the Titan ICBM. "I would not like to imply that plans for cancellation are underway," he said.

• **Some Withheld**—When questioned about the billion-dollar fund that Congress supplied for such projects as the *Hounddog*, *Polaris*, and *Minuteman* Secretary Quarles commented that this money would not be spent "at this time." He noted, however, that this decision may change, depending on future developments.

The individual service heads have consistently held that they cannot maintain their defense programs at levels set by the DOD guidelines. Quarles, stressed that the services are free to request whatever funds they need to support their defense programs for the next fiscal year. The tentative limit, \$500 million, on budget increase by DOD planners for this year if accomplished, would be a considerable

departure from recent years, which saw the budget increase at a rate of \$1.8 billion this year over the previous year.

## Aerojet Infrared Tracker Cheaper than Minitrack

AZUSA—A team from Aerojet-General Corporation's Avionics Division recently tracked Soviet's *Sputnik III* using the Aerojet Model S8 infrared tracker. The team, headed by C. E. Dunning brought the equipment up in the San Gabriel Mountains north of Glendora, California where they set up a mobile laboratory.

Mounted on a five inch naval gun mount, the infrared tracker is a small instrument—total weight about 20 pounds—with a folded reflecting optical. Measuring only six-inches in diameter, the system has the same basic configuration as the Palomar and Mt. Wilson telescope.

According to company officials, the purpose of the tracking experiment was to obtain radiation characteristics of the satellite. The resulting data are being used to establish the sensitivity and optical requirements for specialized infrared trackers capable of tracking every passage over a monitored area.

The data will further be used for continued research into the problem of using infrared instruments for navigation in space.

In an interview with Dr. R. H. McFee, Director of Research for the Avionics Division, m/r learned that work on the S8 infrared tracker was started about two years ago for the Navy. The current equipment, however, is being developed on Aerojet's own funds. Although the device is still considered in the R and D stage, Dr. McFee feels it is abreast of the state of art in the infrared field and that it would result in savings if incorporated in the tracking equipment used by the United States today. As an example, if the infrared tracking device replaced the radar instrumentation of the Minitrack stations, a saving of approximately 20% could be realized. (Price of one Minitrack station amounts to about \$250,000—plus construction and installation.)

*Sputnik III* was at an altitude of 250 miles above the earth when the Aerojet team successfully proved their tracker. Maximum range of Aerojet's infrared device is not obtainable.

As reported on page 83, Britain has recently completed a development of an infrared device capable of detecting the launching of a ballistic missile at a distance of 1,000 miles.



# high accuracy time delay relay

**INPUT:** 18 to 32 VDC

**CONTACT RATING:** 2 Amps resistive

**CONTACT ARRANGEMENT:** DPDT

**TEMPERATURE:** -55°C to +71°C

**VIBRATION:** 20 G's to 2000 cps

**SHOCK:** 50 G's for 11 milliseconds

*-instant recycling, small size*

This relay provides factory preset delay from 50 milliseconds to 50 seconds. (Other models available up to 600 seconds—fixed and adjustable.) Standard accuracy is 10% over a wide temperature and voltage range. Greater accuracy on special order. Either delayed pull-in or delayed drop-out can be supplied.

**HIGH RELIABILITY**—relay employs a transistor control circuit, with a relay contact as the only moving part. Unit is hermetically sealed... withstands exceptional vibration and shock. Size: only 1-13/16" high x 1-19/32" 1". Weight: only 4 ounces. Designed to meet military specifications. Write for Bulletin No. 376-100.

*Send us your requirements on specials*

## MASTER SPECIALTIES COMPANY

948 East 108th Street, Los Angeles 59, Calif.

Made by the Manufacturers of ROTO-TELLITE



# Single-Stage Soviet Rocket Reaches 280-Mile Altitude

**Vehicle carries dogs and instruments aloft at 3800 MPH to test space cabin design and stabilizing equipment**

The Soviet Union launched a second single-stage rocket to altitudes of 280 miles recently, and sent two dogs along as passengers.

The official announcement gave the weight of the "geophysical scientific apparatus, radio telemetering devices, power sources, the hermetic cabin with the experimental animals and auxiliary systems together with the instrument section" as 3725 pounds. As in previous such statements, there was no

mention of total vehicle weight or total payload weight. (See m/r, Sept. 15, p. 25.)

The launching was made to test equipment and perform biological experiments on the dogs involved. The Soviets also released a photo (above) of one of their full-pressure space suits.

The announcement stated that the rocket was completely stabilized throughout the entire flight, including the inertial portion. Mention was made



*Sovjotos*


Design of Soviet space suit is tested for flexibility at control mockup in USSR.

of the fact that the cabin involved insures the necessary condition for life at altitudes of 60 to 130 miles. However, the vehicle ascended to a height of 280 miles and there are no details on the equipment performance to that altitude.

According to the official Soviet scientific announcement, the rocket ascended at a velocity of 1.057 miles per second and descended at 1.059 miles per second.



**DOGS ARE TRAINED** in rocket prior to launch.



**TEST DOGS "Kozyavka"** undergoes vibration stand test.

## JOIN OUR STUDIES IN ADVANCED PROPULSION

To men already seasoned in advanced power research, Chance Vought offers opportunity to join small-group R & D effort in nuclear propulsion and advanced fluid mechanics.

### Nuclear Scientist.

Advanced Engineering or Physics Degree. A minimum of 6 years applicable experience. To conduct special technical studies in the nuclear field; supervise nuclear specialists conducting applied research and development in nuclear propulsion and auxiliary power; monitor nuclear propulsion advanced studies in staff capacity for Chief of Propulsion.

### Engineering Specialist.

Advanced A.E. or M.E. Degree preferred with a minimum of 5 years experience. To conduct applied research in advanced fluid mechanics in high supersonic region; perform design analysis of high Mach number aircraft and missile inlets and exits, and technical studies of fluid dynamics and control devices.

S. J. Townsend,  
Chief of Propulsion  
Dept. P-12

CHANCE  
**VOUGHT AIRCRAFT**  
INCORPORATED - BALTIMORE, MARYLAND

## MARQUARDT

### Professional Personnel Requisition

## CYCLE AND MISSION ANALYST

Responsible for analytical studies of new and unusual air breathing hypersonic propulsion cycles. Also undertake vehicle mission investigations for application of hypersonic air breathing propulsion to interception, long range missile, and booster systems. Requires extensive experience in high speed aerodynamics and propulsion cycle analysis.

Work in ASTRO, Marquardt's research division, composed of small, responsible groups offering excellent prospects for individual professional growth and recognition.

Contact: Floyd E. Harris, Manager  
Professional Personnel  
Marquardt Aircraft Co.  
16552 Sallway Street  
Van Nuys, California

**marquardt**

AIRCRAFT CO.

VAN NUYS, CALIFORNIA

MOORE, UTAH

## advertiser's index

AMP Inc. ....	21	North American Aviation, Inc.,	
Airborne Accessories Corp. ....	54	Missile Development Div. ....	67
AiResearch Mfg. Co., Div.-		Missile Div. ....	61
The Garrett Corp. ....	32	Rocketdyne Div. ....	55, 75
Allegheny Ludlum Steel Corp. ....	53	Packard-Bell Electronics Corp.,	
American Cystoscope Makers,		Technical Products Div. ....	74
Inc. ....	78	Pennsalt Chemicals Corp. ....	29
American Welding & Mfg. Co. ....	85	Pesco Products Div.,	
Applied Science Corp. of		Borg-Warner Corp. ....	18
Princeton ....	44	Radio Corp. of America ....	46
Avco Mfg. Corp., Research &		Republic Mfg. Co. ....	58
Advanced Dev. ....	4	Servomechanisms, Inc. ....	2
Baldwin-Lima-Hamilton Corp.,		Simmonds Aerocessories, Inc. ....	80
Standard Steel Works Div. ....	26	Standard Steel Works Div.,	
Belfab Corp. ....	68	Baldwin-Lima-Hamilton Corp. ....	26
Bendix Aviation Corp.,		Standard Tube Co., The ....	70
Bendix Products Div. ....	30	Stromberg-Carlson Co.,	
Red Bank Div. ....	62	Div. General Dynamics Corp. ....	10
Scintilla Div. ....	73	System Development Corp. ....	36
Binkley Mfg. Co. ....	56	Telecomputing Corp. ....	23, 83
Blocksom & Co. ....	63	Thompson Products, Inc. ....	84
Breeze Corp. ....	71	Townsend Co., Cherry Rivet Div. ....	81
Brunswick-Balke-Collender Co.,		Utica Drop Forge & Tool Corp.,	
The ....	12	Div. of Kelsey Hayes Co. ....	49
Bulova Watch Co., Electronics		Vickers Inc., Div.,	
Div. ....	48	Sperry Rand Corp. ....	42
Bulow Electric Co. ....	59	Vinson Mfg. Co. ....	76
Cannon Electric Co. ....	19	EMPLOYMENT SECTION	
Computer Engineering		Chance Vought Aircraft, Inc. ....	88
Associates, Inc. ....	72	General Electric Co. ....	89
Connecticut Development		Marquardt Aircraft Co. ....	88
Commission ....	25		
Consolidated Diesel Electric			
Corp. ....	64, 65		
Delavan Mfg. Co. ....	45		
Designers for Industry, Inc. ....	35		
Douglas Aircraft Co., Inc. ....	7		
Electrical Engineering & Mfg.			
Corp. ....	8		
Ex-Cell-O Corp. ....	69		
General Electric Co. ....	60		
Goodyear Aircraft Corp. ....	3		
Hamer Valves, Inc. ....	58		
Hughes Aircraft Co. ....	34		
Hydromatics, Inc. ....	16, 17		
International Business Machines,			
Corp. ....	24		
Kahn & Co. ....	59		
Kearfott Co., Inc. ....	28		
Lebanon Steel Foundry ....	66		
Ling Electronics, Inc. ....	92		
MB Mfg. Co. ....	40		
Martin Co., The, Orlando Div. ....	47		
Master Specialties Co. ....	86		
Millipore Filter Corp. ....	52		
Minneapolis-Honeywell Reg.			
Co., Boston Div. ....	91		
Nadella ....	79		
National Electric Products			
Corp. ....	6		

Advertising correspondence should be addressed to Advertising Sales Manager, Missiles and Rocket, 17 East 48th Street, New York 17, N.Y.

### REGIONAL OFFICES:

New York City: 17 E. 48th St., New York 17, Edward D. Muhlfeld, Advertising Sales Manager; P. B. Kinney and G. T. O'Mara, regional adv. mgrs. Phone: Plaza 3-1100.

West Coast: 8943 Wilshire Blvd., Beverly Hills, Calif. Fred S. Hunter, manager; Walton Brown, regional adv. mgr.; James W. Claar, regional adv. mgr. Phones: BRadshaw 2-6561 and Crestview 6-6605.

Florida: 208 Almeria Avenue, Coral Gables, Fla. Richard D. Hager, regional adv. sales representative. Phone: Highland 4-8326.

Chicago: 139 N. Clark St., Chicago 2, Ill. George E. Yonan, regional adv. mgr. Phone: Eagon 6-5804.

Cleveland: 244 Hanna Bldg., 1422 Euclid Ave., Cleveland 15, Ohio Douglas H. Boynton, regional advertising manager. Phone: PROspect 1-2420.

Detroit: 201 Stephenson Bldg., Detroit 2, Mich. Kenneth J. Wells, regional advertising manager. Phone: TRinity 5-2555.

Canada: Allin Associates, 12 Richmond Street East, Toronto 1, Ontario. Phone: EMpire 4-2001. Allin Associates, 1487 Mountain St., Suite 4, Montreal, Que.

Geneva: American Aviation Pubs., 10 Rue Grenus, Geneva, Switzerland. Anthony Vandyk, European Director.

London: The AAP Company, 17 Drayton Road, Boreham Wood, Hertfordshire, England. Phone: Elstree 2688. Cable address: STEVAIR, London.

Paris: Jean-Marie Riche, 11 Rue Condorcet, Paris (9e), France. Phone: TRUdaine, 15-39, Cable address: NEWS AIR PARIS.



*General Electric—A Leader for the Free World  
in the Development of Instrumented Re-Entry Vehicles—  
Seeks Systems Engineers Who Can Contribute to  
a Variety of Outer Space Programs*

We are looking for the highly capable professional engineer—skilled in the development of operational requirement parameters, systems design, and specifications for re-entry and space vehicle systems and sub-systems.

Our needs are in the fields of systems synthesis, propulsion, ground support, air and space borne instrumentation and communication, navigation and control, space frame design and configuration, and systems test and reliability studies.

Please write—in full confidence—to  
Mr. Richard Eddy

MISSILE & SPACE VEHICLE DEPARTMENT

**GENERAL  ELECTRIC**

3198 CHESTNUT STREET

PHILADELPHIA 4, PENNA.

## The Pentagon's Real Manpower Shortage

There has been a great deal of debate, public and private, about the amount of money being spent in all areas of the missile business, for research, for development and for production. So great has this volume of words been that it has tended to obscure a greater problem involved in the nation's technological advances.

This factor is—that the man in the program is at least equally important to the money. For it is the man in the program who makes the decisions—or perhaps fails to make them—as to how the money available will be spent. Money spent for the wrong program may be less dangerous, actually, than money which is not spent for the right one.

This leads almost automatically, then, to the men we get or are able to get in government today, their qualifications, their motives, their authority, their frustrations.

The danger in the Pentagon, where the great majority of missile and space projects survive or perish, is the frightening pyramidal system whereby civilian official has been piled on civilian official, by the hundreds. Many of these officials are honestly motivated and capable. Others are just plain incompetent.

And, the even greater danger is that the vast majority of these officials, even those in the highest ranks, haven't the power to approve projects, but they do have the power to stop them. This inevitably brings about the situation which exists to some degree now. Some of the dedicated men stay on, fighting because they are so dedicated. Others, less so, give in to the frustrations and leave. The result is a tendency toward mediocrity—men who have the talent and training to question a project but not

sureness and courage to approve it.

A case in point at the moment is the inability of Defense Secretary McElroy to find a man sufficiently capable to take the vitally important job of assistant for Research and Engineering. The truth is that the terms of reference for this job are so vaguely defined that, as some one has remarked, anyone smart enough to handle the job is too smart to take it.

To do any kind of an adequate job, the man who accepts needs a great deal of authority. He should, in effect, be able to:

1. Approve a project.
2. Allocate the money.
3. Direct one of the services to carry it out.

As matters stand, no one knows for sure (if Mr. McElroy does, he isn't telling) whether the new appointee will have authority over the service assistants for R&D; what his relationships will be with Missile Czar William Holaday, a notable stumbling block in his own right; with ARPA's boss, Roy Johnson; with Comptroller McNeil, who doesn't give up authority on money easily; with NASA or even with his own two bosses, McElroy himself and Deputy Secretary of Defense Donald Quarles, another man with well defined ideas in the research and engineering fields.

The nation's missile and space program is reasonably well muddled now, with some pretty vague areas of operation and authority. The appointment of the right man with the right terms of reference could clear up the situation a great deal. Otherwise we have just added another factor in a space age equation whose components are highly unlikely to add up to a correct answer to as vital a problem as this country has ever faced.



# SUBSCRIBER SERVICE

## missiles and rockets

For additional information about any product or service advertised mentioned in the editorial pages of this issue of Missiles and Rockets:

Use the attached prepaid reply cards. Circle numbers shown on the reply card that correspond with numbers appearing beneath items described. If no circle number accompanies the article or advertisement, give page number (and advertiser's name) on line provided at bottom of the card.

Your requests for information will be forwarded promptly to the companies concerned.

## NEW PRODUCT BRIEFS

**ACTOR**—Acromag, Inc., Detroit, recently announced development of a Model 510 Cyclemag magnetic frequency detector to measure audio frequencies directly, using only static components. It is recommended for critical use, aircraft and industrial control environments where accuracy, reliability and long life are important. The new unit delivers 0-5—ua of DC output for 10 CPS input. Accuracy is better than 1%, despite large changes in drive voltage and in driving waveforms. External power sources are not required. The detector uses the signal source as sole source of energy.

Circle No. 243 on Subscriber Service Card.

**VER**—Development of a 24-32 volt 100 ampere DC power supply, completely transistorized and militarized, has been announced by Perkin Engineering Co., El Segundo, Calif. The new power supply designated Perkin Model M-1136A operates from an AC input of 208 volts  $\pm 10\%$ , 3 phase, 57-63 cycles per second. The unit has a DC output overload capacity of 125 amperes for a duration of 15 minutes. Voltage regulation accuracy is  $\pm 0.1\%$  for loads from no load to full load. Line regulation is  $\pm 1\%$  for step changes of 10 volts in the AC line between 187-229 volts and dynamic load regulation is  $\pm 2$  volts for step changes from no load to full load or full load to no load. The output impedance is less than 0.025 ohms from 0-20KC and ripple is 20 millivolts RMS maximum.

Circle No. 244 on Subscriber Service Card.

**GRAMMER**—Model FP 2 and Model FP 6, Pamona Electronics Co., has a new sequential programmer is a electro-mechanical precision timing device, with missile application. The eight unit eliminates the need for relays, cams, snap-action switches, and in many instances relays, according to the manufacturer. Accuracy of 0.2 seconds can be obtained, and total operating time available is from 15 seconds to 81 seconds, with other time settings available. Switching contacts during the

timing run can be as short as 0.5 seconds or as long as the total operating time.

Circle No. 245 on Subscriber Service Card.

**THERMAL MACHINE**—A thermal fatigue test machine located at International Nickel Company's Bayonne Research Laboratory in Bayonne, N.J., automatically heats alloys to high temperatures, then cools them to produce repeated thermal shocks. The machine helps engineers learn more about the complex effects of repeated stressing induced by thermal cycling. The problem of temperature measurement, as the machine automatically indexes through the heating and cooling cycles, is neatly solved with a Leeds & Northrop Co. radiation pyrometer. A specially mounted Rayotube radiation detecting element on the machine connects to an L&N Speedomax AZAR (adjustable range, adjustable zero) recorder.

Circle No. 246 on Subscriber Service Card.

**SERVOS**—Servo Dynamics Corp., of Somersworth, N.H., has announced a complete line of miniature precision servo AC motors of 60 and 400 cycles in the frame sizes 8, 10, 11, 15, 18 and 23. The line includes damping generators, inertia damped motors, precision tachometer generators, synchronous motors, and a variety of associated precision gear trains. The motors are guaranteed to operate within ambients up to 200°C and are designed to give the maximum enclosure for protection against environmental conditions. All units are designed to meet BuOrd specifications and are either certified or can be certified to meet the environmental requirements of MIL-E-5272A.

Circle No. 247 on Subscriber Service Card.

**DELAY LINES**—Three new distributed parameter electrical delay lines, having delay periods ranging from .05 to 1.0 microsecond per six inch length, have been developed by Technitrol Engineering Co., Philadelphia. The new delay lines types 25E, 25F and 25G are available in a variety of standard case styles. Circle No. 248 on Subscriber Service Card.

## MISSILES AND ROCKETS

OCTOBER 20, 1958

Expires Three Weeks After Above Date

NAME.....

TITLE/POSITION.....

COMPANY.....

Product Mfg./Service Offered.....

ADDRESS.....

CITY.....

ZONE.....

STATE.....

Card cannot be processed unless all information is given. Please limit requests to ten items.

CIRCLE NUMBERS BELOW FOR INFORMATION ON PRODUCTS, LITERATURE OR ADVERTISEMENTS

### Advertisements

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125
126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175
200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224

### Missile Literature

### New Missile Products

225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249
250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274
275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299

For Other Information Give Page Numbers:

POSTAGE  
WILL BE  
PAID BY  
ADDRESSEE

## BUSINESS REPLY CARD

First Class Permit No. 2455-R (Sec. 510 P.L.&R.) Washington, D. C.

## MISSILES and ROCKETS

17 EAST 48th STREET

NEW YORK 17, N.Y.

SUBSCRIBER SERVICE DEPT.

NO  
POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED  
STATES

# MISSILE LITERATURE

ELECTRONICS—A four-page short form catalog is available from Eldorado Electronics, 2821 Tenth Street, Berkeley, California. The new bulletin briefly describes Eldorado Electronics Accelerator Current Integrator, Universal Photomultiplier Photometer, Milli-Microsecond Time-To-Pulse-Height Converter, Multi-Channel Pulse Height Analyzer, Non-Overloading Linear Amplifier and Milli-Microsecond Time Measuring System. Features, specifications and price are noted.

Circle No. 200 on Subscriber Service Card.

RECTIFIER—General Electric has published a 17-page booklet, entitled "Application Notes for ZJ-39A Silicon Controlled Rectifier" which describes circuit fundamentals for use of the newly developed rectifier. The controlled rectifier is basically a rectifier which is modified to block in the forward direction until a small pulse of current is injected into the gate terminal. After this, it assumes the forward characteristic of a conventional rectifier. The booklet covers general circuit design considerations, firing circuit design and typical applications for the silicon controlled rectifier. "Application Notes for ZJ-39A Silicon Controlled Rectifier" is General Electric publication number ECG-327.

Circle No. 201 on Subscriber Service Card.

FILTERS—The Bausch & Lomb Optical Co. has recently published Progress Report No. 3 entitled "Near-Infrared Transmission Filters." The report summarizes the technical data which has been compiled by the optical company on the selective transmission of energy through multilayer interference filters. The text of the third report provides a detailed description of "Band Pass Filters" and "Long-Wavelength Pass Filters." Each is outlined according to specific terminology and filters characteristics. Statistical tables and charts supplement the text. In addition, the report includes data on auxiliary filters, composite filters and substrates as well as general information on size, maintenance and availability of items.

Circle No. 202 on Subscriber Service Card.

COMPONENTS—Wyle Associates Bulletin Number Six describes a new line of environmental test equipment for mass-testing of production components. "Building Block" units are available in combinations. Environments obtainable include high-low temperature, salt spray, altitude, humidity, vibration, shock, temperature shock, sunshine, fungus, rain, sand-and-dust, radiant heat, immersion, accelerated corrosion, and explosion.

Circle No. 203 on Subscriber Service Card.

CABLES—A new four-page booklet describing Triangle Control Cables, the various construction available as well as

suggested applications, is offered Triangle Conduit & Cable Co., 11 New Brunswick, N.J. The booklet describes the various sizes of control cables and describes the sheaths and insulation used.

Circle No. 204 on Subscriber Service Card.

MOTORS—A 10-page catalog describing four basic models and sizes of A hysteresis synchronous and induction motors and 129 spur and planetary gear reductions, is available from Glove Industries, Inc., 1784 Stanley Avenue, Dayton 4, Ohio. The motors operate A.C. voltages to 200; 400 or 60 c 1, 2 or 3 phase. Geared outputs range to 2000 oz. in. Performance, MIL specification and other technical data given.

Circle No. 205 on Subscriber Service Card.

VALVES—A four-page brochure describes the basic types of air valves and actuators manufactured by Barber-Cushman Co. Temperature control and positioning systems, and specialized electrical test equipment are also included.

Circle No. 206 on Subscriber Service Card.

FEEDERS—RCA has a full line brochure on automatic parts feeders. These include: non-mar feeder-orientors for handling fragile and highly finished parts, elevating oriented feed hoppers, star feeders, and rotary hoppers. Also shown are automatic high speed hardness testers, inspection machines, grinder controls and other products of RCA's Industrial Automation Equipment Section.

Circle No. 207 on Subscriber Service Card.

OSCILLOSCOPES—A bulletin available from the Industrial Products Division of International Telephone and Telegraph Corporation, 250 Garibaldi Avenue, Lodi, New Jersey, describes the 140BG and AC-40BG 17" bargraph oscilloscopes. Any 40 related or unrelated variables which can be converted into electrical impulse may be simultaneously compared or measured; their change or drift studied by means of the instrument which provides large and accurate display. Model 140BG is a polarity-indicating low-level system, Model AC-40BG is a wide band system. The illustrated bulletin includes recommended applications, a general description of the instruments plus technical features, and technical specifications.

Circle No. 208 on Subscriber Service Card.

CONVERTERS—A new six-page folder describing the complete line of Liquid Oxygen and Nitrogen converters is now available from Linde Co., Division of Union Carbide Corp. Maximum use of aluminum in these converters counts for very low weights.

Circle No. 209 on Subscriber Service Card.

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED  
STATES

First Class Permit No. 2455-R (Sec. 510 P.L.R.) Washington, D.C.

## BUSINESS REPLY CARD

### MISSILES and ROCKETS

17 EAST 48th STREET

NEW YORK 17, N.Y.

SUBSCRIBER SERVICE DEPT.

POSTAGE  
WILL BE  
PAID BY  
ADDRESSEE

## MISSILES AND ROCKETS

OCTOBER 20, 1958

Expires Three Weeks  
After Above Date

CIRCLE NUMBERS BELOW FOR INFORMATION ON PRODUCTS, LITERATURE OR ADVERTISEMENTS

### • Advertisements

- 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
- 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50
- 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75
- 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
- 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125
- 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150
- 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175


### • Missile Literature

- 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224
- New Missile Products


- 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249
- 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274
- 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299

For Other Information Give Page Numbers





First test firing of the ATLAS ICBM at Cape Canaveral, Florida, June 11, 1957.



Honeywell Rate Gyro  
Type JRT  
Shawn 1/2 size

## Flight Control for the ultimate weapon

Three Honeywell Rate Gyros, Type JRT, provide missiles with precise three-axis directional stability and are currently being supplied to the ATLAS missile program.

The Type JRT is a highly accurate precision instrument for measurement of absolute rates of rotation in inertial space. Viscous damping is electro-mechanically controlled to maintain a constant damping ratio over the entire operating temperature range of  $-65^{\circ}\text{F.}$  to  $+175^{\circ}\text{F.}$

This new Honeywell Rate Gyro is designed expressly for flight control of missiles and flight instrumentation in missiles and aircraft where severe ambient conditions prevail . . . and at the same time where low threshold, minimum hysteresis, excellent linearity, high natural frequency and ruggedness are essential.

Honeywell inertial components and engineering experience are available to assist in the solution of your Gyro system problems. Write for Bulletin JRT . . . Minneapolis-Honeywell, Boston Division, Dept. 45, 1400 Soldiers Field Road, Boston 35, Mass.

# Honeywell



*Military Products Group*

### DESCRIPTIVE DATA

- EXCELLENT LINEARITY: 0.25 % at full scale.
- LOW HYSTERESIS: Less than 0.1 % at full scale.
- LOW THRESHOLD: Less than 0.01 degree/second.
- MICROSYN PICKOFF: Variable reluctance type providing infinite resolution and high signal-to-noise ratio.
- FULL SCALE RATE: Up to 1000 degree/second.
- FULL SCALE OUTPUT: Up to 12 volts.
- RUGGED: Withstands 100 G shock.
- VIBRATION: Withstands 15 G to 2000 cps.
- SIZE:  $2\frac{3}{4}$ " diameter  $4\frac{1}{8}$ " long.
- WEIGHT: 2 lbs.

*prescription for a successful orbit*  
**"SHAKE WELL BEFORE USING"**



**Ling vibration testing proves reliability  
of Explorer satellites before launching**


THE SUCCESS STORY of the Explorer Satellites actually began long before the countdown. Every piece and component was vibration "flown" again and again through endless testing and checkout procedures.

In fact, the *fully assembled* Explorer Satellites now in orbit were given a thorough vibration testing at Caltech's Jet Propulsion Laboratory in Pasadena, California.

The actual conditions of space flight were computed in a synthesized program, and, using Ling Electronic power generators and advanced techniques, space flight conditions were duplicated in the laboratory!

The ability to develop complex test equipment for new and challenging areas such as this is one of the reasons Ling is recognized as a leader in high power electronics.

Because of the conditions encountered in the flight to space, a random wave program was the only vibration test considered realistic enough for the Explorers. Tests at JPL included random noise band limited to 20-1500 cps with an amplitude as great as 25 G rms perpendicular to the thrust axis. Shown on the shaker table is an Explorer instrumentation package.



**LING**

**ELECTRONICS INC.**

9937 West Jefferson Blvd., Culver City, California • Telephone: TEXas 0-7711

Circle No. 3 on Subscriber Service Card.