


APRIL 13, 1959

TITAN --

Ready for Second Stage Testing



missiles and rockets

MAGAZINE OF WORLD ASTRONAUTICS

Probe to Solar System's Edge 19
Explosions in Space (Part III) 21
Rush to Push for More Atlases . . 34

AN AMERICAN AVIATION PUBLICATION



When airborne performance hangs in the balance

Reliability, weight, and size are critical in every aircraft and missile component. Hydro-Aire's new de-to-dc power supply, being completely transistorized, is smaller and lighter than conventional dynamotors, offers many other advantages: No moving parts, no brush wear or replacement, no brush dust, no arcing. Increased efficiency (up to 90%) means further weight savings since smaller 28-volt batteries can be used.

Model 50-021, shown above contrasted with conventional dynamotor it replaces, has these characteristics:

Output voltage: 150vdc $\pm 1\%$
Output current: 100ma to 200 ma
Input voltage: 28vdc $\pm 10\%$

Hydro-Aire solid-state power supplies are available built to any special requirements up to 10kv and 3kw, with regulation down to $\pm 0.1\%$. Write today for details on Hydro-Aire's extensive line of solid-state devices.

Life: 1000 hours plus

Overload characteristics: short-circuit-proof

Temperature range: -55°C to $+71^{\circ}\text{C}$

Size: $2 \times 3\frac{5}{8} \times 4\frac{3}{8}$ inches

Weight: 27 oz.

Applicable specifications: MIL-E-5272, MIL-I-6181, MIL-E-7894, MIL-E-8189

HYDRO-AIRE

BURBANK, CALIFORNIA

Division of CRANE CO.

Solid-State Power Supplies

Frequency Converters - Amplifiers


Electric Motors - Solenoids

Actuators - A-C Voltage Regulators

Generators - Generator-Regulators

Producing Controls for Every Basic Airborne System

what is charge?



Earth's attraction for a lightning bolt?

+ or -, which is up?

A resonant phenomenon?

A singularity in a field?

What is the nuclear "glue" for like charges?

A better comprehension of charge is important to Allison because energy conversion is our business and charge is one keystone for this conversion work. Thus we have a deep and continuing interest in electrons, protons, positrons, neutrons, neutrinos—charge in all its forms.


In its investigations, Allison calls upon the capabilities within General Motors Corporation and its Divisions, as well as the specialized talents of other individuals and organizations. By applying this systems engineering concept to new research projects, we increase the effectiveness with which we accomplish our mission—exploring the needs of advanced propulsion and weapons systems.

Energy conversion is our business



Division of General Motors,
Indianapolis, Indiana

INNER-FIN HEAT EXCHANGER



TYPICAL INNER-FIN HEAT EXCHANGER

provides cooling for missiles

Dunham-Bush Inner-Fin heat exchangers in Electronic Tube Cooling Units have proven the answer to the ever-present space problem in aero-electronic heat transfer.

Inner-fin coils have effected a 60% savings in coil sizes in units. Maintaining the same air and liquid pressure drops through the coil, an Inner-fin coil equivalent in capacity to a standard finned tube coil occupied 60% less space.

Whether your problem is "unusual" or not... whether it's in air conditioning, refrigeration or heating... Dunham-Bush has the products and engineers to meet your needs.

WRITE FOR FREE INNER-FIN BROCHURE

DUNHAM-BUSH

AIR CONDITIONING • REFRIGERATION
HEATING • HEAT TRANSFER

Dunham-Bush, Inc.

WEST HARTFORD 10, • CONNECTICUT, • U. S. A.

SALES OFFICES LOCATED IN PRINCIPAL CITIES

Executive EditorCLARKE NEWLON

Managing EditorDONALD E. PERRY

EDITORIAL STAFF

News EditorREED BUNDY

Military & DefenseBETTY OSWALD

James Barr

Electronics and Support Equipment

HAL GETTING

Electronics EngineeringCHARLES D. LAFONT

Missile ManufacturingWILLIAM E. HOWARD

Missile BusinessERICA M. KARR

NASAPAUL MEANEY

Los AngelesFRED HUNTER

RICHARD VAN OSTEN

LondonK. W. GATLAND

G. V. E. THOMPSON

ParisJEAN-MARIE RICHIE

GenevaANTHONY VANDYKE

Art DirectorWILLIAM MARTIN

Ass't Art DirectorCOLLIS CAMPBELL

CONTRIBUTORS

Propulsion EngineeringMICHAEL LORENZO

IndustryJAMES J. HAGGERTY, JR.

Soviet AffairsDR. ALBERT PARRY

Space MedicineDR. HUBERTUS STRUGHOLZ

AstrophysicsDR. I. M. LEVITY

ResearchREYWARD CANNY, JR.

ADVISORY BOARD

DR. WERNHER VON BRAUN ROBERT P. HAVILAND

DR. PETER CASTRUCCIO DR. ARTHUR KANTROWITZ

KRAFFT EHRLICHE DR. EUGEN SAENGER

R. P. GOMPERTZ ALEXANDER SATIN

BUSINESS STAFF

Assistant PublisherE. D. MUEHLFELD

Advertising Sales ManagerW. E. BROWN

Circulation DirectorL. L. BRETTNER

Research ManagerD. T. FOSSEN

Advtg. Service ManagerMRS. GLADYS BUSSELL

Production ManagerJ. F. WALLEN

Ass't Production Mgr.ELISIE GRAY

New York17 East 48 Street

Eastern Advtg. Mgr.P. B. KINNEY

P. N. ANDERSON

Detroit201 Stephenson Bldg

K. J. WELLS

Chicago139 N. Clark St.

G. E. YONAN

Los Angeles8929 Wilshire Blvd.

J. A. CLAAR

C. R. MARTZ, JR.

Miami208 Almeria Avenue

R. D. HAGEN

Toronto12 Richmond St. E.

ALLIN ASSOCIATES

London28 Bruton St.

NORALL & HART

m/r Volume 5 Number 15

Published each Monday by American Aviation Publications, Inc., 1001 Vermont Ave., N.W., Washington 5, D.C.

WAYNE W. PARRISHPresident & Publisher

LEONARD A. EISENERExecutive Vice President

& General Manager

A. H. STACKPOLEVice President

FRED HUNTERVice President

ERIC BRAMLEYVice President

ROBERT R. PARRISHVice President

Printed at the Telegraph Press, Harrisburg, Pa.

Second class postage paid at Washington, D.C.

and at additional mailing offices. Copyright

1959, American Aviation Publications, Inc.

Subscription rates: U.S., Canada and Postal Union Nations—1 year, \$8.00; 2 years, \$12.00; 3 years, \$14.00. Foreign—1 year, \$20.00; 2 years, \$30.00; 3 years, \$40.00. Single copy rate—\$.75. Subscriptions are solicited only from persons with identifiable commercial or professional interests in missiles and rockets. Subscription orders and changes of address should be referred to Circulation Fulfillment Mgr., m/r, 1001 Vermont Ave., Washington 5, D.C. Please allow 4 weeks for change to become effective and enclose recent address label if possible.



missiles and rockets, April 13, 1959

missiles and rockets

MAGAZINE OF WORLD ASTRONAUTICS

APRIL 13 HEADLINES

To the Edge of Interstellar Space

In 1962 NASA will fire minimal payload rocket and in next 8-10 years will perfect communications for receiving its data 19

Mahon to Demand More Atlases

Chairman of House Defense Appropriations Subcommittee tells M/R his group will "seriously consider" adding hundreds of millions of dollars for more of the Convair missiles 34

Pacific Missile Range Investment to Sky Rocket

Some \$250 million will be spent by end of 1962. Extra \$75 million probably will be funded in next two years for base construction 36

MISSILE ELECTRONICS

Nuclear Explosions in Space

In this third article of a series by Prof. Fred Singer it is pointed out that high-altitude blasts will seriously interfere with radio and radar. However, complete knock-out of electronic defense is unlikely 21

ASTRONAUTICS ENGINEERING

Special Report on S.E.P.R. Test Facilities

French concern expanding work in solid field; test facilities are believed to be best on the Continent 28

THE MISSILE WEEK

Washington Countdown 15

Industry Countdown 17-39

DEPARTMENTS

Editorial	11	Propulsion Engineering ...	47
Contract Awards	42	Missile Business	48
People	45	When and Where	50



COVER: With three successful flights in succession, Martin's Titan ICBM soon will go into second stage testing.



NASA is planning to send a minimal rocket to the edge of the solar system in a test of long-range communication (p. 19).



SUPPORTING Project Argus (see third article by Prof. Fred Singer on p. 21) are Jason research rockets.



BRITAIN's Thunderbird undergoes six foot drop test to simulate shock of launching at English Electric's facility.



S.E.P.R. F32 solid-fuel motor undergoes test. S.E.P.R. well-known for its liquid work now is heavily engaged in solids (p. 28).

SOLAR SAILING



EXPANDING THE FRONTIERS OF SPACE



TECHNOLOGY

SOLAR SAILING: Space travel with the aid of solar radiation pressure—an area of advanced research at Lockheed. Vehicle would employ a sail that would be raised and lowered in flight. The artist has depicted Magellan's ship "Trinidad" to symbolize man's great voyages of discovery.

Lockheed Missile Systems Division is engaged in all fields of missile and space technology—from concept to operation. Advanced research and development programs include—man in space; space communications; electronics; ionic propulsion; nuclear and solar propulsion; magnetohydrodynamics; computer development; oceanography; flight sciences; materials and processes; human engineering; electromagnetic wave propagation and radiation; and operations research and analysis.

The successful completion of programs such as these not only encompasses the sum of man's knowledge in many fields, but requires a bold and imaginative approach in areas where only theory now exists.

The Missile Systems Division programs reach far into the future. It is a rewarding future which men of outstanding talent and inquiring mind are invited to share. Write: Research and Development Staff, Dept. D2-29, 962 W. El Camino Real, Sunnyvale, California, or 7701 Woodley Avenue, Van Nuys, California. For the convenience of those living in the East or Midwest, offices are maintained at Suite 745, 405 Lexington Avenue, New York 17, and at Suite 300, 840 N. Michigan Avenue, Chicago 11.

"The organization that contributed most in the past year to the advancement of the art of missiles and astronautics."

NATIONAL MISSILE INDUSTRY CONFERENCE AWARD

Lockheed / **MISSILES AND SPACE DIVISION**

SUNNYVALE, PALO ALTO, VAN NUYS, SANTA CRUZ, SANTA MARIA, CALIFORNIA
CAPE CANAVERAL, FLORIDA · ALAMOGORDO, NEW MEXICO

Akinoto

YOU ASKED FOR IT ...

FOR MISSILE AND AIRCRAFT SYSTEMS ...



VARIABLE DISPLACEMENT PUMP DATA

MODEL	DISPL. IN 3/REV.	RATED RPM	GPM	MAX. RPM	ENVELOPE DIM.	
					DIA.	LENGTH
P175	1.750	4000	29.4	5000	5.750	8.320
P105	1.050	4000	17.3	6000	5.250	7.250
P56	.568	6000	13.9	8000	4.687	6.625
P16	.163	12000	7.9	16000	3.000	4.250
P11	.115	12000	5.5	16000	2.750	3.625
P064	.064	12000	3.1	18000	2.125	3.125
P044	.044	12000	2.1	18000	2.125	3.062

A NEW FAMILY OF BENDIX CONSTANT AND VARIABLE DISPLACEMENT HYDRAULIC PUMPS

**SMALLER • LIGHTER • FEWER PARTS • SYMMETRICAL ENVELOPE • COMPACT • RUGGED DESIGN
INHERENT HIGH SPEED CAPABILITIES • SUPERIOR CONTAMINATION TOLERANCE • HIGH RELIABILITY**

The rugged, simplified construction of Bendix® hydraulic pumps plus precision production and quality control experience provide pumps with increased reliability for missile and aircraft systems. Smaller envelopes permit interchangeability with existing installations and compact packaging for new applications. Thousands of hours of endurance, qualification and flight testing have proven the Bendix family of hydraulic pumps will exceed all existing customer and military requirements.

Pumps are furnished as separate components or as an integral part of complete sub-systems. Standard pumps are furnished with forged aluminum housings for temperatures

up to 400°F. and pressures up to 4,000 psi. Previous qualification of pumps for 550°F. assures you of high reliability for lower temperatures and availability of proven pumps for high temperature systems.

Advanced engineering, laboratory, precision manufacturing and complete service facilities are available for producing and servicing Bendix hydraulic pumps. This assures you of a quality pump manufactured specifically for your application.

All pumps are assembled and tested in a new air-conditioned, humidity-controlled, dust-free area assuring contaminate-free pumps as delivered.


MAJOR PRODUCTS—aircraft and missile hydraulic pumps; hydraulic components and sub-systems; engine fuel pumps and fuel system components; precision bellows and bellows assemblies; thermostats and related sub-assemblies; and sub-contract manufacturing and brazing.

Hamilton Division


HAMILTON, OHIO



PULSE CODE MODULATION




THE QUATERNARY WAVE combines information from trains 1 and 2, and the timing pulse regulates the width and position of the quaternary output wave. Thus, twice as much information is passed through the same bandwidth as is required for one train.



TYPICAL MOLDED MODULE used in Raytheon PCM equipment comprises logic circuitry required for a 2.3 mc shift register shown in the diagram. Other modules are used for repetitive and-or gates, flip-flops and binary-storage elements.

PCM is a new method of coding voice and analog information into digital form. It provides a completely digitalized message by time-division multiplexing of voice circuits. Adaptation of the technique offers advantages in signal-to-noise characteristics, signal regeneration, message security and equipment reliability not usually achieved with conventional techniques.

A 96-voice channel, fully transistorized PCM equipment for cable and radio transmission meeting rugged military requirements is now being developed by the Communications Department of Raytheon's Government Equipment Division. In this system a sampling frequency of 8,000 cycles is used. Each sample is coded in six-bit binary form, at a bit frequency of 4.6 mc. Many new circuit techniques, closely allied to high-speed data processing and computer systems are being developed for this equipment.



NEW OPPORTUNITIES WITH A FUTURE

Your background in design, development, production or manufacturing of radar, sonar, infrared, communication or countermeasure equipment may qualify you for an engineering future with Raytheon. Please write to Donald H. Sweet, Professional Personnel, Raytheon Manufacturing Company, Government Equipment Division, Wayland, Massachusetts.

Engineering Laboratories: Wayland, Maynard, Mass.; Santa Barbara, Calif. • Manufacturing Facilities: Waltham, North Dighton, Mass.



GOVERNMENT EQUIPMENT DIVISION



LAND



SEA



AEROSPACE

Excellence in Electronics

...speaking of

Missile Ground Support **MOBILITY**

WE PROVIDE SINGLE RESPONSIBILITY FOR ANY SIZE PROJECT

Whether it is highly complex missile surface handling equipment, like the giant FMC-designed Thor transporter-erector and launching base—or small, compact mobile missile equipment, FMC provides complete capabilities with fully integrated facilities for the entire project. Coordinated control of each phase of the job from design concept through development, engineering and production, enables FMC to meet contract delivery requirements—on schedule.

FMC's extensive experience gained in the field of mobile equipment stems from over 17 years in designing and building more types of military-standardized tracked vehicles than any other company in America. Applied to missile ground support programs, this ability can provide the answer to your mobile or fixed equipment requirements, with important time and cost-saving economies.


To assure fully coordinated development and delivery of missile ground support equipment, consult with FMC at the initial stage of project planning.

Creative Engineers: Find stimulating challenge at FMC's Ordnance Division.

THOR transporter-erector, launching base and power trailer delivered by FMC in just eight months—2 months ahead of schedule—receives operational check-out.

U. S. AIR FORCE PHOTO

HERE IS FMC'S PROFILE OF EXPERIENCE:



Putting Ideas to Work



**FOOD MACHINERY AND CHEMICAL
CORPORATION**
Ordnance Division

Missile Equipment Section I-C
1105 COLEMAN AVENUE, SAN JOSE, CALIF.



ARPA—A Dangerous Compromise

We think it is about time that Congress and the Defense Department sat back and took a long look at the Advanced Research Projects Agency (ARPA) and what its present work in the military field is doing to the U.S. military posture.

ARPA is responsible for all military space activity. The services have no money budgeted for this purpose. They do, however, have a great deal of responsibility in this field because—whether or not the fact is easily visible at the moment—there is little doubt that controlling accessibility to space in the future will be tantamount to controlling the earth.

ARPA was born of political expediency and is essentially a creature of indecision. When the Space Age dawned and the first *Sputnik* circled in the heavens, all three services leaped into the missile and spacecraft business with both feet and an eye to the future. From the resultant melee of *Vanguards* and *Explorers*, *Jupiters* and *Thors*, claims and recriminations came the plea for a definition of the roles and missions of the three services in space business. What portions rightfully and logically belonged to the Air Force, to the Army and to the Navy?

For reasons of its own the Administration side-stepped the problem by establishing ARPA—now self-styled the "Fourth Service," the "Space Service" or whatever you like. ARPA is by name an advanced research agency. In actuality 75 and more per cent of its activities are in the military space field and its prime function is to solve the roles and missions problem without really making it necessary for the Administration to come to grips with it.

ARPA solves it by dividing up the development of any one project between two or three of the services with the idea that once developed the hardware will then be given to the service needing it most. This assumes that one service, at least, will a) want it and b) be prepared to use it. Roy Johnson, director, defined ARPA's role on March 26 of this year, saying:

"To date, ARPA has been performing its work (all military space projects) by assigning its projects, or parts thereof, to one or more of the service organizations, and in a few cases, to other government agencies for execution either directly or on behalf of ARPA. For effectiveness and efficiency of

operation, they are assigned to the lowest organizational unit which has the necessary facilities, personnel, and contractual and other delegated administrative authority to do the best job for us. For example, rather than assigning work to the secretary of the military department, which in turn would have to select and assign it to lower levels within the department, ARPA directly assigns the work to such lower organizations as the Air Research and Development Command in the Air Force, the Army Ordnance Missile Command and the Chief Signal Office in the Army, the Bureau of Ordnance and the Office of Naval Research in the Navy. The secretary of the department concerned and the Joint Chiefs of Staff are advised prior to the time of assignment."

Aside from the fact that Johnson and his people are assuming a greater knowledge of the capabilities of the services than the heads of the services themselves, the ARPA system is leading toward a conclusion which may be disastrous in terms of two things—time and money.

This is because the ARPA method of using a combination of services in development fails entirely to take into consideration the fact that space vehicles are intricate, highly technical pieces of equipment which require especially trained operators, special maintenance and special logistics. Such training, maintenance and logistics cannot be arranged for after the article goes into production but must be planned and carried out to coincide with progress in development. The men, the sites and the support equipment must be ready when the first article comes off the production line.

At the moment, ARPA is developing a communications satellite. The Air Force has the booster, the Army the transmitter and the Navy the tracking. Unfortunately, however, the article being developed is a compromise which exactly suits the needs of none of the three services. Even if it did, no service has been assigned to carry out the advance preparations for its utilization.

Obviously, the roles and missions of the services are a difficult problem and it would take calm judgment and political fortitude to decide them. But the present compromise may turn out to be more costly than we can afford.

Clarke Newlon

EXCELCO



RV-A-10 SERGEANT
AIR FORCE-RE-ENTRY-X-17
POLARIS-RE-ENTRY-X-36
JUPITER JR. JUPITER SR.
POLARIS O POLARIS A
POLARIS A-1 POLARIS A-2
NIKE HERCULES NIKE ZEUS
MINUTEMAN PERSHING

Builders of more large, thin
wall, high strength solid
propellant rocket engine
cases and nozzles
for development
purposes than any
other company
in America.

AND MANY OTHER CLASSIFIED PROJECTS

A small experienced organization geared to handle
your development and prototype requirements for
static and flight tests in the shortest possible time.

Call or write

EXCELCO DEVELOPMENTS

MILL STREET • PHONE 101
SILVER CREEK, NEW YORK



NOSE CONE SPLICE JOINTS ARE FASTENED WITH HS67 PINS, TYPE 431 STAINLESS STEEL, HEAT TREATED TO 125,000 PSI MINIMUM SHEAR. THE HS60M COLLARS ARE R MONEL.

WING SPARS, FRONT AND REAR, HAVE SPAR CAPS ATTACHED TO WEB SECTIONS WITH HS92 PINS, A286 ALLOY, HEAT TREATED TO 95,000 PSI MINIMUM SHEAR. HS60M COLLARS ARE USED.



OTHER FASTENERS
MANUFACTURED AT
HI-SHEAR INCLUDE
HI-TORQUE BOLTS
BLIND BOLTS
BLIND NUTS AND
HI-LOK FASTENERS



* Designed and manufactured by North American Aviation, Inc.


* X-15 .. A CHALLENGE FOR FASTENERS

The X-15 research vehicle... ready for the first manned probe into space... with speeds exceeding 3600 mph... for altitudes above 100 miles... to withstand 1200°F... a challenge for fastening techniques.

The selection of the Hi-Shear rivet for use in the X-15 is an outstanding example of how this and other high strength fasteners are being developed at Hi-Shear research facilities to keep pace with the ever changing requirements of the aircraft and missile industries.

The Hi-Shear rivet *still* offers the *lightest strength-weight ratio* of any swaged type fastener, simplicity of installation and service reliability established by sixteen years acceptance by industry.

Contact your Engineering Standards Group or write to us for specific fastener data.



WING ATTACH STRUCTURE IS ASSEMBLED WITH INTERFERENCE FIT HI-SHEAR RIVETS. THE HS128 PINS ARE 17-4PH STAINLESS STEEL, HEAT TREATED TO 120,000 PSI MINIMUM SHEAR. THE HS91 AND HS92 PINS ARE A-286 ALLOY, HEAT TREATED TO 95,000 PSI MINIMUM SHEAR. BOTH PINS USE HS60M R MONEL COLLARS.

* "HI-SHEAR" TRADEMARK REGISTERED U.S. PAT. OFFICE. U.S. PATENTS 2,355,579; 2,355,580; D-138-579; OTHER U.S. AND FOREIGN PATENTS PENDING



hi-shear RIVET TOOL COMPANY
2600 WEST 247TH STREET • TORRANCE • CALIFORNIA



Comparator measures dimensions to one-millionth of an inch. One of many pieces of ultra-precision equipment in the New Departure instrument/minature ball bearing laboratories.



In many bearings, various dimensions and surface finishes must be held to within tolerances of one millionth of an inch.

Instrument Ball Bearings Help Missiles Along A Bright Path Of Precision!

CUSTOMER PROBLEM:

Missile guidance system manufacturers require a dependable source for super precise instrument ball bearings. When used in spin axis and gimbal applications, for example, these ball bearings help restrict vitally important drift, through extremely close tolerances and high precision uniformity.

SOLUTION:

New Departure research, development and production facilities were applied to solving the vital problem. Visual evidence of New Departure's success is the bright path of precision written across the skies by Sperry,

ACHIEVER and other guidance systems used in many of the most advanced missiles and space craft. In the case of Sperry's gyrosyn guidance system, for example, New Departure instrument ball bearings are credited with a remarkable 1200% gain in gyro accuracy. Proof enough that New Departure has the know-how and facilities to solve tomorrow's instrument/minature ball bearing design problems in missile and space exploration.

What's more, these New Departure facilities are available for *your* design development right now! Call or write Department K-4.


NEW DEPARTURE

DIVISION OF GENERAL MOTORS, BRISTOL, CONN.

NOTHING ROLLS LIKE A BALL

washington countdown

IN THE PENTAGON

The era of push-button war is coming ever faster. A military crew successfully fired a Douglas Thor. Total countdown time: 17 minutes.

• • •

Not even the advent of Boeing's solid-propellant *Minuteman* in the next few years will necessarily eliminate the need for Convair's *Atlas* and Martin's *Titan*. The reason is the size of their warheads. The *Minuteman* will pack about one megaton . . . the *Atlas* about four. And the bigger warheads are needed to destroy a hardened missile base or nuclear factory.

• • •

Even the insiders are having a hard time forecasting the new line-up of the Air Force's top staff. With Secretary McElroy sitting on the list of promotions and assignments there are too many uncertainties. All three services, for instance, are debating whether or not to give up voluntarily a few four-star positions before Congress moves in and demands more. Air Force would like to give a fourth star to Lt. Gen. Emmett "Rosy" O'Donnell, now chief of personnel, but one senator is blocking it and she's adamant. And, Lt. Gen. Clarence Irvine, deputy chief of staff-materiel, resigned despite a request from AF Secretary James Douglas to stay on at least another year.

• • •

Irvine's post will probably go to his deputy, Maj. Gen. Mark Bradley. Deputy Chief of Staff-Personnel is most likely to go to either Lt. Gen. William Hall, now boss of Continental Air Command, or to Maj. Gen. Sory Smith, formerly chief of AF information and now commander of 4th Air Force at Hamilton AFB.

• • •

Gen. Laurence Kuter, present commander of Far East Air Forces, will go to North American Air Defense Command (NORAD). Gen. Frank Everest, now chief of the U.S. Air Forces Europe (USAFE), reportedly has asked for the Tactical Air Force, improbable as that may sound to many. Three of the top U.S. jobs, SAC in Omaha and Deputy Chief for Operations and Deputy Chief for Plans, both in the Pentagon, will stay with their present incumbents—Gen. Thomas S. Power, Lt. Gen. Dean C. Struther and Lt. Gen. John K. Gerhart. Should Rosy O'Donnell acquire the fourth star through some compromise with the senator, he probably would get USAFE, otherwise he will retire.

ON CAPITOL HILL

The Senate Space Organization Subcommittee will resume its investigation tomorrow on possible crippling rivalry among federal space agencies. Among the key witnesses: Pentagon R&D Director Herbert York. Among the key questions: Who is running the store?

• • •

The House Information Subcommittee is prodding the Pentagon to explain why it is restricting information about space monkey experiments on security grounds. The real reason is reported to be diplomacy—not security. India is understood to have put pressure on the State Department to stop all space monkey business because it offends Indian monkey worshippers.

• • •

Some Congressmen are talking in terms of adding a \$1 billion package to the FY 1960 defense appropriations bill. The package would include extra funds for *Minuteman*, *Titan* and *Polaris* as well as *Atlas*.

AT NASA

Vanguard III which is scheduled to be launched today will carry: (1) a 30-ounce precision magnetometer, (2) an inflatable plastic and aluminum balloon, and (3) a new third stage built by Allegheny Ballistic Missile Laboratory. The 30-inch balloon will be inflated with nitrogen when the payload separates from the third stage.

• • •

The *Vanguard's* new third stage is expected to greatly increase the life span of the *Vanguard* program. The solid-propellant rocket will triple *Vanguard's* payload capability.

AROUND TOWN

Gen. Lauris Norstad says the greatest need of NATO forces is modern weapons which must come from the U.S. under a plan carrying to 1963. He discounts the possibility of a limited war in Europe; says there are no present plans to train West Germans in the use of the IRBM simply because other nations are available; feels strongly that a disengagement in Europe as proposed would greatly dilute security of West; and believes NATO strength lies in its mutual consultations and ability to overcome disagreements.



AEROJET for nuclear energy

For the Atomic Energy
Commission...gas-cooled
reactors. For the Army...
gas-turbine test facilities.
For the Navy...advanced
radio-tracer techniques
for quality control.
Chemical production reactors
for industry... The world's
first mass-produced nuclear
reactors for science,
medicine, and education...
and research and development of
nuclear rocket powerplants.
These breakthroughs in nuclear
technology are achievements
of Aerojet-General Corporation
and its subsidiary
Aerojet-General Nucleonics.

AEROJET-GENERAL CORP.

THE
GENERAL
TIRE

A SUBSIDIARY OF THE GENERAL TIRE & RUBBER COMPANY

Engineers, scientists—investigate outstanding opportunities at Aerojet.
(Plants at Azusa, San Ramon and near Sacramento, Calif.)

missiles and rockets, April 13, 1959

industry countdown

STRUCTURES

Martin's two-stage solid *Bold Orion* air-launched ballistic missile under WS-169A went more than 1000 miles April 3 when launched from B-47 in its fourth successful air drop. Word is that no other companies have yet achieved the Martin range. One of the hottest competitions which will mean a volume production item, WS-169A probably won't be decided until after July 1. It's interesting that Gen. Thomas D. White has commented that the system will have the same accuracy as ground-launched ballistic missiles.

Insiders say Pan American will receive Navy contracts to operate Pacific Missile Range stations at Guam and Midway. Other major contracts are reported in the mill for PMR development of Point Arguello, Hawaii and several other sites.

Rigid specifications can be expected in the DOD's quality control system uniform requirements coming out in about a month. Aim is for greater component reliability, with government monitoring control systems to be devised by contractors.

ADOS (Astronautical Defensive-Offensive System) is being unveiled by Avco at the World Congress of Flight. Developed for AF, system is still in the laboratory stage. It is designed to be an all-round weapons system to protect vehicles from attack or "piracy" in space.

Creation of a new "Bureau of Submarines" is being urged by Connecticut's Sen. Thomas J. Dodd. He wants a fleet of 100 missile-carrying atomic-powered submarines.

Watch for Supreme Court decisions in three cases involving the constitutionality of Industrial Security Regulations which allow DOD to force contractors to fire employees by barring them from classified material. Court will rule on ISR screening procedure which denied employees right to cross-examine their accusers.

PROPULSION

Significant advance in storable liquid propellants is indicated by North American's Rocketdyne Division. Firm discloses firing of all its production and experimental rocket engines with storables. Results: performance equal to or "slightly better" than standard LOX/RP with conversion factor "straight forward and relatively inexpensive."

ARPA and DOD's Materials Advisory Board are slowly overcoming "inertia" in push for ultra-high thermal basic research. MAB solid rocket materials report is due May 15. Six other studies are in the works. Importance of investigating 10,000-60,000°F "Hell's fire" is pinpointed by Temple University's Dr. Aristid V. Gross. He says Russians are probably working in the field and could come up with "surprises" in search for new fuels and high-temperature materials.

Centaur and *Rover*—both users of liquid hydrogen—apparently are behind NASA's decision to go ahead with West Coast production unit for the material. Linde Co., a division of Union Carbide, won the 5-year contract to make about 2 million pounds of liquid hydrogen a year at its Torrance, Calif., plant.

ELECTRONICS

As space exploration increases, problem of shrinking radio spectrum for telemetry gets more acute. Attempts to find a solution appear likely to founder in politics. Eisenhower Administration has countered proposed \$150,000 House study of problem with one of its own. They boil down to conflict over government vs. commercial preemption of bandwidths, with Congress leaning toward commercial side. If and when investigations get off the ground, telemetry needs may get shoved aside by VHF vs. UHF-TV hassle.

Industry experts believe big effort is required now in developing infrared techniques. Trouble is, says R. W. Powell of Aerojet-General's Avionics Division, "we know 90% of the physics of IR but only about 5% of its application."

ASTROPHYSICS

An attempt to observe Venus from a balloon at 80,000 feet will be made by Navy this summer. Project will be similar to one last November to observe Mars. That one failed when balloon ripped. Two-man team hopes to determine whether there is water in Venus' atmosphere.

SPACE MEDICINE

Psychophysiological studies of stresses encountered in manning space vehicles are continuing at Duke Medical Center under a new \$80,000 AF grant. The Center is trying to plot expected human reactions to monotony, close confinement, etc. of space travel.



HERE THEY ARE!

The SMALLEST—and the FASTEST—high pressure pneumatic solenoid valves ever made!

On the left above, the world's smallest 3000 psi pneumatic solenoid valve. (Overall height $3\frac{3}{8}$ " , total weight 3.04 oz.) Beside it, the world's fastest 3000 psi pneumatic solenoid valve, with a response time of 0.018 seconds! Developed by Walter Kidde & Company, and now available on an off-the-shelf basis, these two valves were developed primarily for missile applications, but a glance at their specifications and performance data suggests uses in both today's—and tomorrow's—high-speed *manned* aircraft.

For more information on these new tested and proven valves, as well as more than 100 qualified pneumatic system components, write to Walter Kidde & Company—pioneers in aircraft pneumatic systems, and *still* first with the finest in pneumatic components!

KIDDE VALVE #872071 (The tiny one)
 Operating Pressure 0-3000 psi
 Temperature Range -75°F. to +350°F.
 Leakage 3 cc/hr.
 Flow Equivalent to .05 orifice.
 Operating Current .5 to 1.5 amps.
 Operating Voltage 14-30 V.D.C.
 Mounting by tubing support
 Life 100 to 10,000 cycles, depending on operating conditions.
 Weight .19 lbs.

KIDDE VALVE #872458 (The speed demon)
 Operating Fluid Dry air/nitrogen gas
 Operating Pressure Range 80 to 3250 psi
 Proof Pressure 4875 psi
 Burst Pressure 8125 psi minimum
 Ambient Temperature Range -65°F. to +160°F.
 Flow Factor 1.37
 Voltage Range 18 to 30 V.D.C.
 Current (28 V. @ 80°F.) 1.2 amps.
 Coil Resistance (80°F.) 21.5 to 24 ohms
 Weight 1.40 lbs
 Response Time 0.018 seconds



District Sales Engineering Offices:
 Dallas, Tex.—Dayton, Ohio—St. Louis, Mo.
 San Diego, Calif.—Seattle, Wash.—Van Nuys, Calif.—Washington, D. C.

Walter Kidde-Pacific, Van Nuys, California
 Walter Kidde & Company of Canada Ltd.
 Montreal—Toronto—Vancouver

Walter Kidde & Company, Inc., Aviation Division, 420 Main Street, Belleville 9, N.J.



*In 1962 NASA will fire
minimal payload rocket
and in next 8-10 years will perfect
communications for receiving its data*

To the Edge of Interstellar Space

by Hal Gettings

WASHINGTON—The National Aeronautics and Space Administration will launch a minimal rocket to the edge of the solar system in 1962. And during the eight to 10 years required for the probe to reach its destination, NASA will attempt to perfect communication techniques to receive transmitted scientific data back on earth.

The first hint of NASA's planning came several weeks ago from Eberhardt Rechtin, chief of the Guidance Research Division of JPL. Delivering a paper, "Communication Techniques for Space Exploration" at CalTech's Realities of Space Exploration Colloquium, Rechtin commented:

"Useful communication to the edge of the solar system can be achieved long before the space probe reaches that destination." He said the optimum time to fire for the edge of the solar system is about three years from now. Present or near-future rocket hardware makes such a venture feasible. However, the size of the payload undoubtedly will be small.

The rocket, which would probably have a cluster of 1.5 million pound engines for its first stage, would have to achieve a burnout velocity of over 14 miles per second in order to kick

the instrument package towards the outer reaches of the solar system in the vicinity of Pluto.

The time that it would take the rocket to arrive at the orbit of Pluto, which is 2,668,000,000 miles from earth, would be over 4000 days.

Rechtin furnished the following facts:

• **Present solutions**—Worthwhile communication with space probes is achieved today with techniques not known before World War II. A greater quantity of useful information was obtained from *Pioneer III* with greater clarity, at greater ranges, and with better reliability than could even be conceived in 1950. Not only are these signals readable at levels millions of times smaller than with World War II radar receivers, but the signals themselves are more useful due to ingenious information coding techniques.

Pioneers III and IV produced considerably more useful information for the same power and bandwidth than was achieved even in the first *Explorer* probe fired less than a year before.

• **Immediate future**—It is easy to predict this nation's communications capability over the next several years (see table, p. 20). Characteristics of such extremely sensitive receiver configurations as the Microlock and the

TRAC(E), of transistors, of parametric amplifiers, and of MASERS are so well understood that the only remaining controversy concerns how fast these developments might be incorporated.

The table shows effects of steadily increased transmitter power, increasingly stable vehicles with directional antennas aboard, and progressively more sensitive receivers on the earth. These capabilities are achieved with moderate-sized ground antennas of general utility. The illustration shows that television relaying around the earth is readily foreseeable and that useful communication to the edge of the solar system can be achieved long before the space probe reaches that destination.

• **Limitations**—There are several fundamental limits on communications capability, or at least on the rate of progress, and one is the overwhelming volume of data. For example, many hundreds of feet of trajectory information were teletyped from Puerto Rico back to JPL on one probe. This teletype information was fed into an IBM 704 which did rapid, real-time trajectory prediction for the positioning of antennas in the later stations.

Earlier, information of this type would have been presented as photo-

graphs of markings on an antenna pedestal which would have been laboriously read out by hand and still more laboriously entered into a computational procedure. Necessary as this amount of data was to obtain a precise orbit, this amount of information is small compared to the kind of information transmitted from a satellite surveying the earth.

Such satellites would transmit from 10^5 to 10^9 times as much information, all of which must be processed. There is some doubt whether any reasonable number of human beings could assimilate all this information in any reasonable time. Assimilation and data reduction almost unquestionably will have to be done by computers which present heavily reduced data to human viewers.


• **Noise**—Another limit is local noise. The earth itself, because it is warm (in effect, a "black body"), radiates noise which enters the system through the sidelobes of the antenna. There are several techniques under study for reducing this noise contribution.

One technique is to design antennas whose sidelobes are appreciably lower than that for conventional antennas. These so-called low-temperature antennas are in the early research phase only. Increased rejection of the earth's radiation by a factor of three might be possible, a factor of 10 would be outstanding.

Another proposal would shield the antenna from the earth by locating it in a valley and covering the whole valley bowl with a reflecting metal surface!

Another limitation is that imposed by the noisy atmosphere and galaxy. A low point in the combination of galactic and atmosphere noise occurs in the general region of 500 to 5000 megacycles per second. Galactic noise is strongly reduced as the transmission frequencies are increased, both because the galactic noise is less at these frequencies and because the galactic sources themselves become considerably smaller and more widely spaced.

The effect of the atmosphere is reduced by increasing the altitude of the



EFFECT OF speed of receding vehicle.

station, avoiding looking at the earth's horizon whenever possible, and by keeping the transmission frequency something less than about 5000 megacycles per second.

• **Velocity**—The graph shows one of the limitations imposed by vehicles traveling at extremely high speeds. A relativistic phenomenon in communications occurs which is directly analogous to the forward beaming of energy when a near-relativistic electron collides with a stationary mass.

Even though energy appears to a moving observer to be radiated uniformly, the stationary observer thinks that the energy is all beamed forward. Therefore, for a vehicle rapidly receding from the earth at near the velocity of light, the apparent radiation back to the earth will be reduced significantly below that anticipated due to range alone.

In addition, the strong Doppler effect will make information arrive at a significantly reduced rate. Normal voice could sound like a 78 rpm record played at 33-1/3 rpm, as one example.

• **Time**—Another limitation is time. In exploring the region beyond the nearby planets, the time that it takes to reach the objective begins to stretch into years.

The amount of time that it takes to reach the destination is quite comparable to the time required to change the rate of the art in vehicles and communications. If a vehicle was

launched today to the edge of the solar system there would not be a need for the extreme range communication system for some years to come.

The table shows the edge of the solar system could be reached by 1960 as far as communications are concerned. Actually, however, since it will take between eight and 10 years to go that distance with a vehicle, the chart should be corrected to show the communications capability which might exist eight to 10 years from now, at least as far as the transmitting and receiving system on the earth is concerned.

Time scales of this sort also create the possibility that we should not fire this year with a minimal vehicle because if we fired next year with a better vehicle we would arrive at the destination sooner. But the optimum time to fire for the edge of the solar system, in order to reach there in the earliest year, is about three years from now. As for firing for the stars, it is evident ion drive is necessary and the communications engineer has at least four years to come up with an earth receiving system even if the vehicle left today at the speed of light.

• **Cost**—One of the final limitations is cost. Data acquisition facilities including antennas, buildings, and data handling equipment represent an appreciable capital investment. Whether or not the facilities needed for space communications are built is a question of economics. If the percentage return on the capital investment is high enough, money will be found almost independent of the absolute amount. It only remains to show that the space age is economically worthwhile.

As evidence of this, Rechlin pointed out several basic facts of the economics of the space age:

First, the success of the early *Sputniks* has probably cost the United States at least \$5 billion which will be paid for in lost contracts on the world market, additional military and economic aid to allies, and increased demonstrations of U.S. military and economic might.

Second, it can be shown that it is more economic to use communication satellites for world communications than to use any other technique when the channel capacity desired approaches that of television or greater. The capital investment involved for such communications is about \$300 million.

Third, during the past year there has been increasing interest by commercial organizations in sponsoring their own satellite program for purely commercial gain. The concerns would even buy the vehicles.

LONG-TERM COMMUNICATION SYSTEM CAPABILITIES

CHARACTERISTIC	1958	1960	1962
TRANSMITTER POWER	0.1 W	10 W	100 W
VEHICLE ANTENNA GAIN	6 DB	16 DB	36 DB
RECEIVER SENSITIVITY (Noise Temperature) ..	2000°K	400°K	40°K
INFORMATION BANDWIDTH*			
1. Satellite Application	0.5 MC/S	> 10 MC/S	> 10 MC/S
2. Lunar Application	60 C/S	0.3 MC/S	> 10 MC/S
3. Mars Application		30 C/S	0.3 MC/S
4. Edge of Solar System			30 C/S

*Available bandwidth for S/N = 10 DB assuming transmitter power, vehicle antenna gain, and receiver sensitivity as indicated above.

Nuclear Explosions in Space

- *High-altitude blasts seriously interfere with radio and radar*
- *Complete knock-out of electronic defense is unlikely*
- *Artificial release of molecules could sweep up extra ionization*

Third of four articles by PROF. S. FRED SINGER

WASHINGTON—Radio communication and radar, including long-range detection and guidance, are seriously disturbed by atomic explosions at high altitudes. The radiations from the burst create a great deal of ionization which acts as a barrier to the propagation of radio waves.

In some cases the layer of ionization may absorb radio waves and thus interfere with communications. In other cases it will reflect radar waves and therefore shield from detection all objects above the layer.

The implications of these effects are important to upper atmosphere scientists; because of their relation to the anti-missile defense problem, they are also of concern to military planners and missile engineers.

In spite of the seriousness of the effects it is doubtful whether an electronic missile defense can really be knocked out completely by atomic bursts. One can always pick a high enough operating frequency for radio or radar to get around the effects of the extra ionization produced by atomic bursts, although this frequency may be far removed from the optimum. Other countermeasures may be possible—for example, scavengers which can sweep up the extra ionization in the upper atmosphere.

• **Statement of problem**—The whole problem can be divided into three parts:

1. The amount and space distribution of ionization is caused by the energetic radiations released in an atomic burst and is determined by the size and type of bomb, also the burst altitude in relation to the ionosphere altitude (50 to 300 miles).

2. The electrons which are produced by the burst affect propagation of radio and radar waves; therefore we must know what happens to them after creation. Various natural methods

cause them to disappear, but the rate of disappearance depends on many factors, principally altitude. It may also be possible to remove electrons by artificial means, i.e., by releasing materials in the upper atmosphere following a burst.

3. Finally, the disturbing effect of the newly-created electrons on radio wave propagation should be studied. Extra ionization produced at very low levels, 50 miles or less, may cause absorption of radio waves while ionization produced at very high levels will act as a reflector of radio waves. While this may be useful in some cases (e.g., by improving ground-to-ground communications on VHF), the reflecting action will also screen missiles moving above this layer from ground radar. The question which must be answered quantitatively is how high a frequency is necessary for reliable operation at all times under all possible conditions.

As in the case of atomic effects on vehicles in space, there are two important cases of atomic bursts:

1. Effects produced on the upper atmosphere in *close vicinity* to a burst. This might occur in the explosion of a

In the April 20 issue: Nuclear Explosions in Space and How They Can Be Detected by a Great Variety of Scientific Techniques.

nuclear warhead of a defensive anti-ICBM missile. Or it may occur if an ICBM attack is preceded by an explosion of a large nuclear device whose purpose is interference with radar detection of the missiles which follow.

2. The second case has to do with the effects at *large distances* from the atomic burst due to radiation carried into the opposite hemisphere along the magnetic line of force. This may occur when an enemy wishes to interfere with communications at a point in the other hemisphere without the risk of invading that territory with his missiles.

• **Strategy of distant bursts**—There are some intriguing problems connected with the latter application. In fact, a proper appreciation of the physical situation determines the strategic use of long-distance atomic bursts.



AEROLAB's ARGO E-5 research missile, here on launcher at NASA's Wallops Island station, was used in connection with Project Argus.




FIG. 1—Maps of the Northern and Southern Polar Regions. Numbered points show opposite end points of various magnetic lines of force. Each point has a code symbol (indicated on chart) showing effects of bomb burst at top of atmosphere.

It is obvious that particles emitted by the atomic burst will be "tied" to a line of force. But only the fission fragments and beta rays (electrons) are in fact guided by this line of force; the gamma rays and neutrons from the burst will escape.

The earth's magnetic field has superimposed upon it various anomalies and the actual path of a line of force must be obtained from maps and calculations.

Fig. 1 shows the northern and southern polar regions and plots the end points of selected lines of force. The basic calculations were made by the Swedish physicists Block and Her-


lofson. Of course, these plots also show the point of incidence of radiation due to a distant burst point.

If the burst takes place at about 300 miles, very close to the top of the atmosphere, about half the energy is lost, since it will go straight down into the atmosphere at the burst point. But the other half is trapped along the line of force, propagates to the opposite hemisphere, and is dumped into the atmosphere.

If the aim is to dump the radiations of the atomic burst into the atmosphere in the opposite hemisphere, then the bomb burst should take place over a magnetic "high." In fact, if the mag-

netic anomaly is strong enough, one can transmit much more than 50% of the emitted energy by choosing a somewhat higher launching altitude and making use of reflection from the magnetic field below the burst. Fig. 1 indicates whether a burst at a given point will dump the radiations into the atmosphere, or whether they will remain trapped above the atmosphere.

• **Effects of close bursts**—It is quite difficult to calculate the distribution of ionization produced in the immediate vicinity of an atomic burst. All particles emitted in the burst generate ionization. These include fission fragments and neutrons, as well as gamma rays



and beta rays from the subsequent decay of the fission fragments.

The situation is complicated because the actual position of the release point plays an important role. For release points in the lower part of the ionosphere, the effects of the magnetic field of the earth are of lesser importance.

The fission fragments cannot carry the ionization too far since they have a very short range, approximately 0.5 cm of air at normal pressure (equivalent to a thickness of 5×10^{-4} gram per cm^2 of material; entering from above the atmosphere they might penetrate down to approximately 100 km).

But the gamma rays and neutrons

can penetrate over very long distances, and therefore produce ionization far away from the atomic burst, while betas are more confined—their range is limited, about 0.1 and possibly up to 1 gram per cm^2 .

The most intense ionization is produced by the fission fragments: first, because they carry 90% of the energy, and second, because their much shorter range concentrates the ionization into a smaller volume.

A good rule of thumb is that each ionization of an air atom or molecule requires about 30 electron volts. Therefore the products of a nuclear fission, where 180 Mev of energy is released, can create something like 6 million

electrons and ions. A 1 kiloton atomic bomb produces 1.3×10^{23} fissions, and therefore 8×10^{29} ion pairs.

If we assume the burst point at 60 miles* and use an average range of

*At this altitude, the three important lengths—range and radius of gyration of the average fission fragment, and atmospheric scale height—are all of the same order of magnitude. At other altitudes, this is no longer true and the problem is somewhat more involved. Our example cannot be applied to the Johnson Island tests of August, 1958, because of different conditions, e.g. use of a large H-bomb.

about 5 km, the volume in which the greatest ionization is produced amounts to something like 500 km³, giving an average electron density of 10¹² electrons per cm³, about a million times the ambient value.

This rather rough estimate can vary by orders of magnitude depending on the point of the explosion and other factors. But it indicates the extremely high electron densities producible near atomic bursts. In our present example, a large fraction of the neutral atoms become ionized.

To relate electron densities to radio frequencies, the plasma frequency (or

critical frequency) of an ionized gas is given by

$$f_c = 8.97 \sqrt{n_e}$$

(in kilocycles), where n_e is the electron density per cm³. Thus an increase in electron density by a factor of 10⁶ over normal values implies an increase in critical frequency by a factor of 10³. It places the critical frequency in the region of some 10,000 megacycles.

• **Effects of distant bursts**—It is easier to calculate the upper atmosphere effects produced by radiation guided by the earth's magnetic field. Only fission fragments and beta particles (electrons) can be guided in

this way. The betas will arrive first and their total energy per fission (spread over several electrons) is of the order of 5 Mev, possibly less, since not all fission fragments will have decayed.

In studying penetration of these beta particles into the atmosphere, their exact energy spectrum is of course of great importance. The highest energy beta rays will penetrate much deeper than low-energy rays.

In addition, the penetration depends, but not too strongly, on the pitch angle of the arriving particle. A particle with 0° pitch angle, i.e., moving along the line of force, will penetrate deepest. (At high latitudes we may assume to a good degree of approximation that the lines of force are vertically incident on the atmosphere.)

For example, a 2 Mev beta particle has a range of about 1 gram per cm² and therefore can penetrate to 50 km altitude. But a typical fission fragment with a range of 5 x 10⁻⁴ gram per cm² will penetrate down to about 100 km.

Some rough calculations can be made on the ionization produced by the incidence of these particles. Without specifying the distribution of energies of the beta rays and fission fragments, but for order-of-magnitude considerations, we will assume that the betas produce all of their ionization between altitudes of 50 and 100 km, while the fission fragments produce their ionization above 100 km up to about 200 km.

Using the basic data for a 1 kiloton bomb, recalling that only one-half of the particles are emitted into a direction where they can be carried by the magnetic field to the opposite hemisphere, and taking an area of incidence of approximately 1000 km², we derive the following electron density produced by the incidence of beta particles: about 2 x 10⁸ per cm³ in the region 50 to 100 km. This process requires in the order of 1 to 2 seconds.

It is followed a few seconds later by the arrival of the fragments. Detailed theoretical investigation reveals that their impact leads first to a compression of the ionosphere correlated with the ionization of the neutral components of the upper atmosphere. We are left then with an electron density of about 3 x 10⁹ per cm³ in the region of 100 to 200 km.

• **Removal of electrons**—The ionospheric problems raised by atomic bursts are very similar to those en-

(Continued on page 41)

TABLE 1. PROPERTIES OF "NORMAL" ATMOSPHERE

ALTITUDE (km)	TEMPERATURE °K	N ₂ cm ⁻³	O ₂ cm ⁻³	O cm ⁻³	Ne cm ⁻³
50	270	2.0x10 ¹⁶	0.5x10 ¹⁶		
60	253	5.8x10 ¹⁵	1.5x10 ¹⁵		
75	203	7.6x10 ¹⁴	1.9x10 ¹⁴		
100	210	4.3x10 ¹²	8.5x10 ¹¹	1.7x10 ¹²	5x10 ⁵
200	900	2.0x10 ⁹	1.9x10 ⁸	7.8x10 ⁹	2x10 ⁶
300	1400	9.8x10 ⁷	6.5x10 ⁶	1.2x10 ⁹	2x10 ⁶

TABLE 2:
UPPER ATMOSPHERE IONIZING AND DE-IONIZING REACTIONS


1. PHOTOIONIZATION: Creation of an electron-ion pair by absorption of an ultra-violet photon; e.g. O + photon → O⁺ + e
2. IMPACT IONIZATION: Creation of an electron-ion pair by the impact of a very fast particle; e.g. N₂ + fission-fragment N₂⁺ + e + fission fragment
3. ATTACHMENT: Capture of a free electron by a neutral atom or molecule, mainly O₂; e.g. O₂ + e → O₂⁻. The rate coefficient for this reaction is 10⁻¹³—10⁻¹⁴ cm³/sec.
4. PHOTODETACHMENT: Detachment of an attached electron by the absorption of a photon; e.g. O₂⁻ + photon → O₂ + e
5. DISSOCIATIVE RECOMBINATION: Capture of a free electron by a positive molecular ion, followed by dissociation of the molecule; e.g. N₂⁺ + e → N⁺ + N⁺. The rate coefficient is 3x10⁻⁸ cm³/sec. which is quite large & gives a fast reaction.
6. RADIATIVE RECOMBINATION: Capture of a free electron by a positive atomic ion, followed by emission of a photon; e.g. O⁺ + e → O + photon. The coefficient is 10⁻¹² cm³/sec. which is quite small; hence the reaction proceeds slowly.

Nuclear Reactor in Space

It is interesting to consider the artificial radiation belt produced by operating a nuclear reactor, e.g. in a communication and reconnaissance satellite. If the reactor's power level is 100 kilowatts, and its orbit 1000 miles above the equator, then the following estimates apply: Number of uranium fissions about 6 x 10¹⁵ per second, which also gives roughly the number of escaping neutrons.

Assuming these to be of thermal energy then, they travel an average distance of 200 miles before decaying radioactively into an electron and proton. The electrons are released with a mean energy of 0.5 Mev into a volume around the earth of about 6 x 10²⁶ cm³. Taking a lifetime of a few days, their concentration builds up to 10⁻⁴ per cm³, but their flux will be something like 10⁹ per cm² per second, 100 times greater than the maximum flux of the natural radiation belt.

Fortunately it is easy to shield against 0.5 Mev electrons; the reactor therefore produces no hazard. However, the phenomenon of trapped radiation can be used to detect the existence of an orbiting nuclear reactor.



Phosphor bronze reticle (actual size) and space frequency transfer characteristics of circular aperture reticle.

TARGET DISCRIMINATION IN INFRARED DETECTION SYSTEMS

The pioneering field of infrared detection offers many challenging opportunities to scientists and engineers at Ramo-Wooldridge for advanced studies in the solution of target discrimination problems. Research is continually under way at Ramo-Wooldridge in the integrating of infrared detection devices with the latest electronic systems techniques for enhanced target detection on the ground and in the air.

The phosphor bronze reticle, or image chopper, illustrated above was developed by Ramo-Wooldridge. It indicates a marked stride in space filtering discrimination concepts, and is used for target signal enhancement in guided missiles, anti-aircraft fire control and air collision warning applications.

The reticle is used in the focal plane of an infrared optical system and is rotated to chop the target image for the desired space filtering. It is also employed in time filtering, such as pulse length discrimination, or pulse bandwidth filtering.

Space filtering is critical to infrared systems, because of its ability to improve the detection of

objects located in the midst of background interference. In a manner similar to that used in the modification of electronic waveforms by electrical filtering, space filtering enhances the two-dimensional space characteristics of a target. The size and features of the target are highlighted and the undesired background eliminated.

Scientists and engineers with backgrounds in infrared systems—or any of the other important areas of research and development listed below—are invited to inquire about current opportunities at Ramo-Wooldridge.

- Electronic reconnaissance and countermeasures systems
- Analog and digital computers
- Air navigation and traffic control
- Antisubmarine warfare
- Basic research
- Electronic language translation
- Information processing systems
- Advanced radio and wireline communications
- Missile electronics systems



RAMO-WOOLDRIDGE

P.O. BOX 90534 AIRPORT STATION • LOS ANGELES 45, CALIFORNIA

a division of *Thompson Ramo Wooldridge Inc.*



...NEWS IS HAPPENING AT NORTHROP

RADIOPLANE PRODUCES FIRST COMBAT-READY SURVEILLANCE DRONES

**NEW SD-1 PROVIDES AN
EYE IN THE SKY FOR ON-THE-SPOT
BATTLEFIELD SURVEILLANCE**



In production and being delivered to the Army Signal Corps in operational quantities, the SD-1 is proved and ready to fly unmanned photo reconnaissance missions for tactical troops. Meeting tough Signal Corps standards, this Radioplane drone exemplifies Northrop Corporation's close cooperation with the U. S. Armed Services. Northrop-Armed Service teamwork provides an early awareness of future defense needs—enables a years-ahead start on vital research and development. Northrop management contributes cost-minded creativity, producing earlier effective answers to international defense problems—delivered at minimum cost.

**NORTHROP
CORPORATION**

formerly Northrop Aircraft, Inc.



Beverly Hills, California



Northrop's N-156F Freedom Fighter is the first multi-purpose jet fighter American-designed for specific tactical and economic requirements of other free nations.




Nortronics Astronertial: the one guidance concept ready now for both interplanetary navigation and for the requirements of today's advanced weapon systems.



USAF's soon-to-fly T-38 Talon delivers combat-calibre performance at minimum cost; will train America's new generation of supersonic pilots and spacemen.



Test benches for liquid-propellant rockets.



Type 686 solid-propellant rocket.



Ignition test in transparent chamber.

FRENCH ASTRONAUTICS

***S.E.P.R. test facilities are believed to be best on Continent;
firm builds and tests both solid- and liquid-fueled engines***

by Jean-Marie Riche

PARIS—S.E.P.R.—Société d'Etude de la Propulsion par Réaction—is fairly well-known for its unique experience in construction of small biquid rockets used as booster engines on high-speed jet interceptors ("Trident" and "Mirage"). The extensive work conducted in this field by S.E.P.R. has now reached the production stage with the advent of the company's 841 model for use on the Dassault "Mirage III A" fighters.

Little is known, however, about the activity of S.E.P.R. in the field of solid-propulsion motors—this despite the fact that the company is the only one in Continental Europe to have built solid-propellant propulsion systems with an impulse of more than 100 tons/second, an achievement which is matched in the Old World only by Bristol in England. More than a thousand tests of such systems have now been made by the company, which has consumed more than 200 tons of solid propellants of miscellaneous descrip-

tions.

Created in 1944 to study the techniques of jet propulsion, S.E.P.R. is exclusively a research company and has no facilities for mass production. Its headquarters have been established in a fort at Villejuif, a southeastern suburb of Paris, where all the research on solid-propellant rockets and on special projects (nuclear power, auxiliary powerplants, etc.) is conducted.

The engines designed at the headquarters are manufactured by a prototype shop in Argenteuil, a western outskirt of Paris. Liquid-propellant engines are tested at the center of Melun-Villaroche, where twelve test benches for propulsion units and six benches to test engine parts are installed. The center of Melun-Villaroche also includes a shop for the assembly and modification of power plants.


• **Heavy testing**—Finally, at the center of Istres, S.E.P.R. has created a maintenance and overhaul plant of aircraft rockets and test benches for solid-propellant engines. The company, which now employs 750 persons, has

studied about 70 types of liquid- and solid-propellant engines. In addition to the tests conducted with solid-propellant rockets, 12,000 tons of nitric acid have been consumed during 45,000 tests with liquid-propellant engines.

The testing facilities of S.E.P.R. are believed to be unequalled on the continent. Besides benches for the measurement of thrust, the company operates stoves and cold chambers allowing tests between -22°F and $+140^{\circ}\text{F}$, and acceleration benches on which 20g can be reached with a 330-lb. propulsion unit.

The company has built many measuring instruments whose precision and resistance are unique among products of the French industry.

S.E.P.R. is financially controlled by Sud-Aviation, the biggest French aircraft manufacturing company; Hispano-Suiza, an aircraft engine manufacturing company, and two of the main groups of the French chemical industry—Ugine and Air Liquide. The company does foreign (German, Italian) as well as French business.



**NOW—
A NEW DIMENSION
IN GLOBAL
WEATHER FORECASTING**

HIGH-SPEED BURROUGHS ELECTRONIC TELEPRINTERS ANSWER VITAL DEFENSE NEED

The instantaneous dissemination of up-to-the-minute and ever-changing weather data to the world-wide bases of the United States Air Force is a must in this space age. And the new Burroughs Electronic Teleprinter operating at speeds beyond 2,000 words per minute plays a key role in the Air Force's 433L Weather Observing System. Proof again of Burroughs leadership in another all-vital area of defense: high speed communications.



Burroughs Corporation

"NEW DIMENSIONS / in computation for military systems"



MOMENT IN HISTORY

THIS IS THE "FIRST FLIGHT"

of the new Air Force TITAN, America's most powerful weapon and our No. 1 challenger in the big-missile field. Time: 2/6/59—4:22 p.m. EST.

The most important thing about this moment in history is not visible here—and it is this:

Three years to the day from the breaking of ground at Martin-Denver, TITAN No. 1 roared into the sky. Those 36 months saw the creation of the free world's most advanced ballistic missile facility—and the development, production, testing, delivery and launching of the first of an entirely new generation of ballistic missile weapon systems, forerunner of the Global Ballistic Missile.

TITAN is the result of an advanced engineering concept—developed by Martin under the direction of the Air Force's Ballistic Missile Division of the Air Research and Development Command—which provides the most extensive pre-flight testing of components, subassemblies and full scale missiles ever undertaken.

This method in the TITAN development, and in the generations of space systems to follow, may well be one of the most important single factors in speeding America's bid for space supremacy.

missiles and rockets, April 13, 1959

Seven Selected for NASA's Project Mercury Program

WASHINGTON—The National Aeronautics and Space Administration has reduced the number of astronauts to be used in the Project Mercury Man-In-Space program from twelve to seven.

NASA emphasized that the reduction was not caused by any unwillingness on the part of the candidates to take part in the program or because of difficulty in finding a greater number of qualified men.

A smaller number of astronauts was found to be desirable, NASA said, so that each could receive intense instruction in the engineering and scientific development of the vehicles, in the sub-orbital buildup missions, and in the techniques of the actual manned satellite flight.

The candidates were tested at the Lovelace Clinic in Albuquerque, N.M., and at the Wright Aeromedical Laboratories at the Wright-Patterson AFB. The seven astronauts will report in the near future to the Space Flight Activity at the Langley Research Center.

Martin-Denver

is one of the

seven divisions

of The Martin Company



Tiny Photo Cells Provide Supersensitivity

NEW YORK—Small photo cells, one-quarter inch in diameter and one million times more sensitive than conventional vacuum tube types, will soon be produced by Clairex Corporation of Puerto Rico.

A. F. Deuth, president of Clairex Corporation, listed 12 different fields of application for the tiny photoconductors, including computers and data processing, industrial controls, medical electronics, aircraft and missiles.

Deuth predicted wide use of the new cells in photography. He noted that existing photo exposure meters and controls employing conventional photovoltaic cells have not kept pace in sensitivity with improvement in speed of films. However, he said a light sensitivity of greater than ten times is easily achieved with the Clairex cell, providing a sensitive area of less than 1/100 of the conventional type.

Polaris Test Amplifier Called World's Largest

BALTIMORE—A tremendous amplifier, capable of vibrating at predetermined frequencies, has been built for testing Polaris missile parts, Westinghouse Electric Corporation announced.

Described by its makers as the world's largest and most powerful amplifier, it has an output capacity of 200,000 watts and is valued at more

HADLEY

missile valves & controls



Pressure got you jumpy?

Sure, there's bound to be a lot of pressure... from the project inception to the final count-down —so why not let Hadley Design Engineers help you with your system problems.

Our technical staff and environmental laboratories have designed, developed and qualified a variety of missile valves and controls. This engineering effort is supported by precision manufacturing and rigid quality control, enabling Hadley to deliver the Quality Product on Schedule.

For more information write,
J. T. Reilly, Director of Marketing.



Pioneers in
Cryogenic Valves

- **ENGINEERS:** Inquire about attractive project & design career opportunities.

B. H.

HADLEY

INC.*

POMONA, CALIFORNIA

*Wholly owned subsidiary of Central Hadley Corporation — listed American Stock Exchange.

than \$100,000. It weighs approximately 10 tons and is 24 feet long, 7 feet high, and 3 feet wide.

W. J. Delaney, Jr., manager of the company's X-ray and industrial electronics division here, said the amplifier will be used by Lockheed Aircraft Corporation at its Sunnyvale, Calif., plant for testing components and sub-assemblies of the Navy's *Polaris*.

Instead of being connected to a conventional speaker system, the amplifier will cause a platform to vibrate. This platform is three feet in diameter and is arranged so that missile parts can be attached. It vibrates at the required frequencies for the same reason that the cone in a loudspeaker vibrates to produce sound.

Recorder Operates Far below Sea Surface

WESTBORO, MASS.—Development of an instrument that detects and graphically records underwater information has been announced here by Alden Electronic and Impulse Recording Equipment Company, Inc. Known as the "Precision Graphic Recorder," the device can be operated thousands of feet below the surface, according to the company.

The Woods Hole Oceanographic Institute, Woods Hole, Mass., aided in development of the instrument, which can be used in detection of submarines, studying temperatures and the formation of the ocean floor, and locating mineral and oil deposits. Details of the device were not described, but the company said "unusual techniques" of the recorder would make it useful in such fields as radar, ultrasonics, infrared, spectrum analysis, radio astronomy, satellite tracking, and propagation studies.

About the Cover

Titan A-4X is shown roaring off the launch pad April 3 in 300-mile shot testing its first-stage engine.

This was the third "successful" test within two months of the Martin Co.'s ICBM, which is 90 ft. long and weighs 110 tons. Rapid progress has brought *Titan* to the point where second-stage testing is about to start.

Engines for both stages develop 380,000 pounds of thrust and are made by Aerojet-General Corp. They are reported to be capable of pushing the big rocket with a nuclear warhead 9000 miles.

Earlier successful firings came on Feb. 6 and Feb. 25.

missiles and rockets, April 13, 1959

CAREER BULLETIN FROM **BOEING**



BLAST-OFF of supersonic Boeing BOMARC, the nation's longest-range defense missile. Now in volume production for Air Force bases under construction. Other Boeing missile projects that offer engineers and scientists outstanding career opportunities include Minuteman, an advanced solid-propellant intercontinental ballistic missile system.



SAILBOATS on Lake Washington in Seattle, boating capital of the U.S. Boeing headquarters are located in evergreen Puget Sound area, world famous for fresh and salt water boating, fishing, hunting, camping, scenic forests, dramatic snow-capped mountains, mild year-round climate. Wonderful Western living for the whole family!



SPACE-AGE projects are expanding at Boeing. Above is human factors laboratory in which problems of providing environments and controls for space vehicle crews are investigated. Celestial mechanics, lunar orbital systems and interplanetary systems are other areas that offer long-range space-age career opportunities to qualified engineers and scientists.



BOEING-DEVELOPED electronic counter-measures simulator, part of huge electronics installation. Boeing research and development facilities are the most extensive in industry. They could help you get ahead faster. Look into Boeing opportunities available now, in Research, Design, Production and Service.



Write today, for your free copy of 24-page booklet, "Environment for Dynamic Career Growth." It pictures the career areas and advantages that could assure you a brighter future.

Mr. Stanley M. Little,
Boeing Airplane Company,
P. O. Box 3822-MIB, Seattle 24, Washington.

Send me the Boeing career booklet by return mail.

Name

Address City State

Degree(s) Field of interest

Experience

BOEING



One of the 20th century's most significant events is the countdown at Cape Canaveral. And participation in the countdown, and in the planning and preparation that precedes it, and in the test data collection, reduction and evaluation that follows, is the job of the Pan Am engineer.

Our Guided Missiles Range Division acts as prime contractor to the Air Force for management, operation and maintenance of the 5000-mile Atlantic Missile Range. Thus each member of our technical staff has a unique opportunity to play an intimate, vital role in the nation's major missile test and astronautical exploration activities.

Certainly other creative engineers will find no greater challenge for professional achievement than on this threshold of the space age, in Florida, with Pan Am. If you are one such man, with a degree in engineering, mathematics or physics, we invite you to investigate our career openings by addressing a brief resume (in strictest confidence) to our Director of Technical Employment. His name follows.

MR. J. B. APPELDORN
Pan American World Airways, Inc.,
Dept. B-6,
Patrick Air Force Base, Fla.



GUIDED MISSILES RANGE DIVISION
PATRICK AIR FORCE BASE, FLORIDA

Mahon to Demand More Atlases

by James Baar

WASHINGTON—Chairman George H. Mahon (D-Tex.) of the House Defense Appropriations Subcommittee favors greatly boosting production of *Atlas* to match Russia ICBM for ICBM during the next four years.

The powerful Congressional leader told M/R the deliberate decision by the Administration not to maintain ICBM parity with Russia would weaken U.S. deterrent power and would tend to shake "our confidence in ourselves and the confidence of our allies in us."

He said his subcommittee when it drafts the defense appropriations bill for FY 1960 would seriously consider adding hundreds of millions of dollars for more of the Convair missiles.

• **How much**—Mahon said he has yet to decide how much more he thought should be pumped into the *Atlas* program. But he made unmistakably clear that he favored attempting to match more or less Soviet ICBM production.

A number of key Congressmen—members of the subcommittee as well as others—are known to be deeply worried over the ICBM issue. It could easily result in one of the most momentous debates in recent American history.

The great question that the nation faces is:

• Should the United States use its full productive capacity to turn out *Atlas* in hardened bases to attain ICBM parity with Russia?

• Or, should the United States rely on its overall striking power to deter Russia for the next four years while waiting for the Boeing *Minuteman* to become operational?

Defense Secretary Neil H. McElroy and Gen. Nathan F. Twining, chairman of the Joint Chiefs of Staff, have given the Administration's answer in a series of lengthy appearances before congressional committees in the last few months.

They contend America's overall striking power is great enough and will continue to be great enough to deter Russia even if the Russians use their full capacity to produce ICBM's. This overall power is based primarily on SAC's manned bombers, the nine planned *Atlas* bases, the planned *Polaris* submarine force and the soft IRBM bases in Europe.

McElroy also insists that the defense program was not trimmed to keep it within goals set by President Eisenhower's balanced budget. The Sec-

retary insists that he asked for all the ICBM's he thought the nation needed—and that if he ever thought more were needed he would ask for them.

• **Air alert**—However, McElroy and Twining have said that the threat of Russia's increasing ICBM arsenal may become so acute within a year or so that SAC may have to maintain a 24-hour air alert.

Both also conceded that the United States could approximately match Russia ICBM for ICBM if the *Atlas* program were greatly accelerated.

Convair at present is turning out *Atlas* on only one shift. The company has said it could easily go to two shifts, indicating that production could be doubled.

Twining told the Mahon Subcommittee the principal problems in a speed-up involved training of crews and building hardened bases—not production. However, he said these problems could be overcome if the program were put on a crash basis.

But both Twining and McElroy insisted repeatedly that this course was unnecessary.

• **Increasing danger**—Gen. Thomas S. Power, SAC commander, disagreed. He told the subcommittee America's overall retaliatory power as now programmed over the next four years is deteriorating compared to Russia.

He called for maximum production of *Atlas*, more B-52's and more B-58's and he called for it all faster. He said failure to provide them meant "risking the whole country."

Subcommittee members—already concerned after listening to McElroy—were extremely impressed by Power's statements.

Also, a number of Congressmen have been questioning privately and publicly the validity of claiming the *Polaris* submarine and overseas IRBM bases as plus factors in estimating overall U.S. retaliatory power. They argue the *Polaris* is still unproven and the soft IRBM bases are easy targets for Soviet medium range missiles.

Finally, they stress that deterrent power no matter how great is obviously only successful if it deters.

They argue the United States may be cutting the margin of deterrence too thin for comfort by holding down ICBM production. And that even if the margin isn't too thin, Russia might think it is.

"The psychological factor is extremely important," Mahon said. "It isn't good to be behind."

missiles and rockets, April 13, 1959

"COMPUTER PROGRAMMING at SDC is a fundamental discipline rather than a service. This approach to programming reflects the special nature of SDC's work—developing large-scale computer-centered systems.

"Our computing facility is the largest in the world. Our work includes programming for real time systems, studies of automatic programming, machine translation, pattern recognition, information retrieval, simulation, and a variety of other data processing problems. SDC is one of the few organizations that carries on such broad research and development in programming.

"When we consider a complex system that involves a high speed computer, we look on the computer program as a system component—one requiring the same attention as the hardware, and designed to mesh with other components. We feel that the program must not simply be patched in later. This point of view means that SDC programmers are participants in the development of a system and that they influence the design of components such as computers and communication links, in much the same way as hardware design influences computer programs.

"Major expansion in our work has created a number of new positions for those who wish to accept new challenges in programming. Senior positions are open. I suggest you write directly to Mr. William Keefer at the address below. He is responsible for prompt response to your correspondence."

T.B. Steel

Senior Computer Systems Specialist



SYSTEM DEVELOPMENT CORPORATION

2414 COLORADO AVENUE, SANTA MONICA, CALIFORNIA

PMR Investment to Reach \$250 Million In 1962

**Extra \$75 million probably will be funded
in next two years for base construction**

by Robert Mount

VANDENBERG AFB, CALIF.—Investment in the development of this first operational ballistic missile base of the Strategic Air Command will reach a quarter of a billion dollars by the end of 1962, including construction of at least 26 pads.

The disclosures were made during a recent meeting here where published charges of waste were refuted by Rep. Charles M. Teague of California's Thirteenth District, and Maj. Gen. David Wade, Commander of the First Missile Division at Vandenberg. Assisting with presentation of data to newsmen and local civic leaders were Col. W. E. Leonhard, Deputy Director of Installations, AFBMD, and Col. C. T. Newton, Los Angeles area district engineer, Corps of Army Engineers.

Of chief interest were reports that all overtime salaries to date total only about one percent of total salary ex-

penditures, and that contingency allowances of 10 to 20% over base contract costs have been exceeded only on one Vandenberg contract. In that instance, the contingency costs were about 30%.

The impact of Vandenberg on the area was illustrated by the disclosure that there are now 11,000 persons at the base and the number is rapidly increasing. Those employed at present include some 4000 to 4500 military, 3000 construction and 2800 technical contractor personnel. General Wade told newsmen he sees "no end to the construction program."

He pointed out that projects in the works or in planning stages include *Thor*, *Atlas*, *Titan*, *Minuteman*, and later programs. Reports distributed to newsmen also listed *Sentry* pads, now under construction for the Air Force and ARPA by the Eleventh Naval District at the Naval Missile Facility, Point Arguello. Works already in the ground are valued at \$77.7 million.

By the end of the current fiscal year, the total cost will be \$173.1 million. Another \$75 million probably will be funded in the next two years, according to Col. Newton.

• **Spending breakdown**—Of the \$173.1 million total, \$113.9 million is for technical facilities, \$32.7 million for base support, and \$26.5 million for family housing. Of interest economy-wise was the total pre-bid estimate of work now under contract, \$109.1 million against the actual bids of \$98 million, indicating a paper saving of about \$11 million.

Programs discussed included:

Thor—Two wet pads and five dry pads. Total cost \$6.2 million. Two static captive firing stands complete, three operational training stands complete, two special purpose stands for *Thor* boosted vehicles complete.

Atlas—Three wet pads and seven dry pads. Total cost \$59.7 million. Three launch stands complete, now

HIGH TEMPERATURE CAPACITORS BY BENDIX

DESIGN FEATURES

Temperature Range . . . -55° to $+315^{\circ}\text{C}$. Capacitance . . . 0.05 to 4.0 uf at 600 VDC. Voltage Range . . . 600 V to 3000 V per section. No Voltage Derating, Low Capacitance and Power Factor Variation, Environmentally Resistant, Hermetically Sealed, Rugged Construction, Nonstrategic Materials, Minimum Size and Weight, High Altitude Operation.


The E-315 capacitor offers proven stability of operation over the temperature range of -55° to $+315^{\circ}$ Centigrade* with no voltage derating and low capacitance variation. Of rugged hermetically sealed construction and nonstrategic materials, this capacitor is built for high altitude and severe environmental operation.

This nonpolarized capacitor is available in a variety of sizes in a capacity range of from 0.05 to 4.0 microfarads at 600 VDC. It is also available in higher voltage ratings. Performance data and operating characteristics are given in Technical Bulletin SL-61 which is supplied upon request.

*Confirmed by qualification test of 1000 hours at 100% rated voltage over ambient temperature range of -55° to $+315^{\circ}\text{C}$.

Now Available
in Production Quantity

E-315



Canadian Affiliate: Aviation Electric Ltd., 200 Laurentien Blvd., Montreal 9, Quebec.
Export Sales and Service: Bendix International Division, 205 East 42nd St., New York 17, N.Y.

Scintilla Division

Sidney, New York




100 CPS X-Y RECORDING

with immediate
readout



THE NEW SANBORN MODEL 670 OPTICAL X-Y RECORDER HAS


- 1% linearity
- frequency response 3 db down at 130 cps independent of amplitude
- writing speeds to 2500 in/sec.
- 8" x 8" direct print paper chart
- trace monitoring on phosphorescent screen



X-Y RECORDING never before possible with electro-mechanical instruments can now be done with the new Sanborn Model 670 X-Y Recorder. Direct writing on ultraviolet-sensitive recording paper by a beam deflected by optical galvanometers makes possible the combination of fast writing speed and 130 cps frequency response not found in any other X-Y recorder. Transistor characteristics, acceleration and vibration of mechanical parts and events of similar short duration can be recorded with linearity of 1% of full-scale and at trace speeds as fast as 2500 inches per second. Square wave response exhibits no greater than 1/2% overshoot at any amplitude; sensitivities as high as 62.5 uv/inch (depending on preamplifier used).

PLOTS OCCUPY AN 8" x 8" RECORDING AREA and can be previewed or monitored on the instrument's phosphorescent screen. An Axis Record switch to print X and Y axes on the record, and a Beam Intensity Control to assure maximum trace clarity, are among the front panel controls provided. An 8" x 8" sheet of the ultraviolet-sensitive chart paper (stored in drawer at base of cabinet) is easily placed on the back of the hinged screen. Brief post exposure in normal room light is the only developing process.

OPTIONAL INTERCHANGEABLE PREAMPLIFIERS for each axis presently include the Model 850-1300B DC Coupling and Model 850-1200 Phase Sensitive Demodulator; a Carrier Preamplifier, High Gain Preamplifier and a time base generator are now in development. Driver Amplifiers are compact,



fully transistorized plug-in units with single-ended input and output. Galvanometers are low resistance, low voltage units of rugged, enclosed construction; sensitivity and damping are independent of coil temperature. Accessible, unitized circuitry also extends to the power supplies—a front-panel plug-in for both preamplifiers and a second supply for both driver amplifiers. A built-in blower provides constant, forced filtered air cooling. The Recorder can be rack mounted in 15 3/4" of panel space, or housed in its own 20" x 20" x 21 3/4" optional portable cabinet.

Ask your local Sanborn Sales-Engineering Representative for complete information on the Model 670 X-Y Recorder, or write the Industrial Division in Waltham, Mass.

SANBORN COMPANY

INDUSTRIAL DIVISION
175 WYMAN STREET, WALTHAM 54, MASS.

being checked out to be ready July 1. Three launch stands to be completed soon, technical equipment installations begun. Four launch stands being designed.

Titan—Two soft launch and two hard launch pads. Total program cost \$28.3 million. Two soft launch silos and support facilities under construction. Two additional training silos—believed however not for operational use and probably incomplete—planned.

Research and development facilities program, cost \$19.8 million, includes: 1. Tracking and telemetry station, \$2.6 million under construction; 2. Launch facility No. 1 at Point Arguello—two launch stands, operations bldg. & utilities costing \$6 million, an ARPA project (listed in report as Project Sentry); 3. Launch facility No. 2 at Vandenberg—three launch stands and service buildings, one block house, complex service building, vehicle storage building, power, utilities and roads. Cost \$7.5 million. [Although this project was not identified, it might be for *Minuteman*, which was mentioned by General Wade. Design, scheduled to start this month, would appear to fit the *Minuteman* schedule. Instrumentation and range safety system cost \$3 million, for which construction of major units is virtually complete.]

AEC is Recovering Valuable Cerium 144

WASHINGTON—The Atomic Energy Commission has announced that it is now producing, on a routine basis, nuclear heat sources for use with small thermoelectric generators. (Partial breakthroughs have been indicated recently by several manufacturers in development of this type of generator, which will be used in satellites and future spacecraft to operate equipment requiring low power, long life, and high reliability.)

At its Oak Ridge, Tenn., Laboratory, the AEC is separating several different radioactive materials from what otherwise would be waste products of nuclear reactors.

One is Cerium 144, which is preferred over deadly Polonium 210.

Last January, the White House exhibited a five-pound device called Snap III. Heat from radioactive polonium stimulated a flow of electricity in thermocouples. Although it had a capacity of five watts, this early device had two serious faults: Polonium 210 is an extremely poisonous substance and its half-life is only 140 days.

Despite short life, the polonium generator was said to be able to produce as much electricity in 280 days as

1450 pounds of the best conventional batteries. The AEC also said the polonium was welded into a rupture-proof capsule that made the device completely safe to handle.

The commission conceded, however, that Cerium 144 would be a better material. Cerium's half-life is 285 days, and it can be capsuled in an insoluble ceramic form that enhances its safety. The AEC in safety tests has fired welded capsules of cerium against granite without breaking them.

Cerium 144 and other materials are being separated from radioactive waste at AEC's new \$2.2 million fission products pilot plant.

The commission said operations "currently are directed toward large-scale concentration" of cerium as a source of "auxiliary electric power for space missiles." The commission is offering radioactive materials from the Oak Ridge plant for peacetime applications at prices about 10% of those formerly in effect.

NASA Reports Successful 5-Stage Sounding Rocket

WASHINGTON—Using off-the-shelf components, the National Aeronautics and Space Administration has developed a five-stage solid-fuel sounding rocket capable of boosting 25 pounds to 525 nautical miles and 100 pounds to 300 nautical miles.

The first-stage motor of the vehicle is an *Honest John* JATO unit M6. The second- and third-stage motors are *Nike* missile boosters, JATO unit X216A2. The fourth-stage rocket motor is a *Recruit*, JATO unit XM19, and the fifth-stage is a JATO unit T55.

A recent paper by Andrew G. Swanson of NASA's Langley Research Center states that several successful operational firings of the new rocket have been made at Wallops Island.

The rocket was launched at an 80° elevation angle with a 49-pound payload and reached a measured apogee of 409.8 nautical miles.

A higher altitude was not attained, according to Swanson, because deviations from the flight path due to wind and thrust misalignments caused the flight path to be slightly lower than nominal value.

The nominal stage impact points for the rocket in a no-wind trajectory would be three miles for the first stage, 5 miles for the second, 60 miles for the third, 200 miles for the fourth, and 500 miles for the fifth.

Velocity of the vehicles was 13,150 fps at fifth-stage burnout and axial accelerations with the 49-pound payload were from 70g to 120g.

missiles and rockets, April 13, 1959

*check valves with
superior sealing for
surge flows,
high flow rates and
opening blasts*



P200 Series Check Valves

*Write today for
free engineering data!*

2181 East Foothill Boulevard/Pasadena, California

*specifically designed
by Circle Seal for perfect
performance in high
pressure gas or liquid
service. For 0-3000 psi
or 0-5000 psi.*



James, Pond & Clark, Inc.

more about the missile week

Operational capability of *Snark* again was checked out successfully April 7 with combat troops performing the launch from Cape Canaveral. Missile made programmed flight to Ascension Island in about eight hours—covering 5,000 miles at 700 mph.

Contractors undertaking research involving advancement of the state-of-the-art are assuming a calculated risk, the Armed Services Board of Contract Appeals has ruled. Failure to come up with a breakthrough can mean they have failed to fulfill the contract. ASBCA made this finding in holding that Aerosonic Instrument Corp. had defaulted on an AF contract to design a portable tester. Aerosonic was unable to meet weight specifications set by the AF.

The Commerce Department's Office of Export Supply has placed Raytheon Mfg. Co. on 12 months probation. Action stems from an investigation of export of television microwave link equipment and parts to Pye Telecommunications Ltd., Cambridge, England, and subsequent trans-shipment of some

of the goods to "unauthorized" destinations.

Boron hydride authority Dr. Hermann I. Schlesinger of the University of Chicago has won the American Chemical Society's 1959 Priestly Medal.

Summer school: Yale's Dynamical Astronomy four-week course opens July 6. Registration deadline is April 30. A 10-day Army R&D-sponsored missile and rocket technology institute starts July 26 at the University of Connecticut.

On April 25, the Roswell, N.M., Museum and Art Center is dedicating its new Rocket and Space wing to rocket pioneer Dr. Robert H. Goddard.

General Electric is selling its plastics plant at Taunton, Mass., and the equipment and business of its Decatur, Ill., operation to Haveg Industries, Inc., of Wilmington, Del. Transaction means GE is withdrawing from the custom molded plastics field.

Direct conversion of nuclear energy into electricity with plasma thermo-

couple has been achieved by AEC in container the size of a frozen orange juice can. Unit produced by SNAP (Systems of Nuclear Auxiliary Power) program is improvement on earlier SNAP III. It could be unlimited power source for spacecraft. Output of 3.8 volts was generated by inserting uranium-enriched rod in vaporized cesium and bombarding entire unit with neutrons in a reactor. AEC also has unveiled a Martin-designed SNAP-powered radio station (W8NPC, 29.06 mc). Generator uses Plutonium 210 as did SNAP III, but is lighter and 5-6½% more efficient.

"Substantial" number more *Thor-Able* tests are likely despite first nose cone recovery on 12th shot, which went 5,000 miles April 8. Miniaturized cone was made of reinforced ceramic-AVCOite.

A contract of unspecified amount has been awarded Sylvania's Electronic Systems division by the Rome, N.Y., Air Development Center to study methods of defensively classifying and tracking enemy ICBM's.

Look...

**TREVARNO RESIN
PRE-IMPREGNATED
GLASS FABRICS**
help solve many problems
on the Chance Vought
F8U-1P Photo Plane.


For information about how Trevarno Resin Pre-impregnated Glass Fabric can help you solve your problems, write or call the District Office nearest you:

Los Angeles:
635 S. Kenmore Street—DU 8-5260

Dallas, Texas:
4924 Greenville Ave. — EM 8-7871

In the Midwest:
115 N. Main St., South Bend, Ind.
CE 3-1821 . . . or write directly to
Coast Manufacturing & Supply Co.
P.O. Box 71, Livermore, California

Trevarno
GLASS FABRICS





The representative from
'missiles and rockets
offers you the
most exciting
half hour
of your week



Here is a man who knows the \$7 Billion Missile Market the missile audience. He's constantly briefed by the largest editorial staff exclusively serving this field and by the m/r research department. The editors of Missiles and Rockets—all specialists—keep him posted on rapid changes in the market—changes that bring big adjustments in both manufacturing and marketing.

In just thirty minutes this man from m/r can reveal what's in a missile *for you*. (3,000 subcontractors and vendors alone supply over 40,000 parts for just *one* Atlas ICBM.) If you are already active in the missile field, he can explain how you can sell *more* in Missiles and Rockets—the main source of accurate information in the missile field. Contact your nearest m/r regional office and prepare yourself for the most exciting half hour of your week.

missiles and rockets

AMERICAN AVIATION PUBLICATIONS,

World's Largest Aviation Publishers

1001 VERMONT AVENUE, N. W., WASHINGTON 5, D. C.

(Continued from page 24)

countered by upper atmosphere physicists who study (1) the normal ionosphere, (2) the ionosphere disturbed by ultraviolet radiation from solar flares which gives occasional radio blackouts, and (3) the ionosphere disturbed by the incidence of a large flux of charged particles from the sun, for example by low-energy cosmic rays.

The fundamental atomic processes which enter, such as ionization, recombination, attachment and detachment of electrons are basically the same as for the normal ionosphere (See Table 2). The difference in the atomic burst case is mainly due to the fact that the source function occurs very suddenly and then disappears, and that the removal processes of electrons follow thereafter.

Because of the extremely high electron densities encountered, it is quite permissible to neglect the normally existing electron densities, and this simplifies the problem to some extent.

Table 1 collects the important and pertinent data about the concentration of nitrogen and oxygen molecules, oxygen atoms, and of electrons in the upper atmosphere. From these data we can draw some immediate conclusions concerning the fate of the electrons. Table 2 defines some atomic processes which can change the electron density and gives their rate constants.

Below 100 km, we can see immediately that the electrons must have been produced by ionization of oxygen and nitrogen molecules. But only a small percentage of these has been destroyed, most of the oxygen molecules for example are still left intact. Hence there will be two competing processes which remove electrons: (1) A fast process of recombination with molecules. (2) Attachment of the electron to an oxygen molecule; this does not really remove it permanently but, so to speak, stores it and makes it ineffective as far as radio propagation effects are concerned.

At 65 km, however, and at altitudes below this level, attachment begins to predominate over recombination and we are therefore faced with the problem of electrons surviving for longer periods of time. From the attached condition they can be released either by a collisional detachment or by photodetachment when they are struck by sunlight.

It is conceivable therefore that electrons could be stored overnight and then released by the sun. How-

ever, since there is no further source of supply at the time they will of course quickly recombine.

We can easily show that *dissociative recombination* removes electrons very rapidly at all altitudes up to about 150 km. But at the very highest altitudes there are not enough molecules left for this process since most of the ionization came from the more abundant oxygen atoms. This depletion of molecules then means that *radiative recombinations* are the only means for removing particles and these proceed at a very slow rate. Therefore high electron densities may persist at altitudes of 200 km for some considerable time.

This slow recombination rate at 200 km explains why we observe an ionosphere at night when the sun's ultraviolet radiation is absent and no further ionization is produced.

• **Countermeasures**—This suggests a possible countermeasure to the high electron densities, namely the release of molecules by artificial means, for example by containers carried up into the high atmosphere with small rockets. These molecules will quickly scavenge or sweep up the free electrons.


We have made some estimates on the possibility of neutralizing the high electron density by the release of nitric oxide. Unfortunately large quantities are necessary. Ideally one would like a catalyst which speeds up recombination without being used up. Here is a field where additional research might be very fruitful.

In the meantime we must examine how we can circumvent the high altitude electron clouds by electronic means.

If complete ionization at 100 km were possible, leading to about 6×10^{12} electrons per cm^3 , then serious difficulties could arise; but at low altitudes most of the electrons will be removed quickly by dissociative recombination and by attachment.

At higher altitudes the electron densities could be 10^9 to 10^{10} per cm^3 , i.e. 1000 to perhaps as much as 10,000 times higher than the normal electron densities.

But their effects, even if they were to persist for long times, will be serious only for low-frequency communications and radar gear. The frequencies affected will be in the range of 100 to 1000 megacycles; at much higher frequencies there should be little interference with radar defense against missiles.



priceless

When your priceless test data are recorded on film, you will find no more reliable source of film processing than CFI. At CFI all of your film requirements... for sales, training, and visual aids, 16 or 35mm, will receive the most careful attention.

CFI UNDERSTANDS your film problems. CFI has processed the invaluable film records of many vital projects. CFI recognizes the need for uncompromising quality and fast action.

CFI FACILITIES are complete... and modern. CFI has developed many new processes and is the leader in its field. CFI has complete security clearance, assuring safe handling of highly classified material.


CFI EXPERIENCE includes 40 years as the nation's largest and most progressive organization, with complete lab facilities in both Hollywood and New York.

FOR COMPLETE INFORMATION on capabilities and service available, write or call for a sales representative.

cfi

CONSOLIDATED FILM INDUSTRIES
959 Seward St., Hollywood 38, Calif. • HO 9-1441
521 West 57th St., New York 19, N. Y. • CI 6-0219

REDUCE BREAKDOWN FAILURES



DEPOSITED CARBON RESISTORS



The use of a thermo-plastic insulation material has resulted in an economically priced molded carbon resistor of markedly improved endurance and long term stability.


Type N resistors subjected to several one-hour cycles of immersion in boiling water — while DC polarized — have revealed only negligible changes in resistance. Continuous operations at 150°C caused no damage to the component.

The new Type N resistor, a deposited carbon film fired onto a porcelain rod, is first tropicalized with multiple coatings of pancratic lacquers to give it long term moisture resistance, and is then molded in a thermo-plastic material.

This molded insulation has an effective resistance in the order of 10^{13} ohms. Its inherent thermal conductivity is approximately ten times that of air, resulting in substantially improved load life under conditions involving excessive or high wattage dissipation. Similarly, Type N resistors may be soldered as close to the insulation as desired without fear of melting or deforming the cover.

One added advantage of the Type N is that the original markings on the resistor body remain visible and legible through the transparent molded material.

Welwyn Type N carbon resistors meet the requirements specified by MIL-R-10509B, and are available in all values, ranging from 10 ohms through 1 megohm. For complete data and specifications write to Welwyn International, Inc., 3355 Edgecliff Terrace, Cleveland 11, Ohio.



SAMPLES AVAILABLE ON REQUEST.

contract awards

NASA

WASHINGTON—The civilian space agency announced it would buy liquid hydrogen for rockets from the Linde Co., Div. of Union Carbide Corp., for the next five years. Although no guaranteed amounts were given in the contract, it could total more than \$1,000,000 annually.

Linde agreed to finance expansion of a plant at Torrance, Calif., to supply NASA's requirements.

Consolidated Systems Corp., Monrovia, Calif., subsidiary of Consolidated Electronics Corp., received a \$348,700 NASA contract for an automatic data-recording and monitoring system to acquire and process data from rocket motors being tested by JPL at Edwards AFB.

Other awards:

ARMY

\$6,372,000—Western Electric Co., Inc., for R&D on Nike-Zeus program (Bell Telephone Laboratories, Inc., will carry out work).

\$5,044,080—Firestone Tire & Rubber Co., for guided missile artillery.

\$2,687,725—Western Electric Co., Inc., for Nike spare parts and components (18 contracts).

\$2,645,000—North American Aviation, Inc., Rocketdyne Div., for rocket engines.

\$2,078,000—The Martin Co., for continuation of R&D on Pershing.

\$984,000—Avco Manufacturing Corp., for research in re-entry physics.

\$657,296—Raytheon Manufacturing Co., for electronic assemblies for Hawk.

AIR FORCE

\$4,000,000—Goodyear Aircraft Corp., for Atlas ground support and launching equipment (add-on orders from Convair).

\$2,000,000—Marquardt Aircraft Co., for radar signal simulators.

\$1,324,172—International Business Machines Corp., for SAGE data processing equipment.

\$752,000—IBM, for study for SAC Subsystem 438L.

\$491,174—Hewlett-Packard Co., Palo Alto, Calif., for various electronic items.

\$300,000—Bogue Electric of Canada, Ltd., Ottawa, for power supplies for SAGE data processing equipment (subcontract from Burroughs Corp.).

\$211,275—Ampex Corp., for tape recorder/reproducer, components and spare parts.

\$116,630—Boeing Airplane Co., Pilotless Aircraft Div., for technical data for Bomarc components (two contracts).

(Sylvania Electric Products, Inc., received a contract from the Rome Air Development Center for ICBM detection study. Amount was not disclosed.)

(Avion Div., ACF Industries, Inc., received an ARDC contract to study detection of infrared radiations from satellite vehicles. Amount was not disclosed.)

NAVY

(RCA received a contract totaling several million dollars for development of new communications systems for submarine-based Polaris missiles. Exact amount was not disclosed. Work will last several years and involve a number of subcontractors.)

\$1,000,000—American Potash & Chemical Corp., for ammonium perchlorate (letter of intent).

\$391,938—New Mexico State College, for research on the upper atmosphere.


\$209,373—Cooper Development Corp., Monrovia, Calif., for research on measurement of solar flare phenomena.

\$172,121—Technical Appliance Corp., Sherburne, N.Y., for Minitrack satellite tracking system.

\$106,639—Raytheon Manufacturing Co., for 66 man-months of engineering services to support Sparrow III, and associated equipment.

\$103,591—Barnes Engineering Co., Stamford, Conn., for design, test and production of three models of an infrared free air thermometer system.

missiles and rockets, April 13, 1959



Ford Nuclear Reactor at
the University of Michigan

COMMUNICATION SYSTEMS

that resist nuclear radiation

Positive and reliable communications are the lifelines of new strategic weapons, hypersonic aircraft, satellites, and air defense. Resistance to nuclear radiation damage is an additional prerequisite for some of these advanced weapon systems.

The Bendix Systems Division, using the Ford Nuclear Reactor at the nearby University of Michigan, is developing radiation-resistant Mission and Traffic Control equipment. This work is being conducted by Bendix as a contractor to the Air Force. The objective is an M&TC subsystem providing extreme reliability under severe environmental conditions and over long operating periods.

Hypersonic aircraft and re-entry vehicles require that communications overcome the attenuation of surrounding ionized air. Bendix is carrying out

propagation investigations and experimenting with designing special digital and voice communication systems. This work is under way at the Systems Division, Radio Division, and Pacific Division of the Bendix Aviation Corporation.

Positive communications also require resistance to jamming. Advanced research at the Bendix Systems Division has evolved techniques that combine jamming resistance and security of transmission.


Advanced communications know-how is being applied to additional programs for which the Systems Division has system management and engineering responsibility—such as the Navy EAGLE System and the Air Force AN/AMQ-15 Weather Reconnaissance System—and is applicable to many others.

Bendix Systems Division

ANN ARBOR, MICHIGAN



You can explore new areas at IBM in



Electronic systems engineering covers the full spectrum of applied research and development at IBM. With this broad, flexible range, and IBM's outstanding resources and facilities, your own imagination and creativeness will find unusual opportunity for expression. Currently, IBM engineers and scientists concerned with broad systems problems in business, science and government are working toward self-optimizing computers. These computers may some day program themselves and arrive at the one solution to a problem. Digital computers are being applied to simulate all the problems of a business firm operating under specified economic and statistical conditions. Progress is being made in advanced studies for radically different data systems for terrestrial and stellar navigational problems. For problems like these, and many others, IBM needs people who want to convert challenges into careers.

A NEW WORLD OF OPPORTUNITY. Both technical and administrative engineering careers offer parallel advancement opportunities and rewards at IBM. You will enjoy unusual professional freedom, comprehensive education programs, the assistance of specialists of diverse disciplines, and IBM's wealth of systems know-how. Working independently or as a member of a small team, your individual contributions are quickly recognized and rewarded. This is a unique opportunity for a career with a company that has an outstanding growth record.

GENERAL DESCRIPTIONS OF SOME ASSIGNMENTS:

INERTIAL GUIDANCE ENGINEER to assume broad project leadership in the planning and controlling of development projects. Analyze relationship of inertial equipment with bombing and navigation computer. Must have experience in servo-mechanisms, astro-compass or similar devices.

COMPUTER ENGINEER to perform physical, mathematical analyses for solving complex control problems by use of digital computers. Applications in missile systems and special-purpose computer systems such as DDA plus extensive experience in computer analyses.

RADAR ENGINEER to analyze ultimate limits and present techniques and to develop new concepts providing topographical sensors for advanced airborne and space systems. Design airborne radar pulse, microwave and deflection circuitry. Analyze doppler radar systems to determine theoretical accuracy and performance limitations. Experience with transistor circuits or radar test equipment is highly desirable.

TRANSISTOR ENGINEER to design transistor amplifiers, delay lines, transistor-tube conversion circuits, and develop specifications for transistorized equipment.

ENGINEERING PHYSICIST to assist in design and development of advanced solid state computers. Must have extensive background in electronic fundamentals plus knowledge of solid state phenomena and mathematics. Must be capable of participating in logic development with minimum supervision.

For details, write, outlining background and interests, to: **Mr. R. E. Rodgers**
Dept. 604D2
IBM Corp.
590 Madison Avenue
New York 22, N. Y.

IBM

INTERNATIONAL BUSINESS MACHINES CORPORATION

CAREERS AVAILABLE IN THESE AREAS...

APPLIED MATHEMATICS &
STATISTICS
CIRCUIT DESIGN &
DEVELOPMENT
COMPONENT ENGINEERING
COMPUTER ANALYSIS
CRYOGENICS
FLIGHT TEST ANALYSIS
HUMAN FACTORS
INERTIAL GUIDANCE
INFORMATION THEORY
LOGICAL DESIGN
OPERATIONS RESEARCH
PROGRAMMING
RADAR CIRCUITRY
THEORETICAL PHYSICS
TRANSISTOR DESIGN

QUALIFICATIONS:

B.S., M.S., or Ph.D. in Electrical or Mechanical Engineering, Physics, or Mathematics—and proven ability to assume a high degree of technical responsibility in your sphere of interest.

people

The National Aeronautics and Space Administration has named 13 government, university and industrial scientists to two working groups which will correlate research projects with future satellite and space probe payloads.

One group, charged with the problem of orbiting astronomical observatories, will be headed by **Dr. Nancy Roman** of NASA, and includes **Dr. J. E. Kupperian**, NASA; **Dr. A. Code**, University of Wisconsin; **Dr. L. Goldberg**, University of Michigan; **Dr. A. B. Meinel**, Association of Universities for Research in Astronomy, Inc.; **J. E. Milligan**, NASA; **Dr. L. Spitzer**, Princeton University, and **Dr. F. L. Whipple**, Smithsonian Astrophysical Observatory.

This group will explore X-ray, ultra violet and infrared regions of the electromagnetic spectrum.

The other group, working on the problem of orbiting satellite ionospheric beacons, will be headed by **J. C. Seddon** of NASA, and includes **Dr. C. G. Little**, National Bureau of Standards; **Dr. W. J. Ross**, Pennsylvania State University; **Dr. G. W. Swenson**, University of Illinois, and **Dr. O. G. Villard**, Stanford University.

This group will study the distribution of electrically-charged particles and electron concentration in the ionosphere, and will work to put multi-frequency radio beacons into a 200 to 500 mile orbit.

Dr. Adolph K. Thiel has been appointed Program Director for Space Missions, Space Technology Laboratories, Inc. Formerly director of the Thor Program Office, Thiel, 44, will direct STL programs including fabrication, assembly and flight test responsibilities associated with space projects.



THIEL

Appointment of **D. Brainerd Holmes** as Manager, BMEWS, has been announced by Missiles and Surface Radar Division, Radio Corp. of America. He will coordinate design, development and production phases of the Ballistic Missile Early Warning System.


Robert W. Bratt is chief of Douglas Aircraft Company's new \$10-million Aerophysics Laboratory and **Dr. James S. Murphy** has been named assistant chief. The new center will be utilized in high-speed research on missile development as well as commercial and military aircraft.



MURPHY

meeting of minds

to find
the means...



Recent contributions of the Aeronautical Division of A. O. Smith include assignments in research and/or production for the Atlas, Polaris, Jupiter, Nike-Zeus and Vanguard projects. A. O. Smith has also helped pioneer heat exchanger design for nuclear seaborne vessels.

A. O. Smith Aeronautical Division continues to demonstrate unique capabilities to work with research and development groups in government agencies and prime and sub contractors in the airframe, propulsion and missile fields.

In three quarters of a century's service to all industries, A. O. Smith has garnered exceptional experience in basic research, welding, metallurgy, heat treating and other areas that delivers a big payload in R&D speed-up as well as establishing sound production procedures.

A. O. Smith facilities and experience are available to any accredited member of the aviation-missile-rocket industry.

For more details, call or write —

Through research  a better way

A.O. Smith
CORPORATION

AERONAUTICAL DIVISION
Milwaukee 1, Wisconsin

propulsion engineering

Vast increases in I_{sp} into ranges recently considered impractical, will soon be revealed by a fairly new propellant company that has been working with aluminized perchlorates. The company won't say whether these perchlorates are involved with the radically new fuels it has developed. The propellants will be solids.

Long-duration solids for Navy use will also be announced by the same firm. Additives will at least triple and quadruple present burning time, a company official says.

Metal particles 1000 times smaller than any previously produced are paving the way for wide use of metal as additives to solid propellants. National Research Corporation is considering putting its process for making extremely fine aluminum powder into commercial operation. So far, NRC has produced aluminum, iron and nickel particles a millionth of an inch in diameter. The chemical industry wants the iron and nickel powders, as well as aluminum, for catalysts in commercial operations.

Super insulation race is on in earnest. National Research Corporation has revealed a lightweight cryogenic insulating powder it says is 15 times better than any powder announced so far. Until now, the record has been held by Linde Company with a powder 26 times more effective than vacuum insulation (Propulsion Engineering, April 6). Neither firm will reveal details. However, it's known that both systems involve very fine powders (for point contact to reduce heat flow) in combination with high vacuum. NRC points especially to the newest material's low density—2.2 lb/ft³—which makes air transportation of LOX, liquid H₂, etc., more practical.

Make-up of NASA's Chemical Energy Processes Research Advisory Committee has been announced. The 14-chemist committee is headed by Astrodyne executive vice president James A. Reid, formerly a Phillips Petroleum research chemist, later director of research, and high official in the national synthetic rubber program. Other members are: E. J. Froehlich, JPL; David Altman, Aeronutronic Systems; John Drake, Marquardt Aircraft; R. J. Thompson, Rocketdyne; A. L. Antonio, Aerojet; Allen R. Deschere, Rohm and Haas Chemical; Prof. Farrington Daniels, University of Wisconsin; B. H. Sage, Caltech; W. H. Avery, Johns Hopkins Applied Physics Lab; Frank Tanczos, Navy BuOrd; C. M. Hudson, Army Ordnance; John Longwell, Esso Research and Engineering; Marc P. Dunnam, Wright Air Development Command. NASA headquarters staffer chosen as permanent secretary is Harold Hipsher.

Zone refining techniques used to purify germanium and silicon for transistors are now applied by a British firm to purifying organic compounds and liquids. L. Light & Co., Colnbrook, has not applied the technique to fuels, but says it works well on compounds structurally similar to some fuels. To purify liquids, Light first freezes them and then zone-melts these solids.

Mine Safety Appliances Company—a parent of Callery Chemical—has developed a device that detects 0.5-10.0 ppm of UDMH in a plant or at a launching site.

New ozone production details are out and confirm that the National Bureau of Standards technique revealed in this column (March 16) actually will greatly reduce cost. High price has kept ozone in the laboratory and out of large-scale missile development. The process—microwave dissociation of oxygen cooled by liquid nitrogen—resulted from studies on trapped free radicals. The Bureau gives credit to R. A. Ruehrwein and J. W. Edwards of Monsanto Chemical, and J. S. Hashman of Callery Chemical, who were industry guest workers in the Bureau's free radical program.

missiles and rockets, April 13, 1959

PHOTOCON TRANSDUCERS

— for measuring combustion, fuel, and oxidizer pressures... high-level noise, displacements, and thrust.

- wide frequency response—from 0 to 15,000 cps.
- for severe environmental conditions.
- cable lengths up to 1800 feet.

PHOTOCON PRESSURE TRANSDUCERS

—ranges from 5 psig to 100,000 psig. Diaphragm temperature: To 6000°F with water cooled models.



PHOTOCON PROXIMITY AND DISPLACEMENT TRANSDUCERS

—measure displacement from .000001 to 2".



PHOTOCON MICROPHONE TRANSDUCERS

—for sound pressures from 80 db to 220 db, and higher.



DYNAGAGE—electronic readout systems for all Photocon transducers — accurately measure static and dynamic pressures and displacements. Compact... lightweight... simplified operation... wide frequency response... easy to install.



PHOTOCON RESEARCH PRODUCTS
421 NORTH ALTADENA DRIVE, PASADENA, CALIF.

Pressure, Microphone,
Proximity & Displacement Transducers
Dynagage Readout Instruments.



Quality you can
count on at the
countdown!

Cutaway
view of
TRE Male
Rod End.

SPHERCO®

SPHERICAL BEARINGS & ROD ENDS

Here's quality you can count on for transmission of motion. SPHERCO solid one-piece race protects the ball from binding and pinching under load and resists shock, vibration and impact. An exclusive SPHERCO method of locking the insert in a rod end body, assures you of a smooth, free running but rugged rod end bearing.



WRITE FOR
CATALOG 257

SPHERCO®

A PRODUCT OF
SEALMASTER BEARING DIVISION
STEPHENS-ADAMSON MFG. CO.
25 RIDGEWAY AVE. • AURORA, ILL.

missile business

by William E. Howard

Moving into the research "gap" in anti-submarine warfare for the Navy are two special task-force-type organizations set up by Lockheed Aircraft and General Dynamics. Both companies will draw on their full resources to tackle the complexities of ASW technology. Lockheed has designated its operations as LAWSO (Lockheed Anti-Submarine Warfare Systems Organization). There is no special name for the General Dynamics program.

LAWSO will function as part of the company's California Division under the overall supervision of Burt C. Monesmith, Lockheed vice-president and divisional manager. Edward M. Davis, former naval officer and chief of Lockheed's advanced ASW design projects for the past nine years, will manage LAWSO. He will have a group of from 12 to 25 specialists who have already put about 18 years and a quarter-million man-hours into investigations in the field.

Lockheed is putting the scientific resources of its four divisions—embracing aircraft, missiles and electronics—at the disposal of LAWSO when specific problems arise. The new unit will be an element of the California division's advanced systems research organization headed by W. H. Statler.

He says LAWSO will make a "complete systems" approach—involving detection, classification, communications, armament, vehicle and logistics support equipment in addition to personnel. Small specialist groups will cover underwater acoustics, nuclear physics, aircraft design and equipment, electronic data processing, electromagnetics, oceanography and related areas.

In the week before LAWSO was announced, Lockheed disclosed that it had acquired control of the Pudget Sound Bridge & Dredging Co. with an eye toward building nuclear-powered ships and providing ground support facilities for missiles and space vehicles. What role this new addition could play in the ASW set up was not specified by the company.

Statler says LAWSO will be seeking balanced systems abilities as a top goal. "Each must function at the optimum level in relation to each of the others." This will entail working with Navy scientific and administrative agencies and with special groups in other companies. Lockheed specialists involved include Vice Admiral A. B. Vosseller, USN (Ret.); and Drs. J. E. Lipp, Lewis Larmore and Leon Aloglu.

Their studies may involve combining weapons with detection and destruction equipment; extra long-range alarm systems and perhaps manned stations on the ocean bottom for biological and "ocean climate" research. Statler says there will not be any large-scale hirings but a few experts are required in oceanography, acoustics and other areas.

General Dynamics, in a somewhat similar organization, has established a company-wide coordinating committee of 20 to 25 persons headed by Lawrence B. Richardson—engineering senior vice-president. The committee is charged with guiding and directing divisional activity in future ASW planning. It assigns responsibility for action. And individual committee members have department command authority to back up decisions with orders, rather than just requests for action. The coordinator for the committee is James G. Wenzel, vice-president of Convair-San Diego.

G-D has had an ASW program group since 1957. The new set up is designed, says Wenzel, to cover the "whole spectrum" of problems in submarines, missiles, electronics, airplanes, surface craft and communications. He adds, "each of our divisions already has made some outstanding contributions in some part of the spectrum—but not all of it." The committee's job is to tie the program together.

A key tool in the program will be a \$250,000 underwater acoustic testing laboratory the company is building at its Stromberg-Carlson Division. G-D funded, this will be the nation's largest indoor unit of its kind.

missiles and rockets, April 13, 1959

ENGINEERS-SCIENTISTS

Engineers and Scientists at Republic Aviation—with a turn for dry professional humor—say that they're asked to solve every problem of upper atmosphere and space flight with the factor

$$\sqrt{1-\frac{v^2}{c^2}}$$

This human application of the relativistic theory of space-time relationships is predicated on the conviction that the creative content of technological thinking can be immeasurably expanded and enriched—given a propitious environment.

That the environment at Republic is propitious, is evident from the results.

Engineers and scientists like it. They thrive on it. Technical ideas of a "revolutionary" character—rather than "evolutionary"—are appearing at a rate that exceeds the norm of even 5 years ago.

In every professional area—research, development, experimental engineering—the goal is the same:

TELESCOPING TIME

in terms of technological progress

► in exotic propulsion systems for space operation—plasma propulsion...advanced nuclear power applications...

► in integrated electronic systems for flight vehicles to operate at every altitude

► in supersonic and hypersonic weapons systems, both manned and unmanned

For an invigorating environment, where new ideas flourish, look at the range of opportunities at Republic

ELECTRONICS

Inertial Guidance & Navigation • Digital Computer Development • Systems Engineering • Information Theory • Telemetry-SSB Technique • Doppler Radar • Countermeasures • Radome & Antenna Design • Microwave Circuitry & Components • Receiver & Transmitter Design • Airborne Navigational Systems • Jamming & Anti-Jamming • Miniaturization-Transistorization • Ranging Systems • Propagation Studies • Ground Support Equipment

A new \$14,000,000 Research Center—to be completed this year—is part of Republic's far-ranging R&D programs aimed at major state-of-the-art breakthroughs in every flight regime and environment.

THERMO, AERODYNAMICS

Theoretical Gasdynamics • Hyper-Velocity Studies • Astronautics Precision Trajectories • Airplane/Missile Performance • Air Load and Aeroelasticity • Stability and Controls • Flutter & Vibration • Vehicle Dynamics & System Designs • High Altitude Atmosphere Physics • Re-entry Heat Transfer • Hydromagnetics • Ground Support Equipment

PLASMA PROPULSION

Plasma Physics • Gaseous Electronics • Hypersonics and Shock Phenomena • Hydromagnetics • Physical Chemistry • Combustion and Detonation • Instrumentation • High Power Pulse Electronics

NUCLEAR PROPULSION & RADIATION PHENOMENA

Nuclear Weapons Effects • Radiation Environment in Space • Nuclear Power & Propulsion Applications • Nuclear Radiation Laboratories

Send resume in complete confidence to:

Mr. George R. Hickman, Engineering Employment Mgr., Dept. 4D-3.

REPUBLIC AVIATION
Farmingdale, Long Island, New York



CAN YOU USE

a STEEL FABRICATING PLANT in LOS ANGELES AREA

?

Unique opportunity to acquire all or part of this old established company. Facilities for all code work. Experienced employees. Owner can lease, sell, or accept stock. Brokers invited.

Write or Wire **BEN SAMPSON**

450 East Colorado St.,
Pasadena, California

How To Get Things Done Better And Faster



BOARDMASTER VISUAL CONTROL

- ☆ Gives Graphic Picture—Saves Time, Saves Money, Prevents Errors
- ☆ Simple to operate—Type or Write on Cards, Snap in Grooves
- ☆ Ideal for Production, Traffic, Inventory, Scheduling, Sales, Etc.
- ☆ Made of Metal Compact and Attractive. Over 350,000 in Use

Full price \$49⁵⁰ with cards

FREE

24-PAGE BOOKLET NO. JC-50
Without Obligation

Write for Your Copy Today

GRAPHIC SYSTEMS

55 West 42nd Street • New York 36, N. Y.

when and where

APRIL

Aeronautical Training Society, 17th Annual Meeting, Desert Inn, Las Vegas, Apr. 16-17.

Institute of Radio Engineers, 11th Annual Southwestern Conference and Electronics Show, Memorial Auditorium, Dallas, Apr. 16-18.

Third National Conference, Aviation Education, Riverside, Calif., Apr. 17-18.

Institute of Radio Engineers, Spring Technical Conference on Electronic Data Processing, Cincinnati Section, Engineering Society, Bldg., Cincinnati, Apr. 21-22.

Institute of Environmental Engineers, 1959 Annual Meeting, La Salle Hotel, Chicago, Apr. 22-24.

American Society of Mechanical Engineers, First National Metals Engineering Conference, Hotel Sheraton-Ten Eyck, Albany, N.Y., Apr. 29-May 1.

American Rocket Society, Controllable Satellite Conference, Massachusetts Institute of Technology, Cambridge, Apr. 30-May 1.

MAY

Air Force Office Scientific Research/Chemistry Div. and Electromechanical Society, Symposium on Electrode Processes, Philadelphia, May 3-7.

Institute of Radio Engineers, 11th National Aeronautical Electronics Conference, Dayton, Ohio, May 4-6.

Instrument Society of America, 5th National Instrumentation Flight Test Symposium, Olympic Hotel, Seattle, May 4-8.

International Scientific Radio Union, Spring Meeting, Willard Hotel, Washington, D.C., May 5-7.

1959 Electronic Components Conference, Benjamin Franklin Hotel, Philadelphia, May 6-8.

Institute of Radio Engineers, Seventh Regional Conference and Trade Show, University of New Mexico, Albuquerque, May 6-8.

Armed Forces Day, Observances scheduled throughout week of May 9-17.

Aviation Writers Association, 21st Annual Meeting and News Conference, Washington and Willard Hotel, Washington, D.C., May 10-16.

The Atomic Energy Commission, Technical Information Meeting on Test Reactors, National Reactor Testing Station, Idaho Falls, Idaho, May 13-15.

Society of Aircraft Materials and Processing Engineering—Eastern Div., Spring Meeting, Hotel Statler, New York City, May 15.

Society of Aeronautical Weight Engineers, 18th Annual National Conference, Hotel Henry Grady, Atlanta, May 18-21.

The Society for Experimental Stress Analysis, 1959 National Spring Meeting, Sheraton Park Hotel, Washington, D.C., May 20-22.

Advertiser's Index

Aerojet-General Corp., Sub.-General Tire & Rubber Co.	16
Agency—D'Arcy Adv. Co.	
Allison Div., General Motors Corp.	3
Agency—Kudner Agency, Inc.	
American Pipe & Steel Corp.	50
Agency—Thomas M. Cavanaugh, Inc. Adv.	
Bendix Aviation Corp.	
Bendix Systems Div.	43
Hamilton Div.	8
Scintilla Div.	36
Agency—MacManus, John & Adams, Inc.	
Boeing Airplane Co.	33
Agency—Calkins & Holden, Inc.	
Burroughs Corp.	29
Agency—Campbell-Ewald Co.	
Coast Mfg. & Supply Co.	39
Agency—Long Adv. Inc.	
Consolidated Film Industries	41
Agency—Gaynor & Ducas, Inc.	
Dunham-Bush, Inc.	4
Agency—William Schaller Co., Inc.	
Excelco Developments	12
Agency—Melvin F. Hall Adv. Agency, Inc.	
Food Machinery & Chemical Corp.	10
Agency—The McCarty Co.	
Graphic Systems, Inc.	50
Agency—Diener & Dorskind, Inc.	
B. H. Hadley, Inc.	32
Agency—Jackson & Morse Adv.	
Hi-Shear Rivet Tool Co., The	13
Hydro-Aire, Inc.	2
Agency—Gaynor & Ducas, Inc.	
International Business Machines Corp.	44, 45
Agency—Benton & Bowles, Inc.	
James, Pond & Clark, Inc.	38
Agency—Weir Adv.	
Walter Kidde & Co.	18
Agency—Cunningham & Walsh, Inc.	
Lockheed Aircraft Corp., Missiles & Space Div.	6, 7
Agency—Hal Stebbins, Inc.	
Martin Co., The	30, 31
Agency—VanSant, Dugdale & Co., Inc.	
New Departure Div., General Motors Corp.	14
Agency—D. P. Brother & Co.	
Northrop Corp.	26, 27
Agency—Erwin, Wassey, Ruthrauff & Ryan, Inc.	
Pan American World Airways, Inc.	34
Photocore Research Products	47
Agency—Balsam Adv. Inc.	
Ramo-Woodriddle, a Div. of Thompson-Ramo-Woodriddle, Inc.	25
Agency—The McCarty Co.	
Raytheon Mfg. Co.	9
Agency—Donahue & Coe, Inc.	
Sanborn Co.	37
Agency—Culver Adv., Inc.	
A. O. Smith Corp., Aeronautical Div.	46
Agency—Klau-Van Piersers-Dunlap, Inc.	
Stephens-Adamson Mfg. Co., Spherco Bearings & Rod Ends Div.	48
Agency—Connor Associates, Inc.	
Systems Development Corp.	35
Agency—Stromberger, LaVene, McKenzie	
Thiokol Chemical Corp.	52
Agency—Dancer-Fitzgerald-Sample, Inc.	
Welwyn International, Inc.	42
Agency—Jack Gilbert Associates	
Western Gear Corp.	51
Agency—Burke Dowling Adams, Inc.	
EMPLOYMENT SECTION	
Republic Aviation	49

CLASSIFIED

HI-FIDELITY components, tape recorders, and tapes at wholesale prices. Send for **FREE** catalogue. **CARSTON 215-RM**, East 88, N.Y.C. 28.

West Coast sales organization selling missile, atomic, chemical, electronic, refinery, govt. agencies. Needs additional stainless & alloy items. Warehouse available. Box 124, Missiles & Rockets Magazine, 1001 Vermont Ave., N. W., Washington 5, D.C.

Missile Photos—For your office, den or collection. We produce B&W and color prints, slides, murals, and display photographs. For catalog and sample slide send 35¢ to Camber Company, Box 1051, Cocoa, Florida.

missiles and rockets, April 13, 1959

WESTERN GEAR MISSILE ASSISTS

- TURBO-PUMP DRIVES
- THRUST CHAMBERS (SOLID)
- JETAVATOR ACTUATORS AND RINGS
- MOTORS, FANS AND BLOWERS
- WARNING DEVICES
- SERVOS AND SERVO AMPLIFIERS
- HIGH PRECISION FINE PITCH GEARING
- GROUND SERVICE EQUIPMENT
- TEST FACILITY DRIVES

Why not take advantage of the complete engineering and manufacturing facilities offered by Western Gear for an expeditious thoroughly reliable answer to your missile requirements in the electro-mechanical field?

Let us know your needs . . . Write
Precision Products Division,
Western Gear Corporation,
P.O. Box 192, Lynwood, California.
No obligation.

TITAN



POLARIS



NIKE




WG  **PRECISION PRODUCTS DIVISION**
WESTERN GEAR CORPORATION

BOMARC



ATLAS





SERGEANT

This missile system with nuclear capability is on the way to becoming a standard Army weapon. To be produced by Sperry-Rand, it is scheduled ultimately to replace the CORPORAL artillery missile system. The Jet Propulsion Laboratory-developed SERGEANT is invulnerable to any known enemy electronic counter-measures. And, thanks to a simplified Thiokol solid propellant rocket motor, the missile is extremely mobile — can be transported on military vehicles.

When SERGEANT becomes operational, the Army will possess one of the most maneuverable and accurate artillery weapons in its history.

Engineers, Scientists: perhaps there's a place for you in Thiokol's expanding organization. Our new projects present challenging problems and a chance for greater responsibility.

Thiokol®
CHEMICAL CORPORATION

TRENTON, N. J. • ELKTON, MD.
HUNTSVILLE, ALA. • MARSHALL, TEXAS
MOSS POINT, MISS. • BRIGHAM CITY, UTAH
DENVER, N. J. • BRISTOL, PA.

® Registered trademark of the Thiokol Chemical Corporation for its liquid polymers, rocket propellants, plasticizers and other chemical products.